We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6.900

186,000

Our authors are among the

most cited scientists

12.2%



WEB OF SCIENCE

Selection of our books indexed in the Book Citation Index in Web of Science™ Core Collection (BKCI)

Interested in publishing with us? Contact book.department@intechopen.com

> Numbers displayed above are based on latest data collected. For more information visit www.intechopen.com



On Stabilizability and Detectability of Variational Control Systems

Bogdan Sasu*and Adina Luminiţa Sasu Department of Mathematics, Faculty of Mathematics and Computer Science, West University of Timişoara, V. Pârvan Blvd. No. 4 300223 Timişoara Romania

1. Introduction

The aim of this chapter is to present several interesting connections between the input-output stability properties and the stabilizability and detectability of variational control systems, proposing a new perspective concerning the interference of the interpolation methods in control theory and extending the applicability area of the input-output methods in the stability theory.

Indeed, let X be a Banach space, let (Θ, d) be a locally compact metric space and let $\mathcal{E} = X \times \Theta$. We denote by $\mathcal{B}(X)$ the Banach algebra of all bounded linear operators on X. If Y, U are two Banach spaces, we denote by $\mathcal{B}(U, Y)$ the space of all bounded linear operators from U into Y and by $\mathcal{C}_s(\Theta, \mathcal{B}(U, Y))$ the space of all continuous bounded mappings $H: \Theta \to \mathcal{B}(U, Y)$. With respect to the norm $||H|| := \sup_{\theta \in \Theta} ||H(\theta)||$, $\mathcal{C}_s(\Theta, \mathcal{B}(U, Y))$ is a Banach space.

If $H \in \mathcal{C}_s(\Theta, \mathcal{B}(U, Y))$ and $Q \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, Z))$ we denote by QH the mapping $\Theta \ni \theta \mapsto Q(\theta)H(\theta)$. It is obvious that $QH \in \mathcal{C}_s(\Theta, \mathcal{B}(U, Z))$.

Definition 1.1. Let $J \in \{\mathbb{R}_+, \mathbb{R}\}$. A continuous mapping $\sigma : \Theta \times J \to \Theta$ is called *a flow* on Θ if $\sigma(\theta, 0) = \theta$ and $\sigma(\theta, s + t) = \sigma(\sigma(\theta, s), t)$, for all $(\theta, s, t) \in \Theta \times J^2$.

Definition 1.2. A pair $\pi = (\Phi, \sigma)$ is called a *linear skew-product flow* on $\mathcal{E} = X \times \Theta$ if σ is a flow on Θ and $\Phi : \Theta \times \mathbb{R}_+ \to \mathcal{B}(X)$ satisfies the following conditions:

(i) $\Phi(\theta, 0) = I_d$, the identity operator on X, for all $\theta \in \Theta$;

(ii) $\Phi(\theta, t + s) = \Phi(\sigma(\theta, t), s)\Phi(\theta, t)$, for all $(\theta, t, s) \in \Theta \times \mathbb{R}^2_+$ (the cocycle identity);

(iii) $(\theta, t) \mapsto \Phi(\theta, t)x$ is continuous, for every $x \in X$;

(iv) there are $M \ge 1$ and $\omega > 0$ such that $||\Phi(\theta, t)|| \le Me^{\omega t}$, for all $(\theta, t) \in \Theta \times \mathbb{R}_+$.

The mapping Φ is called *the cocycle* associated to the linear skew-product flow $\pi = (\Phi, \sigma)$.

Let $L^1_{loc}(\mathbb{R}_+, X)$ denote the linear space of all locally Bochner integrable functions $u : \mathbb{R}_+ \to X$. Let $\pi = (\Phi, \sigma)$ be a linear skew-product flow on $\mathcal{E} = X \times \Theta$. We consider the variational integral system

$$(S_{\pi}) x_{\theta}(t; x_0, u) = \Phi(\theta, t) x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s) u(s) ds, \quad t \ge 0, \theta \in \Theta$$

^{*} The work is supported by The National Research Council CNCSIS-UEFISCSU, PN II Research Grant ID 1081 code 550.

with $u \in L^1_{loc}(\mathbb{R}_+, X)$ and $x_0 \in X$.

Definition 1.3. The system (S_{π}) is said to be *uniformly exponentially stable* if there are $N, \nu > 0$ such that

$$||x_{\theta}(t;x_0,0)|| \le Ne^{-\nu t}||x_0||, \quad \forall (\theta,t) \in \Theta \times \mathbb{R}_+, \forall x_0 \in X.$$

Remark 1.4. It is easily seen that the system (S_{π}) is uniformly exponentially stable if and only if there are $N, \nu > 0$ such that $||\Phi(\theta, t)|| \leq Ne^{-\nu t}$, for all $(\theta, t) \in \Theta \times \mathbb{R}_+$.

If $\pi = (\Phi, \sigma)$ is a linear skew-product flow on $\mathcal{E} = X \times \Theta$ and $P \in \mathcal{C}_s(\Theta, \mathcal{B}(X))$, then there exists a unique linear skew-product flow denoted $\pi_P = (\Phi_P, \sigma)$ on $X \times \Theta$ such that this satisfies the variation of constants formula:

$$\Phi_P(\theta, t)x = \Phi(\theta, t)x + \int_0^t \Phi(\sigma(\theta, s), t - s)P(\sigma(\theta, s))\Phi_P(\theta, s)x \, ds \tag{1.1}$$

and respectively

$$\Phi_P(\theta, t)x = \Phi(\theta, t)x + \int_0^t \Phi_P(\sigma(\theta, s), t - s)P(\sigma(\theta, s))\Phi(\theta, s)x \, ds \tag{1.2}$$

for all $(x, \theta, t) \in \mathcal{E} \times \mathbb{R}_+$. Moreover, if M, ω are the exponential growth constants given by Definition 1.2 (iv) for π , then

$$||\Phi_P(\theta,t)|| \leq Me^{(\omega+M||P||)t}, \quad \forall (\theta,t) \in \Theta \times \mathbb{R}_+.$$

The perturbed linear skew-product flow $\pi_P = (\Phi_P, \sigma)$ is obtained inductively (see Theorem 2.1 in (Megan et al., 2002)) via the formula

$$\Phi_P(\theta,t) = \sum_{n=0}^{\infty} \Phi_n(\theta,t),$$

where

$$\Phi_0(\theta,t)x = \Phi(\theta,t)x$$
 and $\Phi_n(\theta,t)x = \int_0^t \Phi(\sigma(\theta,s),t-s) P(\sigma(\theta,s)) \Phi_{n-1}(\theta,s)x \, ds, n \ge 1$

for every $(x, \theta) \in \mathcal{E}$ and $t \geq 0$.

Let U, Y be two Banach spaces, let $B \in \mathcal{C}_s(\Theta, \mathcal{B}(U, X))$ and $C \in \mathcal{C}_s(\Theta, \mathcal{B}(X, Y))$. We consider the variational control system (π, B, C) described by the following integral model

$$\begin{cases} x(\theta, t, x_0, u) = \Phi(\theta, t)x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s)B(\sigma(\theta, s))u(s) ds \\ y(\theta, t, x_0, u) = C(\sigma(\theta, t))x(\theta, t, x_0, u) \end{cases}$$

where $t \ge 0$, $(x_0, \theta) \in \mathcal{E}$ and $u \in L^1_{loc}(\mathbb{R}_+, U)$.

Two fundamental concepts related to the asymptotic behavior of the associated perturbed systems (see (Clark et al., 2000), (Curtain & Zwart, 1995), (Sasu & Sasu, 2004)) are described by stabilizability and detectability as follows:

Definition 1.5. The system (π, B, C) is said to be:

- (i) *stabilizable* if there exists a mapping $F \in C_s(\Theta, \mathcal{B}(X, U))$ such that the system $(S_{\pi_{BF}})$ is uniformly exponentially stable;
- (ii) *detectable* if there exists a mapping $K \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, X))$ such that the system $(S_{\pi_{KC}})$ is uniformly exponentially stable.

Remark 1.6. (i) The system (π, B, C) is stabilizable if and only if there exists a mapping $F \in \mathcal{C}_s(\Theta, \mathcal{B}(X, U))$ and two constants $N, \nu > 0$ such that the perturbed linear skew-product flow $\pi_{BF} = (\Phi_{BF}, \sigma)$ has the property

$$||\Phi_{BF}(\theta,t)|| \leq Ne^{-\nu t}, \quad \forall (\theta,t) \in \Theta \times \mathbb{R}_+;$$

(ii) The system (π, B, C) is detectable if and only if there exists a mapping $K \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, X))$ and two constants $N, \nu > 0$ such that the perturbed linear skew-product flow $\pi_{KC} = (\Phi_{KC}, \sigma)$ has the property

 $||\Phi_{KC}(\theta,t)|| \le Ne^{-\nu t}, \quad \forall (\theta,t) \in \Theta \times \mathbb{R}_+.$

In the present work we will investigate the connections between the stabilizability and the detectability of the variational control system (π, B, C) and the asymptotic properties of the variational integral system (S_{π}) . We propose a new method based on input-output techniques and on the behavior of some associated operators between certain function spaces. We will present a distinct approach concerning the stabilizability and detectability problems for variational control systems, compared with those in the existent literature, working with several representative classes of translations invariant function spaces (see Section 2 in (Sasu, 2008) and also (Bennet & Sharpley, 1988)) and thus we extend the applicability area, providing new perspectives concerning this framework.

A special application of our main results will be the study of the connections between the exponential stability and the stabilizability and detectability of nonautonomous control systems in infinite dimensional spaces. The nonautonomous case treated in this chapter will include as consequences many interesting situations among which we mention the results obtained by Clark, Latushkin, Montgomery-Smith and Randolph (see (Clark et al., 2000)) and the authors (see (Sasu & Sasu, 2004)) concerning the connections between stabilizability, detectability and exponential stability.

2. Preliminaries on Banach function spaces and auxiliary results

In what follows we recall several fundamental properties of Banach function spaces and we introduce the main tools of our investigation. Indeed, let $\mathcal{M}(\mathbb{R}_+,\mathbb{R})$ be the linear space of all Lebesgue measurable functions $u: \mathbb{R}_+ \to \mathbb{R}$, identifying the functions equal a.e.

Definition 2.1. A linear subspace B of $\mathcal{M}(\mathbb{R}_+, \mathbb{R})$ is called *a normed function space*, if there is a mapping $|\cdot|_B : B \to \mathbb{R}_+$ such that:

- (i) $|u|_B = 0$ if and only if u = 0 a.e.;
- (ii) $|\alpha u|_B = |\alpha| |u|_B$, for all $(\alpha, u) \in \mathbb{R} \times B$;
- (iii) $|u + v|_B \le |u|_B + |v|_B$, for all $u, v \in B$;
- (iv) if $|u(t)| \leq |v(t)|$ a.e. $t \in \mathbb{R}_+$ and $v \in B$, then $u \in B$ and $|u|_B \leq |v|_B$.

If $(B, |\cdot|_B)$ is complete, then B is called a *Banach function space*.

Remark 2.2. If $(B, |\cdot|_B)$ is a Banach function space and $u \in B$ then $|u(\cdot)| \in B$.

A remarkable class of Banach function spaces is represented by the translations invariant spaces. These spaces have a special role in the study of the asymptotic properties of the dynamical systems using control type techniques (see Sasu (2008), Sasu & Sasu (2004)).

Definition 2.3. A Banach function space $(B, |\cdot|_B)$ is said to be *invariant to translations* if for every $u : \mathbb{R}_+ \to \mathbb{R}$ and every t > 0, $u \in B$ if and only if the function

$$u_t: \mathbb{R}_+ \to \mathbb{R}, \quad u_t(s) = \begin{cases} u(s-t), s \ge t \\ 0, s \in [0, t) \end{cases}$$

belongs to *B* and $|u_t|_B = |u|_B$.

Let $C_c(\mathbb{R}_+, \mathbb{R})$ denote the linear space of all continuous functions $v : \mathbb{R}_+ \to \mathbb{R}$ with compact support contained in \mathbb{R}_+ and let $L^1_{loc}(\mathbb{R}_+, \mathbb{R})$ denote the linear space of all locally integrable functions $u : \mathbb{R}_+ \to \mathbb{R}$.

We denote by $\mathcal{T}(\mathbb{R}_+)$ the class of all Banach function spaces B which are invariant to translations and satisfy the following properties:

(i) $C_c(\mathbb{R}_+,\mathbb{R}) \subset B \subset L^1_{loc}(\mathbb{R}_+,\mathbb{R});$

(ii) if $B \setminus L^1(\mathbb{R}_+, \mathbb{R}) \neq \emptyset$ then there is a continuous function $\delta \in B \setminus L^1(\mathbb{R}_+, \mathbb{R})$.

For every $A \subset \mathbb{R}_+$ we denote by χ_A the characteristic function of the set A.

Remark 2.4. (i) If $B \in \mathcal{T}(\mathbb{R}_+)$, then $\chi_{[0,t)} \in B$, for all t > 0.

(ii) Let $B \in \mathcal{T}(\mathbb{R}_+)$, $u \in B$ and t > 0. Then, the function $\tilde{u}_t : \mathbb{R}_+ \to \mathbb{R}$, $\tilde{u}_t(s) = u(s+t)$ belongs to B and $|\tilde{u}_t|_B \le |u|_B$ (see (Sasu, 2008), Lemma 5.4).

Definition 2.5. (i) Let $u, v \in \mathcal{M}(\mathbb{R}_+, \mathbb{R})$. We say that u and v are *equimeasurable* if for every t > 0 the sets $\{s \in \mathbb{R}_+ : |u(s)| > t\}$ and $\{s \in \mathbb{R}_+ : |v(s)| > t\}$ have the same measure.

(ii) A Banach function space $(B, |\cdot|_B)$ is *rearrangement invariant* if for every equimeasurable functions $u, v : \mathbb{R}_+ \to \mathbb{R}_+$ with $u \in B$ we have that $v \in B$ and $|u|_B = |v|_B$.

We denote by $\mathcal{R}(\mathbb{R}_+)$ the class of all Banach function spaces $B \in \mathcal{T}(\mathbb{R}_+)$ which are rearrangement invariant.

A remarkable class of rearrangement invariant function spaces is represented by the so-called *Orlicz spaces* which are introduced in the following remark:

Remark 2.6. Let $\varphi: \mathbb{R}_+ \to \mathbb{R}_+$ be a non-decreasing left-continuous function, which is not identically zero on $(0,\infty)$. The *Young function* associated with φ is defined by $Y_{\varphi}(t) = \int_0^t \varphi(s) \, ds$. For every $u \in \mathcal{M}(\mathbb{R}_+,\mathbb{R})$ let $M_{\varphi}(u) := \int_0^\infty Y_{\varphi}(|u(s)|) \, ds$. The set O_{φ} of all $u \in \mathcal{M}(\mathbb{R}_+,\mathbb{R})$ with the property that there is k > 0 such that $M_{\varphi}(ku) < \infty$, is a linear space. With respect to the norm $|u|_{\varphi} := \inf\{k > 0 : M_{\varphi}(u/k) \le 1\}$, O_{φ} is a Banach space, called *the Orlicz space* associated with φ .

The Orlicz spaces are rearrangement invariant (see (Bennet & Sharpley, 1988), Theorem 8.9). Moreover, it is well known that, for every $p \in [1, \infty]$, the space $L^p(\mathbb{R}_+, \mathbb{R})$ is a particular case of Orlicz space.

Let now $(X, ||\cdot||)$ be a real or complex Banach space. For every $B \in \mathcal{T}(\mathbb{R}_+)$ we denote by $B(\mathbb{R}_+, X)$, the linear space of all Bochner measurable functions $u : \mathbb{R}_+ \to X$ with the property that the mapping $N_u : \mathbb{R}_+ \to \mathbb{R}_+$, $N_u(t) = ||u(t)||$ lies in B. Endowed with the norm $||u||_{B(\mathbb{R}_+,X)} := |N_u|_B$, $B(\mathbb{R}_+,X)$ is a Banach space.

Let (Θ, d) be a metric space and let $\mathcal{E} = X \times \Theta$. Let $\pi = (\Phi, \sigma)$ be a linear skew-product flow on $\mathcal{E} = X \times \Theta$. We consider the variational integral system

$$(S_{\pi}) \qquad x_{\theta}(t; x_0, u) = \Phi(\theta, t) x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s) u(s) \, ds, \quad t \ge 0, \theta \in \Theta$$

with $u \in L^1_{loc}(\mathbb{R}_+, X)$ and $x_0 \in X$.

An important stability concept related with the asymptotic behavior of dynamical systems is described by the following concept:

Definition 2.7. Let $W \in \mathcal{T}(\mathbb{R}_+)$. The system (S_π) is said to be *completely* $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, X))$ -*stable* if the following assertions hold:

- (i) for every $u \in W(\mathbb{R}_+, X)$ and every $\theta \in \Theta$ the solution $x_{\theta}(\cdot; 0, u) \in W(\mathbb{R}_+, X)$;
- (ii) there is $\lambda > 0$ such that $||x_{\theta}(\cdot; 0, u)||_{W(\mathbb{R}_+, X)} \le \lambda ||u||_{W(\mathbb{R}_+, X)}$, for all $(u, \theta) \in W(\mathbb{R}_+, X) \times \Theta$.

A characterization of uniform exponential stability of variational systems in terms of the complete stability of a pair of function spaces has been obtained in (Sasu, 2008) (see Corollary 3.19) and this is given by:

Theorem 2.8. Let $W \in \mathcal{R}(\mathbb{R}_+)$. The system (S_{π}) is uniformly exponentially stable if and only if (S_{π}) is completely $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, X))$ -stable.

The problem can be also treated in the setting of the continuous functions. Indeed, let $C_b(\mathbb{R}_+,\mathbb{R})$ be the space of all bounded continuous functions $u:\mathbb{R}_+\to\mathbb{R}$. Let $C_0(\mathbb{R}_+,\mathbb{R})$ be the space of all continuous functions $u:\mathbb{R}_+\to\mathbb{R}$ with $\lim_{t\to\infty}u(t)=0$ and let $C_{00}(\mathbb{R}_+,\mathbb{R}):=\{u\in C_0(\mathbb{R}_+,\mathbb{R}):u(0)=0\}$.

Definition 2.9. Let $V \in \{C_b(\mathbb{R}_+, \mathbb{R}), C_0(\mathbb{R}_+, \mathbb{R}), C_{00}(\mathbb{R}_+, \mathbb{R})\}$. The system (S_{π}) is said to be *completely* $(V(\mathbb{R}_+, X), V(\mathbb{R}_+, X))$ -*stable* if the following assertions hold:

- (i) for every $u \in V(\mathbb{R}_+, X)$ and every $\theta \in \Theta$ the solution $x_{\theta}(\cdot; 0, u) \in V(\mathbb{R}_+, X)$;
- (ii) there is $\lambda > 0$ such that $||x_{\theta}(\cdot; 0, u)||_{V(\mathbb{R}_+, X)} \le \lambda ||u||_{V(\mathbb{R}_+, X)}$, for all $(u, \theta) \in V(\mathbb{R}_+, X) \times \Theta$.

For the proof of the next result we refer to Corollary 3.24 in (Sasu, 2008) or, alternatively, to Theorem 5.1 in (Megan et al., 2005).

Theorem 2.10. Let $V \in \{C_b(\mathbb{R}_+, \mathbb{R}), C_0(\mathbb{R}_+, \mathbb{R}), C_{00}(\mathbb{R}_+, \mathbb{R})\}$. The system (S_{π}) is uniformly exponentially stable if and only if (S_{π}) is completely $(V(\mathbb{R}_+, X), V(\mathbb{R}_+, X))$ -stable.

Remark 2.11. Let $W \in \mathcal{R}(\mathbb{R}_+) \cup \{C_0(\mathbb{R}_+, X), C_{00}(\mathbb{R}_+, X), C_b(\mathbb{R}_+, X)\}$. If the system (S_π) is uniformly exponentially stable then for every $\theta \in \Theta$ the linear operator

$$P_W^{ heta}:W(\mathbb{R}_+,X) o W(\mathbb{R}_+,X),\quad (P_W^{ heta}u)(t)=\int_0^t\Phi(\sigma(heta,s),t-s)u(s)\;ds$$

is correctly defined and bounded. Moreover, if $\lambda > 0$ is given by Definition 2.7 or respectively by Definition 2.9, then we have that $\sup_{\theta \in \Theta} ||P_W^{\theta}|| \le \lambda$.

These results have several interesting applications in control theory among we mention those concerning the robustness problems (see (Sasu, 2008)) which lead to an inedit estimation of the lower bound of the stability radius, as well as to the study of the connections between stability and stabilizability and detectability of associated control systems, as we will see in what follows. It worth mentioning that these aspects were studied for the very first time for the case of systems associated to evolution operators in (Clark et al., 2000) and were extended for linear skew-product flows in (Megan et al., 2002).

3. Stabilizability and detectability of variational control systems

As stated from the very beginning, in this section our attention will focus on the connections between stabilizability, detectability and the uniform exponential stability. Let X be a Banach space, let (Θ,d) be a metric space and let $\pi=(\Phi,\sigma)$ be a linear skew-product flow on $\mathcal{E}=X\times\Theta$. We consider the variational integral system

$$(S_{\pi}) \qquad x_{\theta}(t; x_0, u) = \Phi(\theta, t) x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s) u(s) \, ds, \quad t \ge 0, \theta \in \Theta$$

with $u \in L^1_{loc}(\mathbb{R}_+, X)$ and $x_0 \in X$.

Let U, Y be Banach spaces and let $B \in \mathcal{C}_s(\Theta, \mathcal{B}(U, X))$, $C \in \mathcal{C}_s(\Theta, \mathcal{B}(X, Y))$. We consider the variational control system (π, B, C) described by the following integral model

$$\begin{cases} x(\theta, t, x_0, u) = \Phi(\theta, t)x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s)B(\sigma(\theta, s))u(s) ds \\ y(\theta, t, x_0, u) = C(\sigma(\theta, t))x(\theta, t, x_0, u) \end{cases}$$

where $t \geq 0$, $(x_0, \theta) \in \mathcal{E}$ and $u \in L^1_{loc}(\mathbb{R}_+, U)$.

According to Definition 1.5 it is obvious that if the system (S_{π}) is uniformly exponentially stable, then the control system (π, B, C) is stabilizable (via the trivial feedback $F \equiv 0$) and this is also detectable (via the trivial feedback $K \equiv 0$). The natural question arises whether the converse implication holds.

Example 3.1. Let $X = \mathbb{R}, \Theta = \mathbb{R}$ and let $\sigma(\theta, t) = \theta + t$. Let (S_{π}) be a variational integral system such that $\Phi(\theta, t) = I_d$ (the identity operator on X), for all $(\theta, t) \in \Theta \times \mathbb{R}_+$. Let U = Y = X and let $B(\theta) = C(\theta) = I_d$, for all $\theta \in \Theta$. Let $\delta > 0$. By considering $F(\theta) = -\delta I_d$, for all $\theta \in \Theta$, from relation (1.1), we obtain that

$$\Phi_{BF}(\theta,t)x = x - \delta \int_0^t \Phi_{BF}(\theta,s)x \, ds, \quad \forall t \ge 0$$

for every $(x, \theta) \in \mathcal{E}$. This implies that $\Phi_{BF}(\theta, t)x = e^{-\delta t}x$, for all $t \geq 0$ and all $(x, \theta) \in \mathcal{E}$, so the perturbed system $(S_{\pi_{BF}})$ is uniformly exponentially stable. This shows that the system (π, B, C) is stabilizable.

Similarly, if $\delta > 0$, for $K(\theta) = -\delta I_d$, for all $\theta \in \Theta$, we deduce that the variational control system (π, B, C) is also detectable.

In conclusion, the variational control system (π, B, C) is both stabilizable and detectable, but for all that, the variational integral system (S_{π}) is not uniformly exponentially stable.

It follows that the stabilizability or/and the detectability of the control system (π, B, C) are not sufficient conditions for the uniform exponential stability of the system (S_{π}) . Naturally, additional hypotheses are required. In what follows we shall prove that certain input-output conditions assure a complete resolution to this problem. The answer will be given employing new methods based on function spaces techniques.

Indeed, for every $\theta \in \Theta$, we define

$$P^{\theta}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, X), \quad (P^{\theta}w)(t) = \int_0^t \Phi(\sigma(\theta, s), t - s)w(s) ds$$

and respectively

$$B^{\theta}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, X), \quad (B^{\theta}u)(t) = B(\sigma(\theta, t))u(t)$$

$$C^{\theta}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, Y), \quad (C^{\theta}v)(t) = C(\sigma(\theta, t))v(t).$$

We also associate with the control system $S=(\pi,B,C)$ three families of input-output mappings, as follows: *the left input-output operators* $\{L^{\theta}\}_{\theta\in\Theta}$ defined by

$$L^{\theta}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, X), \quad L^{\theta}:= P^{\theta}B^{\theta}$$

the right input-output operators $\{R^{\theta}\}_{\theta \in \Theta}$ given by

$$R^{\theta}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, Y), \quad R^{\theta}:=C^{\theta}P^{\theta}$$

and respectively the global input-output operators $\{G^{\theta}\}_{\theta\in\Theta}$ defined by

$$G^{\theta}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, Y), \quad G^{\theta}:=C^{\theta}P^{\theta}B^{\theta}.$$

A fundamental stability concept for families of linear operators is given by the following:

Definition 3.2. Let Z_1 , Z_2 be two Banach spaces and let $W \in \mathcal{T}(\mathbb{R}_+)$ be a Banach function space. A family of linear operators $\{O^{\theta}: L^1_{loc}(\mathbb{R}_+, Z_1) \to L^1_{loc}(\mathbb{R}_+, Z_2)\}_{\theta \in \Theta}$ is said to be $(W(\mathbb{R}_+, Z_1), W(\mathbb{R}_+, Z_2))$ -stable if the following conditions are satisfied:

- (*i*) for every $\alpha_1 \in W(\mathbb{R}_+, Z_1)$ and every $\theta \in \Theta$, $O^{\theta}\alpha_1 \in W(\mathbb{R}_+, Z_2)$;
- (ii) there is m > 0 such that $||O^{\theta}\alpha_1||_{W(\mathbb{R}_+,Z_2)} \le m ||\alpha_1||_{W(\mathbb{R}_+,Z_1)}$, for all $\alpha_1 \in W(\mathbb{R}_+,Z_1)$ and all $\theta \in \Theta$.

Thus, we observe that if $W \in \mathcal{R}(\mathbb{R}_+)$, then the variational integral system (S_π) is uniformly exponentially stable if and only if the family $\{P^\theta\}_{\theta \in \Theta}$ is $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, X))$ -stable (see also Remark 2.11).

Remark 3.3. Let Z_1, Z_2 be two Banach spaces and let $W \in \mathcal{T}(\mathbb{R}_+)$ be a Banach function space. If $Q \in \mathcal{C}_s(\Theta, \mathcal{B}(Z_1, Z_2))$ then the family $\{Q^{\theta}\}_{\theta \in \Theta}$ defined by

$$Q^{\theta}: L^1_{loc}(\mathbb{R}_+, Z_1) \to L^1_{loc}(\mathbb{R}_+, Z_2), \quad (Q^{\theta}\alpha)(t) = Q(\sigma(\theta, t))\alpha(t)$$

is $(W(\mathbb{R}_+, Z_1), W(\mathbb{R}_+, Z_2))$ -stable. Indeed, this follows from Definition 2.1 (iv) by observing that

$$||(Q^{\theta}\alpha)(t)|| \leq |||Q||| \, ||\alpha(t)||, \quad \forall t \geq 0, \forall \alpha \in W(\mathbb{R}_+, Z_1), \forall \theta \in \Theta.$$

The main result of this section is:

Theorem 3.4. *Let* W *be a Banach function space such that* $W \in \mathcal{R}(\mathbb{R}_+)$. *The following assertions are equivalent:*

- (i) the variational integral system (S_{π}) is uniformly exponentially stable;
- (ii) the variational control system (π, B, C) is stabilizable and the family of the left input-output operators $\{L^{\theta}\}_{\theta \in \Theta}$ is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable;
- (iii) the variational control system (π, B, C) is detectable and the family of the right input-output operators $\{R^{\theta}\}_{\theta \in \Theta}$ is $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, Y))$ -stable
- (iv) the variational control system (π, B, C) is stabilizable, detectable and the family of the global input-output operators $\{G^{\theta}\}_{\theta \in \Theta}$ is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, Y))$ -stable.

Proof. We will independently prove each equivalence $(i) \iff (ii), (i) \iff (iii)$ and respectively $(i) \iff (iv)$. Indeed, we start with the first one and we prove that $(i) \implies (ii)$. Taking into account that (S_{π}) is uniformly exponentially stable, we have that the family $\{P^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,X),W(\mathbb{R}_+,X))$ -stable. In addition, observing that

$$||(L^{\theta}u)(t)|| \le \sup_{\theta \in \Theta} ||P^{\theta}|| |||B||| ||u(t)||, \quad \forall u \in W(\mathbb{R}_+, U), \forall \theta \in \Theta$$

we deduce that that the family $\{L^{\theta}\}_{\theta \in \Theta}$ Definition 2.1 (iv) $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable.

To prove the implication (ii) \implies (i), let $F \in \mathcal{C}_s(\Theta, \mathcal{B}(X, U))$ be such that the system $(S_{\pi_{BF}})$ is uniformly exponentially stable. It follows that the family $\{H^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, X))$ -stable, where

$$H^{\theta}: L^{1}_{loc}(\mathbb{R}_{+},X) \to L^{1}_{loc}(\mathbb{R}_{+},X), \quad (H^{\theta}u)(t) = \int_{0}^{t} \Phi_{BF}(\sigma(\theta,s),t-s)u(s) \, ds, \quad t \geq 0, \theta \in \Theta.$$

For every $\theta \in \Theta$ let

$$F^{\theta}: L^1_{loc}(\mathbb{R}_+,X) \to L^1_{loc}(\mathbb{R}_+,U), \quad (F^{\theta}u)(t) = F(\sigma(\theta,t))u(t).$$

Then from Remark 3.3 we have that the family $\{F^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,X),W(\mathbb{R}_+,U))$ -stable. Let $\theta\in\Theta$ and let $u\in L^1_{loc}(\mathbb{R}_+,X)$. Using Fubini's theorem and formula (1.1), we successively deduce that

$$(L^{\theta}F^{\theta}H^{\theta}u)(t) = \int_{0}^{t} \int_{0}^{s} \Phi(\sigma(\theta,s),t-s)B(\sigma(\theta,s))F(\sigma(\theta,s))\Phi_{BF}(\sigma(\theta,\tau),s-\tau)u(\tau) d\tau ds =$$

$$= \int_{0}^{t} \int_{\tau}^{t} \Phi(\sigma(\theta,s),t-s)B(\sigma(\theta,s))F(\sigma(\theta,s))\Phi_{BF}(\sigma(\theta,\tau),s-\tau)u(\tau) ds d\tau =$$

$$= \int_{0}^{t} \int_{0}^{t-\tau} \Phi(\sigma(\theta,\tau+\xi),t-\tau-\xi)B(\sigma(\theta,\tau+\xi))F(\sigma(\theta,\tau+\xi))\Phi_{BF}(\sigma(\theta,\tau),\xi)u(\tau) d\xi d\tau =$$

$$= \int_{0}^{t} \left[\Phi_{BF}(\sigma(\theta,\tau),t-\tau)u(\tau) - \Phi(\sigma(\theta,\tau),t-\tau)u(\tau)\right] d\tau =$$

$$= (H^{\theta}u)(t) - (P^{\theta}u)(t), \quad \forall t \geq 0.$$

This shows that
$$P^{\theta}u = H^{\theta}u - L^{\theta}F^{\theta}H^{\theta}u, \quad \forall u \in L^{1}_{loc}(\mathbb{R}_{+}, X), \forall \theta \in \Theta.$$
 (3.1)

Let m_1 and m_2 be two constants given by Definition 3.2 (ii) for $\{H^{\theta}\}_{{\theta}\in\Theta}$ and for $\{L^{\theta}\}_{{\theta}\in\Theta}$, respectively. From relation (3.1) we deduce that $P^{\theta}u \in W(\mathbb{R}_+, X)$, for every $u \in W(\mathbb{R}_+, X)$ and

$$||P^{\theta}u||_{W(\mathbb{R}_{+},X)} \leq m_{1}(1+m_{2}|||F|||) ||u||_{W(\mathbb{R}_{+},X)}, \quad \forall u \in W(\mathbb{R}_{+},X), \forall \theta \in \Theta.$$

From the above relation we obtain that the family $\{P^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,X),W(\mathbb{R}_+,X))$ -stable, so the system (S_{π}) is uniformly exponentially stable.

The implication $(i) \Longrightarrow (iii)$ follows using similar arguments with those used in the proof of $(i) \Longrightarrow (ii)$. To prove $(iii) \Longrightarrow (i)$, let $K \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, X))$ be such that the system $(S_{\pi_{KC}})$ is uniformly exponentially stable. Then, the family $\{\Gamma^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,X),W(\mathbb{R}_+,X))$ -stable, where

$$\Gamma^{\theta}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, X), \quad (\Gamma^{\theta}u)(t) = \int_0^t \Phi_{KC}(\sigma(\theta, s), t - s)u(s) ds.$$

For every $\theta \in \Theta$ we define

$$K^{\theta}: L^1_{loc}(\mathbb{R}_+, Y) \to L^1_{loc}(\mathbb{R}_+, X), \quad (K^{\theta}u)(t) = K(\sigma(\theta, t))u(t).$$

From Remark 3.3 we have that the family $\{K^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,Y),W(\mathbb{R}_+,X))$ -stable. Using Fubini's theorem and the relation (1.2), by employing similar arguments with those from the proof of the implication $(ii) \Longrightarrow (i)$, we deduce that

$$P^{\theta}u = \Gamma^{\theta}u - \Gamma^{\theta}K^{\theta}R^{\theta}u, \quad \forall u \in L^{1}_{loc}(\mathbb{R}_{+}, X), \forall \theta \in \Theta.$$
 (3.2)

Denoting by q_1 and by q_2 some constants given by Definition 3.2 (ii) for $\{\Gamma^{\theta}\}_{\theta\in\Theta}$ and for $\{R^{\theta}\}_{\theta\in\Theta}$, respectively, from relation (3.2) we have that $P^{\theta}u\in W(\mathbb{R}_+,X)$, for every $u\in W(\mathbb{R}_+,X)$ and

$$||P^{\theta}u||_{W(\mathbb{R}_{+},X)} \le q_{1}(1+q_{2}|||K|||) ||u||_{W(\mathbb{R}_{+},X)}, \quad \forall u \in W(\mathbb{R}_{+},X), \forall \theta \in \Theta.$$

Hence we deduce that the family $\{P^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,X),W(\mathbb{R}_+,X))$ -stable, which shows that the system (S_{π}) is uniformly exponentially stable.

The implication $(i) \Longrightarrow (iv)$ is obvious, taking into account the above items. To prove that $(iv) \Longrightarrow (i)$, let $K \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, X))$ be such that the system $(S_{\pi_{KC}})$ is uniformly exponentially stable and let $\{K^\theta\}_{\theta \in \Theta}$ and $\{\Gamma^\theta\}_{\theta \in \Theta}$ be defined in the same manner like in the previous stage. Then, following the same steps as in the previous implications, we obtain that

$$L^{\theta}u = \Gamma^{\theta}B^{\theta}u - \Gamma^{\theta}K^{\theta}G^{\theta}u, \quad \forall u \in L^{1}_{loc}(\mathbb{R}_{+}, X), \forall \theta \in \Theta.$$
 (3.3)

From relation (3.3) we deduce that the family $\{L^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable. Taking into account that the system (π, B, C) is stabilizable and applying the implication $(ii) \Longrightarrow (i)$, we conclude that the system (S_{π}) is uniformly exponentially stable.

Corollary 3.5. Let $V \in \{C_b(\mathbb{R}_+, \mathbb{R}), C_0(\mathbb{R}_+, \mathbb{R}), C_{00}(\mathbb{R}_+, \mathbb{R})\}$. The following assertions are equivalent:

- (i) the variational integral system (S_{π}) is uniformly exponentially stable;
- (ii) the variational control system (π, B, C) is stabilizable and the family of the left input-output operators $\{L^{\theta}\}_{\theta\in\Theta}$ is $(V(\mathbb{R}_+, U), V(\mathbb{R}_+, X))$ -stable;
- (iii) the variational control system (π, B, C) is detectable and the family of the right input-output operators $\{R^{\theta}\}_{\theta \in \Theta}$ is $(V(\mathbb{R}_+, X), V(\mathbb{R}_+, Y))$ -stable
- (iv) the variational control system (π, B, C) is stabilizable, detectable and the family of the global input-output operators $\{G^{\theta}\}_{\theta \in \Theta}$ is $(V(\mathbb{R}_+, U), V(\mathbb{R}_+, Y))$ -stable.

Proof. This follows using similar arguments and estimations with those from the proof of Theorem 3.4, by applying Theorem 2.10. \Box

4. Applications to nonautonomous systems

An interesting application of the main results from the previous section is to deduce necessary and sufficient conditions for uniform exponential stability of nonautonomous systems in terms of stabilizability and detectability. For the first time this topic was considered in (Clark et al., 2000)). We propose in what follows a new method for the resolution of this problem based on the application of the conclusions from the variational case, using arbitrary Banach function spaces.

Let X be a Banach space and let I_d denote the identity operator on X.

Definition 4.1. A family $\mathcal{U} = \{U(t,s)\}_{t \geq s \geq 0} \subset \mathcal{B}(X)$ is called an *evolution family* if the following properties hold:

- (i) $U(t,t) = I_d$ and $U(t,s)U(s,t_0) = U(t,t_0)$, for all $t \ge s \ge t_0 \ge 0$; (ii) there are $M \ge 1$ and $\omega > 0$ such that $||U(t,s)|| \le Me^{\omega(t-s)}$, for all $t \ge s \ge t_0 \ge 0$;
- (*iii*) for every $x \in X$ the mapping $(t,s) \mapsto U(t,s)x$ is continuous.

Remark 4.2. For every $P \in \mathcal{C}_s(\mathbb{R}_+, \mathcal{B}(X))$ (see e.g. (Curtain & Zwart, 1995)) there is a unique evolution family $U_P = \{U_P(t,s)\}_{t \ge s \ge 0}$ such that the variation of constants formulas hold:

$$U_P(t,s)x = U(t,s)x + \int_s^t U(t,\tau)P(\tau)U_P(\tau,s)x d\tau, \quad \forall t \ge s \ge 0, \forall x \in X$$

and respectively

$$U_P(t,s)x = U(t,s)x + \int_s^t U_P(t,\tau)P(\tau)U(\tau,s)x d\tau, \quad \forall t \ge s \ge 0, \forall x \in X.$$

Let $\mathcal{U} = \{U(t,s)\}_{t>s>0}$ be an evolution family on X. We consider the nonautonomous integral system

$$(S_{\mathcal{U}})$$
 $x_s(t; x_0, u) = U(t, s)x_0 + \int_s^t U(t, \tau)u(\tau) d\tau, \quad t \ge s, \ s \ge 0$

with $u \in L^1_{loc}(\mathbb{R}_+, X)$ and $x_0 \in X$.

Definition 4.3. The system $(S_{\mathcal{U}})$ is said to be *uniformly exponentially stable* if there are $N, \nu > 0$ such that $||x_s(t; x_0, 0)|| \le Ne^{-\nu(t-s)}||x_0||$, for all $t \ge s \ge 0$ and all $x_0 \in X$.

Remark 4.4. The system $(S_{\mathcal{U}})$ is uniformly exponentially stable if and only if there are $N, \nu > 0$ such that $||U(t,s)|| \le Ne^{-\nu(t-s)}$, for all $t \ge s \ge 0$.

Definition 4.5. Let $W \in \mathcal{T}(\mathbb{R}_+)$. The system $(S_{\mathcal{U}})$ is said to be *completely* $(W(\mathbb{R}_+, X),$ $W(\mathbb{R}_+, X)$)-stable if for every $u \in W(\mathbb{R}_+, X)$, the solution $x_0(\cdot; 0, u) \in W(\mathbb{R}_+, X)$.

Remark 4.6. If the system $(S_{\mathcal{U}})$ is completely $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, X))$ -stable, then it makes sense to consider the linear operator

$$\mathcal{P}: W(\mathbb{R}_+, X) \to W(\mathbb{R}_+, X), \quad \mathcal{P}(u) = x_0(\cdot; 0, u).$$

It is easy to see that \mathcal{P} is closed, so it is bounded.

Let now U, Y be Banach spaces, let $B \in \mathcal{C}_s(\mathbb{R}_+, \mathcal{B}(U, X))$ and let $C \in \mathcal{C}_s(\mathbb{R}_+, \mathcal{B}(X, Y))$. We consider the nonautonomous control system (\mathcal{U}, B, C) described by the following integral model

$$\begin{cases} x_s(t; x_0, u) = U(t, s)x_0 + \int_s^t U(t, \tau)B(\tau)u(\tau) d\tau, & t \ge s, s \ge 0 \\ y_s(t; x_0, u) = C(t)x_s(t; x_0, u), & t \ge s, s \ge 0 \end{cases}$$

with $u \in L^1_{loc}(\mathbb{R}_+, U), x_0 \in X$

Definition 4.7. The system $(\mathcal{U}, \mathcal{B}, \mathcal{C})$ is said to be:

- (i) *stabilizable* if there exists $F \in C_s(\mathbb{R}_+, \mathcal{B}(X, U))$ such that the system $(S_{\mathcal{U}_{RF}})$ is uniformly exponentially stable;
- (ii) detectable if there exists $G \in \mathcal{C}_s(\mathbb{R}_+,\mathcal{B}(Y,X))$ such that the system $(S_{\mathcal{U}_{GC}})$ is uniformly exponentially stable.

We consider the operators

$$\mathcal{B}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, X), \quad (\mathcal{B}u)(t) = B(t)u(t)$$

$$\mathcal{C}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, Y), \quad (\mathcal{C}u)(t) = B(t)u(t)$$

and we associate with the system (\mathcal{U}, B, C) three input-output operators: *the left input-output operator* defined by

$$\mathcal{L}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, X), \quad \mathcal{L} = \mathcal{PB}$$

the right input-output operator given by

$$\mathcal{R}: L^1_{loc}(\mathbb{R}_+, X) \to L^1_{loc}(\mathbb{R}_+, Y), \quad \mathcal{R} = \mathfrak{CP}$$

and respectively the global input-output operator defined by

$$\mathfrak{G}: L^1_{loc}(\mathbb{R}_+, U) \to L^1_{loc}(\mathbb{R}_+, Y), \quad \mathfrak{G} = \mathfrak{CPB}.$$

Definition 4.8. Let Z_1, Z_2 be two Banach spaces and let $W \in \mathcal{T}(\mathbb{R}_+)$ be a Banach function space. An operator $Q: L^1_{loc}(\mathbb{R}_+, Z_1) \to L^1_{loc}(\mathbb{R}_+, Z_2)$ is said to be $(W(\mathbb{R}_+, Z_1), W(\mathbb{R}_+, Z_2))$ -stable if for every $\lambda \in W(\mathbb{R}_+, Z_1)$ the function $Q\lambda \in W(\mathbb{R}_+, Z_2)$.

The main result of this section is:

Theorem 4.9. Let W be a Banach function space such that $B \in \mathcal{R}(\mathbb{R}_+)$. The following assertions are equivalent:

- (i) the integral system $(S_{\mathcal{U}})$ is uniformly exponentially stable;
- (ii) the control system (U, B, C) is stabilizable and the left input-output operator \mathcal{L} is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable;
- (iii) the control system $(\mathcal{U}, \mathcal{B}, \mathcal{C})$ is detectable and the right input-output operator \mathcal{R} is $(W(\mathbb{R}_+, X), W(\mathbb{R}_+, Y))$ -stable;
- (iv) the control system (U, B, C) is stabilizable, detectable and the global input-output operator G is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, Y))$ -stable.

Proof. We prove the equivalence $(i) \iff (ii)$, the other equivalences: $(i) \iff (iii)$ and $(i) \iff (iv)$ being similar.

Indeed, the implication $(i) \Longrightarrow (ii)$ is immediate. To prove that $(ii) \Longrightarrow (i)$ let $\Theta = \mathbb{R}_+$, $\sigma: \Theta \times \mathbb{R}_+ \to \Theta$, $\sigma(\theta,t) = \theta + t$ and let $\Phi(\theta,t) = U(t+\theta,\theta)$, for all $(\theta,t) \in \Theta \times \mathbb{R}_+$. Then $\pi = (\Phi,\sigma)$ is a linear skew-product flow and it makes sense to associate with π the following integral system

$$(S_{\pi}) \qquad x_{\theta}(t; x_0, u) = \Phi(\theta, t) x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s) u(s) \, ds, \quad t \ge 0, \theta \in \Theta$$

with $u \in L^1_{loc}(\mathbb{R}_+, X)$ and $x_0 \in X$.

We also consider the control system (π, B, C) given by

$$\begin{cases} x(\theta, t, x_0, u) = \Phi(\theta, t)x_0 + \int_0^t \Phi(\sigma(\theta, s), t - s)B(\sigma(\theta, s))u(s) ds \\ y(\theta, t, x_0, u) = C(\sigma(\theta, t))x(\theta, t, x_0, u) \end{cases}$$

where $t \geq 0$, $(x_0, \theta) \in \mathcal{E}$ and $u \in L^1_{loc}(\mathbb{R}_+, U)$. For every $\theta \in \Theta$ we associate with the system (π, B, C) the operators P^{θ} , B^{θ} and L^{θ} using their definitions from Section 3.

We prove that the family $\{L^{\theta}\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,U),W(\mathbb{R}_+,X))$ -stable. Let $\theta\in\Theta$ and let $\alpha\in W(\mathbb{R}_+,U)$. Since W is invariant to translations the function

$$\alpha_{\theta}: \mathbb{R}_{+} \to U, \quad \alpha_{\theta}(t) = \left\{ egin{array}{ll} \alpha(t-\theta), \ t \geq \theta \\ 0, & t \in [0, \theta) \end{array} \right.$$

belongs to $W(\mathbb{R}_+, U)$ and $||\alpha_\theta||_{W(\mathbb{R}_+, U)} = ||\alpha||_{W(\mathbb{R}_+, U)}$. Since the operator \mathcal{L} is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable we obtain that the function

$$\varphi: \mathbb{R}_+ \to X$$
, $\varphi(t) = (\mathfrak{L}\alpha_{\theta})(t)$

belongs to $W(\mathbb{R}_+, X)$. Using Remark 2.4 (ii) we deduce that the function

$$\gamma: \mathbb{R}_+ \to X$$
, $\gamma(t) = \varphi(t+\theta)$

belongs to $W(\mathbb{R}_+, X)$ and $||\gamma||_{W(\mathbb{R}_+, X)} \leq ||\varphi||_{W(\mathbb{R}_+, X)}$. We observe that

$$(L^{\theta}\alpha)(t) = \int_0^t U(\theta + t, \theta + s)B(\theta + s)\alpha(s) ds = \int_{\theta}^{\theta + t} U(\theta + t, \tau)B(\tau)\alpha(\tau - \theta) d\tau =$$

$$= \int_{\theta}^{\theta + t} U(\theta + t, \tau)B(\tau)\alpha_{\theta}(\tau) d\tau = (\mathcal{L}\alpha_{\theta})(\theta + t) = \gamma(t), \quad \forall t \ge 0.$$

This implies that $L^{\theta}\alpha$ belongs to $W(\mathbb{R}_+, X)$ and

$$||L^{\theta}\alpha||_{W(\mathbb{R}_{+},X)} = ||\gamma||_{W(\mathbb{R}_{+},X)} \le ||\varphi||_{W(\mathbb{R}_{+},X)} \le$$

$$\le ||\mathcal{L}|| \, ||\alpha_{\theta}||_{W(\mathbb{R}_{+},U)} = ||\mathcal{L}|| \, ||\alpha||_{W(\mathbb{R}_{+},U)}. \tag{4.1}$$

Since $\theta \in \Theta$ and $\alpha \in W(\mathbb{R}_+, U)$ were arbitrary from (4.1) we deduce that the family $\{L^{\theta}\}_{\theta \in \Theta}$ is $(W(\mathbb{R}_+, U), W(\mathbb{R}_+, X))$ -stable.

According to our hypothesis we have that the system (\mathcal{U}, B, C) is stabilizable. Then there is $F \in \mathcal{C}_s(\mathbb{R}_+, \mathcal{B}(X, U))$ such that the (unique) evolution family $\mathcal{U}_{BF} = \{U_{BF}(t, s)\}_{t \geq s \geq 0}$ which satisfies the equation

$$U_{BF}(t,s)x = U(t,s)x + \int_{s}^{t} U(t,\tau)B(\tau)F(\tau)U_{BF}(\tau,s)x \,d\tau, \quad \forall t \ge s \ge 0, \forall x \in X$$
 (4.2)

has the property that there are $N, \nu > 0$ such that

$$||U_{BF}(t,s)|| \le Ne^{-\nu(t-s)}, \quad \forall t \ge s \ge 0.$$
 (4.3)

For every $(\theta, t) \in \Theta \times \mathbb{R}_+$, let $\tilde{\Phi}(\theta, t) := U_{BF}(\theta + t, \theta)$. Then, we have that $\tilde{\pi} = (\tilde{\Phi}, \sigma)$ is a linear skew-product flow. Moreover, using relation (4.2) we deduce that

$$\int_0^t \Phi(\sigma(\theta, s), t - s) B(\sigma(\theta, s)) F(\sigma(\theta, s)) \tilde{\Phi}(\theta, s) x \, ds =$$

$$= \int_0^t U(\theta + t, \theta + s) B(\theta + s) F(\theta + s) U_{BF}(\theta + s, \theta) x \, ds =$$

$$= \int_\theta^{\theta + t} U(\theta + t, \tau) B(\tau) F(\tau) U_{BF}(\tau, \theta) x \, d\tau =$$

$$= U_{BF}(\theta + t, \theta)x - U(\theta + t, \theta)x = \tilde{\Phi}(\theta, t)x - \Phi(\theta, t)x \tag{4.4}$$

for all $(\theta, t) \in \Theta \times \mathbb{R}_+$ and all $x \in X$. According to Theorem 2.1 in (Megan et al., 2002), from relation (4.4) it follows that

$$\tilde{\Phi}(\theta,t) = \Phi_{BF}(\theta,t), \quad \forall (\theta,t) \in \Theta \times \mathbb{R}_+$$

so $\tilde{\pi} = \pi_{BF}$. Hence from relation (4.3) we have that

$$||\Phi_{BF}(\theta,t)|| = ||U_{BF}(\theta+t,\theta)|| \le Ne^{-\nu t}, \quad \forall t \ge 0, \forall \theta \in \Theta$$

which shows that the system $(S_{\pi_{BF}})$ is uniformly exponentially stable. So the system (π, B, C) is stabilizable.

In this way we have proved that the system (S_π) is stabilizable and the associated left input-output family $\{L^\theta\}_{\theta\in\Theta}$ is $(W(\mathbb{R}_+,U),W(\mathbb{R}_+,X))$ -stable. By applying Theorem 3.4 we deduce that the system (S_π) is uniformly exponentially stable. Then, there are $\tilde{N},\delta>0$ such that

$$||\Phi(\theta,t)|| \leq \tilde{N}e^{-\delta t}, \quad \forall t \geq 0, \forall \theta \in \Theta.$$

This implies that

$$||U(t,s)|| = ||\Phi(s,t-s)|| \le \tilde{N}e^{-\delta(t-s)}, \quad \forall t \ge s \ge 0.$$
 (4.5)

From inequality (4.5) and Remark 4.4 we obtain that the system $(S_{\mathcal{U}})$ is uniformly exponentially stable.

Remark 4.10. The version of the above result, for the case when $W = L^p(\mathbb{R}_+, \mathbb{R})$ with $p \in [1, \infty)$, was proved for the first time by Clark, Latushkin, Montgomery-Smith and Randolph in (Clark et al., 2000) employing evolution semigroup techniques.

The method may be also extended for spaces of continuous functions, as the following result shows:

Corollary 4.11. Let $V \in \{C_b(\mathbb{R}_+, \mathbb{R}), C_0(\mathbb{R}_+, \mathbb{R}), C_{00}(\mathbb{R}_+, \mathbb{R})\}$. The following assertions are equivalent:

- (i) the system $(S_{\mathcal{U}})$ is uniformly exponentially stable;
- (ii) the system (U, B, C) is stabilizable and the left input-output operator \mathcal{L} is $(V(\mathbb{R}_+, U), V(\mathbb{R}_+, X))$ -stable;
- (iii) the system (U, B, C) is detectable and the right input-output operator $\mathbb R$ is $(V(\mathbb R_+, X), V(\mathbb R_+, Y))$ -stable;
- (iv) the system (U,B,C) is stabilizable, detectable and the global input-output operator G is $(V(\mathbb{R}_+,U),V(\mathbb{R}_+,Y))$ -stable.

Proof. This follows using Corollary 3.5 and similar arguments with those from the proof of Theorem 4.9. \Box

5. Conclusions


Stabilizability and detectability of variational/nonautonomous control systems are two properties which are strongly related with the stable behavior of the initial integral system. These two properties (not even together) cannot assure the uniform exponential stability of the initial system, as Example 3.1 shows. But, in association with a stability of certain input-output operators the stabilizability or/and the detectability of the control system (π, B, C) imply

the existence of the exponentially stable behavior of the initial system (S_{π}) . Here we have extended the topic from evolution families to variational systems and the obtained results are given in a more general context. As we have shown in Remark 2.6 the spaces involved in the stability properties of the associated input-output operators may be not only L^p -spaces but also general Orlicz function spaces which is an aspect that creates an interesting link between the modern control theory of dynamical systems and the classical interpolation theory.

It worth mentioning that the framework presented in this chapter may be also extended to some slight weak concepts, taking into account the main results concerning the uniform stability concept from Section 3 in (Sasu, 2008) (see Definition 3.3 and Theorem 3.6 in (Sasu, 2008)). More precisely, considering that the system (π, B, C) is weak stabilizable (respectively weak detectable) if there exists a mapping $F \in \mathcal{C}_s(\Theta, \mathcal{B}(X, U))$ (respectively $K \in \mathcal{C}_s(\Theta, \mathcal{B}(Y, X))$) such that the system $(S_{\pi_{BF}})$ (respectively $(S_{\pi_{KC}})$) is uniformly stable, then starting with the result provided by Theorem 3.6 in (Sasu, 2008), the methods from the present chapter may be applied to the study of the uniform stability in terms of weak stabilizability and weak detectability. In authors opinion, the technical trick of the new study will rely on the fact that in this case the families of the associated input-output operators will have to be (L^1, L^∞) -stable.

6. References

- Bennett, C. & Sharpley, R. (1988). *Interpolation of Operators*, Pure Appl. Math. 129, ISBN 0-12-088730-4
- Clark, S.; Latushkin, Y.; Montgomery-Smith, S. & Randolph, T. (2000). *Stability radius and internal versus external stability in Banach spaces: an evolution semigroup approach*, SIAM J. Control Optim. Vol. 38, 1757–1793, ISSN 0363-0129
- Curtain, R. & Zwart, H. J. (1995). *An Introduction to Infinite-Dimensional Linear Control Systems Theory*, Springer-Verlag, New-York, ISBN 0-387-94475-3
- Megan, M; Sasu, A. L. & Sasu, B. (2002). *Stabilizability and controllability of systems associated to linear skew-product semiflows*, Rev. Mat. Complutense (Madrid) Vol. 15, 599–618, ISSN 1139-1138
- Megan, M.; Sasu, A. L. & Sasu, B. (2005). *Theorems of Perron type for uniform exponential stability of linear skew-product semiflows*, Dynam. Contin. Discrete Impulsive Systems Vol. 12, 23–43, ISSN 1201-3390
- Sasu, B. & Sasu, A. L. (2004). *Stability and stabilizability for linear systems of difference equations*, J. Differ. Equations Appl. Vol. 10, 1085–1105, ISSN 1023-6198
- Sasu, B. (2008). *Robust stability and stability radius for variational control systems*, Abstract Appl. Analysis Vol. 2008, Article ID 381791, 1–29, ISSN 1085-3375



Robust Control, Theory and Applications

Edited by Prof. Andrzej Bartoszewicz

ISBN 978-953-307-229-6 Hard cover, 678 pages

Publisher InTech

Published online 11, April, 2011

Published in print edition April, 2011

The main objective of this monograph is to present a broad range of well worked out, recent theoretical and application studies in the field of robust control system analysis and design. The contributions presented here include but are not limited to robust PID, H-infinity, sliding mode, fault tolerant, fuzzy and QFT based control systems. They advance the current progress in the field, and motivate and encourage new ideas and solutions in the robust control area.

How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

Bogdan Sasu and Adina Luminita Sasu (2011). On Stabilizability and Detectability of Variational Control Systems, Robust Control, Theory and Applications, Prof. Andrzej Bartoszewicz (Ed.), ISBN: 978-953-307-229-6, InTech, Available from: http://www.intechopen.com/books/robust-control-theory-and-applications/on-stabilizability-and-detectability-of-variational-control-systems

INTECH open science | open minds

InTech Europe

University Campus STeP Ri Slavka Krautzeka 83/A 51000 Rijeka, Croatia Phone: +385 (51) 770 447

Fax: +385 (51) 686 166 www.intechopen.com

InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai No.65, Yan An Road (West), Shanghai, 200040, China 中国上海市延安西路65号上海国际贵都大饭店办公楼405单元

Phone: +86-21-62489820 Fax: +86-21-62489821 © 2011 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the <u>Creative Commons Attribution-NonCommercial-ShareAlike-3.0 License</u>, which permits use, distribution and reproduction for non-commercial purposes, provided the original is properly cited and derivative works building on this content are distributed under the same license.



