## We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6.900

186,000

Our authors are among the

most cited scientists

12.2%



WEB OF SCIENCE

Selection of our books indexed in the Book Citation Index in Web of Science™ Core Collection (BKCI)

Interested in publishing with us? Contact book.department@intechopen.com

> Numbers displayed above are based on latest data collected. For more information visit www.intechopen.com



# An Iterative Approach to the Fixed-Order Robust $H_{\infty}$ Control Problem Using a Sequence of Infeasible Controllers

Yasushi Kami and Eitaku Nobuyama Akashi National College of Technology and Kyushu Institute of Technology Japan

#### 1. Introduction

It is well known that the robust disturbance attenuation against uncertainties can be achieved by the robust  $H_{\infty}$  controllers and some practical situations make us use the fixedorder controllers. These facts imply that the fixed-order robust  $H_{\infty}$  controllers are important for practical control problems. However it is difficult to design such robust controllers, because the robust  $H_{\infty}$  control problems include an infinite number of matrix inequality constraints, in other words, they are described by Robust Semi-Definite Programming (RSDP) problems. For obtaining a feasible solution of the RSDP problems coming from the robust control problems with state feedback controllers or full-order controllers, many numerical methods have been proposed. Classically, the quadratic stability theory, i.e. a common constant Lyapunov function for the entire uncertain set is used for reducing the infinite constraints to the finite ones at the expense of conservatism (Boyd et al. 1994). Recently, parameter dependent Lyapunov functions are used to improve the conservatism (Chesi et al. 2005) - (Ichihara et al. 2003), (Kami et al. 2009) - (Shaked 2001), (Xie 2008) and some one-shot type approaches using extended LMI conditions, which allows to use the affine parameter dependent Lyapunov functions, have been proposed (Pipeleers et al. 2009), (Shaked 2001), (Xie 2008). However these methods can not always produce the robust controller, because common additional variables are required and these methods can not be used for designing fixed-order controllers. In this sense, an iterative type approach may be useful to the problems such that these one-shot type approaches can not be applied.

In the field of the numerical optimization, there are two types of iterative approaches for finding feasible or locally optimal solutions of the optimization problems: one is an interior-point approach which needs an initial feasible solution to be carried out and the other is an exterior-point approach which does not need it. From these facts, exterior-point approach can be efficient for obtaining the solutions of the problems such that feasible solutions are difficult to be found. However, there are no exterior-point approaches except those in (Iwasaki & Skelton 1995), (Kami & Nobuyama 2004), (Kami et al. 2009), (Vanbierviet 2009) for control problems to our knowledge.

In this paper, we deal with the fixed-order robust  $H_{\infty}$  controller synthesis problem against time invariant polytopic uncertainties, which can be described by parameter dependent bilinear matrix inequality (PDBMI) problems. The purpose of this paper is to propose an iterative approach which is like an exterior-point one. To do that, we introduce an `axis-shifted system' which is obtained by shifting the imaginary axis of the complex plane so that all perturbing closed-poles are included in the LHS of the shifted imaginary axis. Our approach constructs a sequence of infeasible controller variables on which the shifted imaginary axis returns to the original position while the  $H_{\infty}$  norm of the axis-shifted system is less than the prescribed  $H_{\infty}$  norm bound. The advantage of our approach is to be able to use any controller variables as an initial point. The efficiency of our approach is shown by a numerical example.

In this paper, the following notations are used. **R**,  $\mathbf{R}^{n \times m}$  and  $\mathbf{S}^n$  are the sets of real scalars,  $n \times m$  real matrices and  $n \times n$  real symmetric matrices, respectively. He{Z},  $\begin{bmatrix} A & * \\ B^T & C \end{bmatrix}$  and

 $\sigma(\cdot)$  denote  $Z+Z^T$ , the block symmetric matrix  $\begin{bmatrix} A & B \\ B^T & C \end{bmatrix}$  and a set of eigenvalues, respectively. Moreover,  $\Omega$  denotes a hyper-rectangle and vert  $\Omega$  indicates the set of vertices of  $\Omega$ .

#### 2. Problem formulation

In this paper, we consider the following plant  $P(\theta)$  with a time invariant uncertain parameter  $\theta := [\theta_1 \cdots \theta_N]$ :

$$P(\theta) := \begin{cases} \dot{x}(t) = A(\theta)x(t) + Bu(t) + B_w w(t) \\ z(t) = Cx(t) + Du(t) \\ y(t) = Ex(t) \end{cases}$$
 (1)

$$A(\theta) := A_0 + \sum_{i=1}^{N} \theta_i A_i \tag{2}$$

where x(t) is the plant state, w(t) is any exogenous input, u(t) is the control input, z(t) is the performance output, y(t) is the measurement output and  $\theta := [\theta_1 \cdots \theta_N] \in \Omega$  is an uncertain parameter vector whose elements satisfy

$$\theta_{i} \in \left[\underline{\theta}_{i} \quad \overline{\theta}_{i}\right], i = 1, \dots, N.$$

$$z \xrightarrow{\qquad \qquad \qquad \qquad \qquad } P(\theta) \xrightarrow{\qquad \qquad \qquad } w$$

$$y$$

$$(3)$$

Fig. 1. Control system.

Moreover, we have the following assumptions:

- 1.  $(A(\theta), B)$  is controllable for all  $\theta \in \Omega$ .
- 2.  $(A(\theta), B_w, C)$  is controllable and observable for all  $\theta \in \Omega$ .

For this system let us consider the following fixed-order controller  $\Sigma_d$  or the static state feedback controller  $\Sigma_s$ :

$$\Sigma_{d} : \begin{cases} \dot{x}_{c}(t) = A_{c}x_{c}(t) + B_{c}y(t) \\ u(t) = C_{c}x_{c}(t) + D_{c}y(t) \end{cases}$$
(4)

$$\Sigma_{s}: u(t) = Kx(t) \tag{5}$$

where  $x_c(t) \in \mathbf{R}^r$  is the controller state and r is the prescribed integer which achieves 0 < r < n. Note that  $\Sigma_d$  and  $\Sigma_s$  become state feedback controllers in the case that E = I holds.

Via the controller  $\Sigma_d$  and  $\Sigma_s$  the closed-loop system can be described by

$$\begin{cases} \dot{x}_{cl}(t) = A_{cl}(\overline{K}, \theta) x_{cl}(t) + B_{clw} w(t) \\ z(t) = C_{cl}(\overline{K}) x_{cl}(t) \end{cases}$$
 (6)

$$A_{cl}(\overline{K},\theta) := \overline{A}(\theta) + \overline{B}\overline{K}\overline{E}, C(\overline{K}) := \overline{C} + \overline{D}\overline{K}\overline{E}$$
(7)

For the controller  $\Sigma_d$   $x_{cl}(t)$  and the coefficient matrices in (7) are given by

$$x_{cl}(t) = \begin{bmatrix} x(t) \\ x_{cl}(t) \end{bmatrix}, \overline{A}(\theta) = \overline{A}_0 + \sum_{i=1}^{N} \theta_i \overline{A}_i, \overline{A}_i = \begin{bmatrix} A_i & 0 \\ 0 & 0 \end{bmatrix} (i = 0, 1, \dots, N), \tag{8}$$

$$\overline{B} = \begin{bmatrix} B & 0 \\ 0 & I \end{bmatrix}, \overline{E} = \begin{bmatrix} E & 0 \\ 0 & I \end{bmatrix}, \overline{C} = \begin{bmatrix} C & 0 \end{bmatrix}, \overline{D} = \begin{bmatrix} D & 0 \end{bmatrix}, \overline{K} = \begin{bmatrix} D_c & C_c \\ B_c & A_c \end{bmatrix}. \tag{9}$$

For the controller  $\Sigma_s$   $x_{cl}(t)$  and the coefficient matrices are given by

$$x_{cl}(t) = x(t), \overline{A}(\theta) = A(\theta), \overline{B} = B, \overline{E} = E, \overline{C} = C, \overline{D} = D, \overline{K} = K$$
(10)

For the closed-loop system (6) the control problem to be solved in this paper is defined as follows:

#### Robust $H_{\infty}$ synthesis problem:

Given an  $H_{\infty}$  norm bound  $\gamma_p$ , find  $\overline{K}$  which achieves

$$\left\| T_{zw}(\overline{K}, \theta) \right\|_{\infty} < \gamma_{p} \tag{11}$$

where  $T_{zw}(\overline{K}, \theta)$  is the transfer function from w to z of the closed-loop system (6) and  $\|\cdot\|_{\infty}$  denotes the  $H_{\infty}$  norm.

For the control problem (11) the following lemma holds (Boyd et al. 1994):

Lemma 1  $\|T_{zw}(\overline{K},\theta)\|_{\infty} < \gamma_p$  holds if there exists a parameter dependent Lyapunov function

$$P^{\infty}(\theta) := P_0^{\infty} + \sum_{i=1}^{N} \theta_i P_i^{\infty} > 0$$

$$\tag{12}$$

which satisfies

$$\begin{bmatrix}
P^{\infty}(\theta)A_{cl}(\overline{K},\theta) + A_{cl}(\overline{K},\theta)^{T}P^{\infty}(\theta) & * & * \\
B_{clw}^{T}P^{\infty}(\theta) & -\gamma_{p}I & * \\
C_{cl}(\overline{K}) & 0 & -\gamma_{p}I
\end{bmatrix} < 0.$$
(13)

This lemma implies that the robust  $H_{\infty}$  synthesis problem (11) can be described as PDBMI problem, which has an infinite number of BMI constraints corresponding to all points on  $\Omega$ . Hence it is difficult to obtain the feasible controller variables  $\overline{K}$  achieving (13). One well known classical method for obtaining  $\Sigma_s$  in the case that E=I is to use quadratic (parameter independent constant) Lyapunov functions (Boyd et al. 1994). i.e., defining

$$P^{\infty}(\theta)^{-1} := X , W := KX$$
 (14)

to get the controller variables from

$$K = WX^{-1} \tag{15}$$

where X and W are the solutions of the next inequalities:

$$\begin{bmatrix} A(\theta)X + XA(\theta)^T + BW + W^T B^T & * & * \\ B_w^T & -\gamma_p I & * \\ CX + DW & 0 & -\gamma_p I \end{bmatrix} < 0, \forall \theta \in \text{vert } \Omega$$
(16)

However the quadratic Lyapunov functions X do not always exist and even if they exist the obtained controller includes a high conservatism. Moreover, this method can be only used in the case that E = I.

Recently, various studies with parameter dependent Lyapunov functions have been reported to reduce the conservatism (Chesi et al. 2005) - (Ichihara et al. 2003), (Kami et al. 2009) - (Shaked 2001), (Xie 2008). Especially, some interesting one-shot type approaches for designing static state feedback controllers or full-order controllers with extended matrix inequality conditions have been proposed (Pipeleers et. al., 2009), (Shaked 2001), (Xie 2008). However these methods do not always produce the feasible controllers in some cases, because some additional common matrix variables are required and this method can not be used in the case that  $E \neq I$ . In this paper, we propose an iterative approach to the fixed-order robust  $H_{\infty}$  synthesis problem, which can be used if  $E \neq I$ . The features of our approach are to constructs a controller sequence from the infeasible region to the feasible one and to be able to use any matrix as an initial point.

#### 3. Multi-convex relaxation method

In this section, let us consider the next PDMI problem

find z s.t. 
$$M(z,\theta) := M_0(z) + \sum_{i=1}^N \theta_i M_i(z) + \sum_{i=1}^N \sum_{j=i}^N \theta_i \theta_j M_{ij}(z) < 0, \forall \theta \in \Omega$$
 (17)

where  $z \coloneqq \begin{bmatrix} z_1 & \cdots & z_N \end{bmatrix}^T (z_i \in \mathbf{R})$  is a vector of decision variables,  $\theta \coloneqq \begin{bmatrix} \theta_1 & \cdots & \theta_N \end{bmatrix}^T \in \Omega$  is a parameter vector whose elements  $\theta_i \in \mathbf{R}$  are in the given range  $\theta_i \in \begin{bmatrix} \underline{\theta}_i & \overline{\theta}_i \end{bmatrix}$  and  $M_0(z)$ ,  $M_i(z)$  and  $M_{ij}(z)$  are symmetric matrices with appropriate sizes. It is well known that feasible solutions of the PDMI problem (17) are difficult to be obtained, because this problem has an infinite number of constraints corresponding to all points on  $\Omega$ . In this section, we show the multi-convex relaxation method (Ichihara et al. 2003) which is used for reducing the infinitely constrained problem to a finitely constrained one for obtaining a feasible solution of (17).

#### 3.1 Multi-convex function

In this subsection, we review the definition and the properties of the multi-convex function. **Definition 1:** If the function  $f(\theta)$ ,  $\theta = \begin{bmatrix} \theta_1 & \cdots & \theta_N \end{bmatrix}$  becomes a multi-convex function with respect to any  $\theta_j$  in the case that  $\theta_i(i=1,\cdots,j-1,j+1,\cdots,N)$  are fixed then the function  $f(\theta)$  is said as a multi-convex function.

From the definition the multi-convex function has the next properties:

Lemma 2 The next statements hold:

- 1. The function  $f(\theta)$  is the multi-convex function if and only if  $\frac{\partial f(\theta)}{\partial \theta_i} \ge 0$  hold  $\forall i = 1, \dots, N$ .
- 2. The maximum of the multi-convex function  $f(\theta)$  on  $\theta \in \Omega$  is on the vertex of  $\Omega$  (See Fig. 2).

Using these properties the relaxation method for obtaining the feasible solution of (17) is shown in the next subsection.




Fig. 2. The concept of the multi-convex functions.

#### 3.2 Multi-convex relaxation

In this subsection, we show a relaxation method with multi-convex function (Ichihara et al. 2003) which is needed to derive our approach. The key idea of this method is to make the multi-convex upper bound of  $M(z,\theta)$ .

The multi-convex relaxation method can be described as the next lemma:

Lemma 3 z is a feasible solution of the PDMI problem (17) if there exist z,  $Q_i \in \mathbf{R}^{n \times n}$  and  $R_i \in \mathbf{S}^n (i = 1, \dots, N)$  which achieve

$$\begin{bmatrix} M(z,\theta) & * & * & * \\ Q_{1} - \theta_{1}R_{1} & -R_{1} & * & * \\ \vdots & 0 & \ddots & * \\ Q_{N} - \theta_{N}R_{N} & 0 & 0 & -R_{N} \end{bmatrix} < 0, \forall \theta \in \text{vert } \Omega$$

$$M_{ii}(z) + R_{i} \ge 0 (i = 1, \dots N).$$
(18)

**Proof**  $M(z,\theta) < 0, \forall \theta \in \Omega$  holds iff we have

$$f(z,\theta) := x^{\mathsf{T}} M(z,\theta) x < 0, \forall \theta \in \Omega, \forall x (\neq 0) \in \mathbf{R}^{n}.$$
(20)

Now, let us define  $f_1(z,\theta)$  and  $f_2(\theta)$  as

$$f_1(z,\theta) := x^T M(z,\theta) x + \sum_{i=1}^N \theta_i^2 x^T R_i x,$$
 (21)

$$f_2(\theta) \coloneqq \sum_{i=1}^N \theta_i^2 x^T R_i x,\tag{22}$$

respectively, where  $R_i \in \mathbf{S}^n$  achieve

$$x^{T}(M_{ii}(z) + R_{i})x \ge 0, i := 1, \dots N$$
 (23)

which is the necessary and sufficient condition for  $f_1(z,\theta)$  to be multi-convex function with respect to  $\theta$ . Then the function  $\overline{f}(z,\theta)$  given by (24) becomes a multi-convex upper bound function of  $f(z,\theta)(=f_1(z,\theta)-f_2(\theta))$ :

$$\overline{f}(z,\theta) := f_1(z,\theta) - \overline{f}_2(\theta) , \qquad (24)$$

$$\overline{f}_2(\theta) := \sum_{i=1}^N \left( \theta_i \mathbf{B}_i^T R_i + \theta_i R_i \mathbf{B}_i - \mathbf{B}_i^T R_i \mathbf{B}_i \right). \tag{25}$$

This is because  $-f_2(\theta) \le -\overline{f_2}(\theta)$  holds from

$$-\theta_i^2 R_i \le -(\theta_i \mathbf{B}_i^T R_i + \theta_i R_i \mathbf{B}_i - \mathbf{B}_i^T R_i \mathbf{B}_i), \forall \mathbf{B}_i \in \mathbf{R}^{n \times n}.$$
 (26)

Then, from the property of the multi-convex functions  $\overline{f}(z,\theta) < 0$  holds iff we have

$$M(z,\theta) + \sum_{i=1}^{N} (\theta_i I - B_i)^T R_i (\theta_i I - B_i) < 0, \forall \theta \in \text{vert } \Omega$$
(27)

and the inequality (27) can be transformed into

$$\begin{bmatrix} M(z,\theta) & * & * & * \\ R_1 \mathbf{B}_1 - \theta_1 R_1 & -R_1 & * & * \\ \vdots & 0 & \ddots & * \\ R_N \mathbf{B}_N - \theta_N R_N & 0 & 0 & -R_N \end{bmatrix} < 0, \forall \theta \in \text{vert } \Omega.$$
(28)

Therefore, z is a feasible solution of  $M(\theta, z) < 0$  if there exist z,  $B_i$  and  $R_i$  which achieve (28) for all  $\theta \in \text{vert } \Omega$  and replacing  $R_i B_i$  by  $Q_i$  in (28) we have (18).

Using this lemma the problem (17) with an infinite number of constraints can be reduced into that with a finite number of constraints.

#### 4. Iterative approach to the robust $H_{\infty}$ synthesis problems

In this section, we propose an iterative approach to the robust  $H_{\infty}$  control problem (11) using Lemma 3. To do that, we introduce an `axis-shifted system' which is obtained by shifting the imaginary axis so that all perturbing poles are located in the LHS of the imaginary axis. The key idea of our approach is to return the shifted imaginary axis to the original position while the  $H_{\infty}$  norm of the axis-shifted system is less than  $\gamma_p$ . The feature of our approach is to be able to use any controller variables as an initial point.

Firstly, we add the practical assumption for the closed-loop system (6) such that the poles of the system (6) do not exist infinitely far from the imaginary axis on the RHS of the complex plane, i.e., there always exists a finite scalar  $\beta$  which achieves:

$$\max_{\lambda \in \sigma(A_{cl}(\bar{K},\theta))} \operatorname{Re}[\lambda] < \beta, \forall \theta \in \Omega$$
(29)

and we introduce the following system using  $\beta$ , which is needed to derive our iterative approach:

$$\begin{cases} \dot{x}_{cl}(t) = (A_{cl}(\overline{K}, \theta) - \beta I)x_{cl}(t) + B_{clw}w(t) \\ z(t) = C_{cl}(\overline{K})x_{cl}(t) \end{cases}$$
(30)

This system has the next property.

Lemma 4 The system (30) is robustly stable for the parameter  $\theta \in \Omega$ .

**Proof** It is obvious from (29).

Remark 1. In this paper, we interpret the meaning of " $A_{cl}(\overline{K},\theta) - \beta I$ " as shifting the imaginary axis of the complex plane to the right by  $\beta$  (See Fig. 3). In this sense, the system (30) is called as `axis-shifted system' in this paper.

Now, letting  $\overline{T}_{zw}(\overline{K},\theta,\beta)$  be a transfer function of the system (30) from w to z the next lemma holds for the  $H_{\infty}$  norm condition

$$\left\| \overline{T}_{zw}(\overline{K}, \theta, \beta) \right\|_{\infty} < \gamma_{p}. \tag{31}$$

Lemma 5 (31) holds if there exists a parameter dependent Lyapunov function




Fig. 3. Concept of complex plane of the axis-shifted system.

$$P(\theta) := P_0^{\infty} + \sum_{i=1}^{N} \theta_i P_i^{\infty} > 0$$
(32)

which achieves

$$M^{\infty}(P^{\infty}(\theta), \overline{K}, \beta, \theta, \gamma_{v}) < 0 \tag{33}$$

where

$$M^{\infty}(P^{\infty}(\theta), \overline{K}, \beta, \theta, \gamma_{p}) := \begin{bmatrix} P^{\infty}(\theta)(A_{cl}(\overline{K}, \theta) - \beta I) + (A_{cl}(\overline{K}, \theta) - \beta I)^{T} P^{\infty}(\theta) & * & * \\ B_{clw}^{T} P^{\infty}(\theta) & -\gamma_{p} I & * \\ C_{cl}(\overline{K}) & 0 & -\gamma_{p} I \end{bmatrix}. (34)$$

**Proof** It is obvious from Lemma 1.

Remark 2. If  $A_{cl}(\overline{K},\theta)$  is robustly stable  $\forall \theta \in \Omega$  we can let  $\beta = 0$  and in this case  $\|\overline{T}_{zw}(\overline{K},\theta,0)\|_{\infty} = \|T_{zw}(\overline{K},\theta)\|_{\infty}$  holds.

Now, the inequality (33) can be described as

$$M_0^{\infty} + \sum_{i=1}^N \theta_i M_i^{\infty} + \sum_{i=1}^N \sum_{j=i}^N \theta_i \theta_j M_{ij}^{\infty} < 0$$
(35)

$$M_0^{\infty} = \begin{bmatrix} P_0^{\infty} (\overline{A}_0 + \overline{B}\overline{K}\overline{E}) + (\overline{A}_0 + \overline{B}\overline{K}\overline{E})^T P_0^{\infty} & * & * \\ B_{clw}^T P_0^{\infty} & -\gamma_p I & * \\ \overline{C} + \overline{D}\overline{K}\overline{E} & 0 & -\gamma_p I \end{bmatrix}$$
(36)

$$M_{i}^{\infty} = \begin{bmatrix} P_{0}^{\infty} \overline{A}_{i} + \overline{A}_{i}^{T} P_{0}^{\infty} + P_{i}^{\infty} (\overline{A}_{0} + \overline{B} \overline{K} \overline{E}) + (\overline{A}_{0} + \overline{B} \overline{K} \overline{E})^{T} P_{i}^{\infty} & * & * \\ B_{clw}^{T} P_{i}^{\infty} & 0 & * \\ 0 & 0 & 0 \end{bmatrix}$$

$$(37)$$

$$M_{ij} = \begin{cases} \begin{bmatrix} P_i^{\infty} A_j + A_j^T P_i^{\infty} + P_j^{\infty} A_i + A_i^T P_j^{\infty} & * & * \\ & 0 & & 0 & * \\ & 0 & & 0 & 0 \end{bmatrix} & i = j \\ & \begin{bmatrix} P_i^{\infty} A_i + A_i^T P_i^{\infty} & * & * \\ & 0 & & 0 & * \\ & 0 & & 0 & 0 \end{bmatrix} & i \neq j \end{cases}$$

$$(38)$$

Then we can get the next the next lemma with Lemma 3 which is needed to derive our iterative approach.

Lemma 6  $\overline{k}$  and  $P_i^{\infty}$  achieve the  $H_{\infty}$  norm constraint (31) if there exist  $Q_i$  and  $R_i(i := 1, \dots, N)$ ,  $\forall \theta \in \text{vert } \Omega$ , which achieve

$$\overline{M}^{\infty}(P^{\infty}(\theta), \overline{K}, \beta, \gamma_{p}, \theta) := \begin{bmatrix}
M^{\infty}(P^{\infty}(\theta), \overline{K}, \beta, \gamma_{p}, \theta) & * & \cdots & * \\
Q_{1}^{\infty} - \theta_{1} R_{1}^{\infty} & -R_{1} & * \\
\vdots & & \ddots & \vdots \\
Q_{N}^{\infty} - \theta_{N} R_{N}^{\infty} & 0 & \cdots & -R_{N}
\end{bmatrix} < 0,$$
(39)

$$M_{ii}^{\infty} + R_i \ge 0, \forall i . \tag{40}$$

Moreover, we have the next lemma with respect to the existence of  $\beta$  which achieves  $\|\overline{T}_{zw}(\overline{K},\theta,\beta)\|_{\infty} < \gamma_{p,} \forall \theta \in \Omega$  for given controller variables  $\overline{K}_k$ .

Lemma 7 For a given  $\bar{K}_k$  achieving the condition (29) there always exists  $\beta$  achieving

$$\left\| \overline{T}_{zw}(\overline{K}, \theta, \beta) \right\|_{\infty} < \gamma_{p}, \forall \theta \in \Omega$$
 (41)

**Proof:** Let us consider the next matrix:

$$A_{cl}(\overline{K}_k, \theta) + A_{cl}(\overline{K}_k, \theta)^T + \begin{bmatrix} B_{clw} & C_{cl}(\overline{K})^T \end{bmatrix} \begin{bmatrix} \gamma_p & 0 \\ 0 & \gamma_p \end{bmatrix}^{-1} \begin{bmatrix} B_{clw}^T \\ C_{cl}(\overline{K}) \end{bmatrix}$$
(42)

Then, from (29), we can choose  $\beta$  which is larger than the maximum eigenvalue of the next symmetric matrix:

$$\frac{1}{2} \left[ A_{cl}(\overline{K}_k, \theta) + A_{cl}(\overline{K}_k, \theta)^T + \left[ B_{clw} \quad C_{cl}(\overline{K})^T \right] \begin{bmatrix} \gamma_p & 0 \\ 0 & \gamma_p \end{bmatrix}^{-1} \begin{bmatrix} B_{clw}^T \\ C_{cl}(\overline{K}) \end{bmatrix} \right], \tag{43}$$

which implies that there exists  $\beta$  which achieves

$$2\beta I > A_{cl}(\overline{K}_k, \theta) + A_{cl}(\overline{K}_k, \theta)^T + \begin{bmatrix} B_{clw} & C_{cl}(\overline{K})^T \end{bmatrix} \begin{bmatrix} \gamma_p & 0 \\ 0 & \gamma_p \end{bmatrix}^{-1} \begin{bmatrix} B_{clw}^T \\ C_{cl}(\overline{K}) \end{bmatrix}, \theta \in \text{vert } \Omega.$$
 (44)

This inequality can be transformed into the next inequality:

$$\begin{bmatrix} A_{cl}(\overline{K},\theta) - \beta I + (A_{cl}(\overline{K},\theta) - \beta I)^T & * & * \\ B_{clw}^T & -\gamma_p I & * \\ C_{cl}(\overline{K}) & 0 & -\gamma_p I \end{bmatrix} < 0, \theta \in \text{vert } \Omega$$
(45)

and this inequality can be obtained by substituting the common constant Lyapunov function  $P^{\infty}(\theta) = I$  into (33). Hence  $\|\overline{T}_{zw}(\overline{K}, \theta, \beta)\|_{\infty} < \gamma_{p,} \forall \theta \in \Omega$  holds.

Using Lemmas 6 and 7, we propose the following iterative approach to obtain a feasible solution of the problem (11):

#### Algorithm

**Step 1**: Find any  $\overline{K}_1$  and let  $\beta_1$  and  $\mu_1$  be scalars which achieve

$$\beta_{1} > \max_{\lambda \in \sigma(A_{cl}(\overline{K}_{1},\theta))} \operatorname{Re}[\lambda], \ \left\| \overline{T}_{zw}(\overline{K}_{1},\theta,\mu_{1}) \right\|_{\infty} < \gamma_{p}, \ \beta_{1} \leq \mu_{1}$$

$$\tag{46}$$

respectively, for  $\theta \in \operatorname{vert} \Omega$ . For example, let  $\mu_1 = \beta_1$  where  $\mu_1$  can be chosen as the solution of the LMI's (45). Let k := 1 and choose  $\omega$  from 0 to 1.

**Step 2:** If  $\beta_k \le 0$  then let  $K^* := K_k$  and exit. Otherwise let

$$\mu_{k+1} := \omega \beta_k + (1 - \omega) \mu_k \tag{47}$$

and go to the next step.

**Step 3**: Find  $P_i^{\infty}(i := 0, \dots, N)$  which satisfy

$$\overline{M}^{\infty}(P^{\infty}(\theta), K_k, \mu_{k+1}, \gamma_p, \theta) < 0, \forall \theta \in \text{vert } \Omega$$
(48)

and let them be  $P_{ik}^{\infty}$  and define

$$P_k^{\infty}(\theta) := P_{0k}^{\infty} + \sum_{i=1}^N \theta_i P_{ik}^{\infty} \tag{49}$$

**Step 4:** Find K and  $\beta_t$  which are the solutions of

$$\min_{K,B_t} \beta_t \text{ s.t. } \beta_t < \mu_{k+1}, \tag{50}$$

$$\overline{M}^{\infty}(P_k^{\infty}(\theta), K, \beta_t, \gamma_p, \theta) < 0, \forall \theta \in \text{vert } \Omega$$
(51)

and let  $K_{k+1} := K$ ,  $\beta_{k+1} := \beta_t$  and k := k+1 and go to Step 2.

Theorem 1 The next statements hold for our algorithm.

- 1.  $\mu_k$  is an upper bound of  $\beta_k$ , i.e.,  $\mu_k \ge \beta_k$  holds.
- 2.  $\mu_k$  is monotonically decreasing, i.e.,  $\mu_k > \mu_{k+1}$  holds.
- 3.  $\|\overline{T}_{zw}(\overline{K}_k, \theta, \mu_k)\|_{\infty} < \gamma_{p,} \forall \theta \in \Omega \text{ holds for all } k$ .

**Proof** 1. and 2. From (46) and (50),  $\mu_k \ge \beta_k$  holds. Moreover, from (47) we have

$$\beta_k < \mu_{k+1} < \mu_k \,. \tag{52}$$

3. From Step 4 of the algorithm and the fact that  $\mu_k \ge \beta_k$  holds, we have

$$0 > \overline{M}^{\infty}(P_{k-1}^{\infty}(\theta), K_k, \beta_k, \gamma_p, \theta)$$

$$\geq \overline{M}^{\infty}(P_{k-1}^{\infty}(\theta), K_k, \mu_k, \gamma_p, \theta)$$

$$\geq M^{\infty}(P_{k-1}^{\infty}(\theta), K_k, \mu_k, \gamma_p, \theta),$$
(53)

which implies  $K_k$  achieves  $\|\overline{T}_{zw}(\overline{K}_k,\theta,\mu_k)\|_{\infty} < \gamma_p, \forall \theta \in \Omega$ . Hence Theorem 1 holds.

**Remark 1:** The key idea of our approach is to decrease  $\mu_k$  so as to approach  $\beta_k$  to 0, i.e., the shifted imaginary axis approach the original position while the  $H_{\infty}$  norm constraint  $\|\overline{T}_{zw}(\overline{K}_k,\theta,\mu_k)\|_{\infty} < \gamma_p, \forall \, \theta \in \Omega$  is achieved(See Fig.4). This fact implies that the controller  $K_k$  is updated from a non robust  $H_{\infty}$  controller for the original system to a robust  $H_{\infty}$  one as k increases. In this sense, this approach can be an exterior-point approach.

**Remark 2:** Unfortunately, our approach can not always produce a robust  $H_{\infty}$  controller, in other words, there does not exist the efficient ways of choices of  $K_1$ ,  $\beta_1$ ,  $\mu_1$  and  $\omega$  so that a feasible robust controller is always obtained. Hence a condition for detecting an infeasibility for obtaining a robust feasible  $H_{\infty}$  controller may be needed. Moreover,  $\beta_k \leq 0$  is a sufficient condition for  $\|T_{zw}(\overline{K}_k,\theta)\|_{\infty} < \gamma_p, \forall \theta \in \Omega$ . Hence we may also need a efficient criterion for  $K_k$  to be a feasible solution of the problem (11).




Fig. 4. Concept of our exterior-point approach.

#### 5. Numerical example

To demonstrate the efficiency of our approach let us consider the following matrices:

$$A_{0} = \begin{bmatrix} -9 & 1 & 2 \\ 6 & -8 & -11 \\ -1 & 4 & -7 \end{bmatrix}, A_{1} = \begin{bmatrix} 0 & 0 & 1 \\ -5 & 1 & 4 \\ 0 & -1 & 1 \end{bmatrix}, A_{2} = \begin{bmatrix} -2 & -3 & -2 \\ 0 & -1 & 5 \\ -3 & 2 & 0 \end{bmatrix}, B = \begin{bmatrix} 0 \\ 0 \\ -3 \end{bmatrix}, B_{w} = \begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$$
(54)

$$C = \begin{bmatrix} 1 & 0 & 0 \end{bmatrix}, D = 0.1, E = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}, \gamma_p = 0.1$$
 (55)

Note that the one-shot type methods (Pipeleers et al. 2009), (Shaked 2001), (Xie 2008) can not use for designing the robust  $H_{\infty}$  controller because of  $E \neq I$ .

For this numerical example, we set the initial condition for carrying out our approach as follows:

$$K_{1} = \begin{bmatrix} 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}, \omega = 0.3, \beta_{1} = \mu_{1} = 8.1027$$
(56)

where  $\beta_1(=\mu_1)$  is given as the solution of the LMI's (45).

Fig. 5 shows locations of eigenvalues of  $\overline{A}(\theta) + \overline{B}\overline{K}_1\overline{E}$ , i.e., the perturbations of poles of the uncertain closed-loop system via initial controller variables  $\overline{K}_1$ . This figure shows that  $\overline{K}_1$  is not a robust stabilizing controller.

After 10 iterations the next controller variables are given from our approach:

$$\overline{K}^* = \begin{bmatrix}
-1.5195 & -3.6942 & -8.3794 & -2.6309 \\
35.6459 & -43.3047 & -270.7538 & 85.3833 \\
-40.8834 & -1.7382 & 131.5127 & -91.5248
\end{bmatrix}.$$
(57)




Fig. 5. Placement of the closed-poles via  $\overline{K}_1$ .

Fig. 6 and 7 show locations of eigenvalues of  $\overline{A}(\theta) + \overline{B}\overline{K}^*\overline{E}$ , i.e., the perturbations of poles of the uncertain closed-loop system via controller variables  $\overline{K}^*$  and the contour plot of  $\|T_{zw}(\overline{K}^*,\theta)\|_{\infty}$  on  $\Omega$ , respectively. From these figures,  $K^*$  is a feasible solution of the problem (11).




Fig. 6. Placement of the closed-poles via  $\overline{K}^*$ .




Fig. 7. The contour plot of  $\|T_{zw}(\overline{K}^*, \theta)\|_{\infty}$  on  $\Omega$ .

Fig. 8 shows behaviours of  $\mu_k$  and  $\beta_k$  as a function of iteration number k. This figure shows that  $\mu_k$  is an upper bound of  $\beta_k$  and monotonically decreasing, which implies that the controller variables  $\overline{K}_k$  is updated from a non robust stabilizing controller to a robust  $H_{\infty}$  controller.




Fig. 8. Behaviours of  $\mu_k$  and  $\beta_k$ .

#### 6. Conclusions

In this paper, we have considered the robust  $H_{\infty}$  control problem against time invariant uncertainties. Firstly, we show the relaxation method for obtaining a feasible solution of the PDMI problem with multi-convex functions. Secondly, we introduce the axis-shifted system and show that this system can be constructed so as to achieve the  $H_{\infty}$  norm constraint. Next, we propose an iterative approach using the axis-shifted system and multi-convex relaxation method for obtaining the robust  $H_{\infty}$  controllers. The property of our approach is to construct a controller sequence on which the shifted imaginary axis approaches the original position with the  $H_{\infty}$  norm constraint achieved and to be able to choose any controller variables as an initial point. Finally we have given a numerical example which shows the efficiency of our approach.


#### 7. References

Boyd, S.; Ghaoui, L. E.; Feron, E. & Balakrishnan, V. (1994). *Linear matrix inequalities in system and control theory*, Society for Industrial and Applied Mathematics, ISBN 978-0898714852, Philadelphia

- Chesi, G.; Garulli, A.; Tesi, A. & Vicino, A. (2005) Polynomially parameter-dependent Lyapunov functions for robust stability of polytopic systems: an LMI approach, *IEEE Trans. Automatic Contr.*, Vol. 50, No. 3, pp. 365-370, ISSN 0018-9286
- Gahinet, P.; Apkarian, P. & Chilali, M. (1996) Affine Parameter-Dependent Lyapunov Functions and Real Parametric Uncertainty, *IEEE Trans. Automatic Contr.*, Vol. 41, No. 3, pp. 436-442, ISSN 0018-9286
- Geromel, J. C & Korogui R. H. (2006) Analysis and Synthesis of Robust Control Systems Using Linear Parameter Dependent Lyapunov Functions, *IEEE Trans. Automatic Contr.*, Vol. 51, No. 12, pp. 1984-1989, ISSN 0018-9286
- Ichihara, H.; Nobuyama, E. & Ishii, T. (2003) Stability analysis and control synthesis with D.C. relaxation of parameterized LMIs, *Proceedings of European Control Conference* '03, 4 pages, Cambridge, UK, September, 2003
- Ichihara, H. & Nobuyama, E. (2005) Minimax Polynomial Optimization by using Sum of Squares Relaxation and its Application to Robust Stability Analysis of Parameter-dependent Systems, *Proceedings of American Control Conference*, pp. 3433-3434, Oregon, USA, June, 2005
- Iwasaki, T. & Skelton, R. E (1995) The XY-centering algorithm for the dual LMI problem: a new approach to fixed order control design, *International Journal of Control*, Vol. 62, pp. 1257-1272, ISSN 0020-7179
- Kami, Y & E. Nobuyama (2004) A Mixed  $H_{\infty}$  / D-stability Controller Design Using an Exterior-point Approach, *Proceedings of Conference of Decision and Control*, pp. 790-795, Bahama, (2004)
- Kami, Y.; Tanaka, H. & Nobuyama, E. An Exterior-point Approach to the Robust D-stability Control Problem, *Proceedings of the IEEE Conference of Decision and Control*, pp. 2204-2209, Shanghai, China, December, 2009
- Leite, V. J. S. & Peres, P. L. D. (2003) An improved LMI condition for robust D-stability of uncertain polytopic systems, *IEEE Trans. Automatic Contr.*, Vol. 48, No. 3, pp. 500-504, ISSN 0018-9286
- Oliveira, R. C. L. F. & Peres, P. L. D. (2005) Stability of polytopes of matrices via affine parameter-dependent Lyapunov functions: Asymptotically exact LMI conditions, *Linear Algebra and Its Applications*, Vol. 405, pp. 209-228, ISSN 0024-3795
- Pipeleers, G.; Demeulenaere, B.; Swevers, J. & Vandenberghe, L. (2009) Extended LMI characterizations for stability and performance of linear systems, *System & Control letters*, Vol. 58, No. 7, pp. 510-518, ISSN 0167-6911
- Peaucelle, D.; Arzelier, D.; Bachelier, O. & Bernussou, J. (2000) A new robust D-stability condition for real convex polytopic uncertainty, *System & Control letters*, Vol. 40, No. 1, pp.21-30, ISSN 0167-6911
- Shaked, U. (2001) Improved LMI representations for the analysis and the design of continuous-time systems with polytopic type uncertainty *IEEE Trans. Automatic Contr.*, Vol. 46, No. 4, pp. 652-656, ISSN 0018-9286

- Vanbierviet, J.; Michiels, W. & S. Vandewalle, (2009) Smooth stabilization and optimal  $H_2$  design, *Proceedings of IFAC Workshop on Control Applications of Optimisation*, 6pages, ISBN 978-3-902661-42-5
- Xie, W. (2008) An equivalent LMI representation of bounded real lemma for continuoustime systems *Journal of Inequalities and Applications*, art. No. 672905, ISSN 1025-5834





### Recent Advances in Robust Control - Theory and Applications in Robotics and Electromechanics

Edited by Dr. Andreas Mueller

ISBN 978-953-307-421-4
Hard cover, 396 pages
Publisher InTech
Published online 21, November, 2011

Published in print edition November, 2011

Robust control has been a topic of active research in the last three decades culminating in H\_2/H\_\infty and \mu design methods followed by research on parametric robustness, initially motivated by Kharitonov's theorem, the extension to non-linear time delay systems, and other more recent methods. The two volumes of Recent Advances in Robust Control give a selective overview of recent theoretical developments and present selected application examples. The volumes comprise 39 contributions covering various theoretical aspects as well as different application areas. The first volume covers selected problems in the theory of robust control and its application to robotic and electromechanical systems. The second volume is dedicated to special topics in robust control and problem specific solutions. Recent Advances in Robust Control will be a valuable reference for those interested in the recent theoretical advances and for researchers working in the broad field of robotics and mechatronics.

#### How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

Yasushi Kami and Eitaku Nobuyama (2011). An Iterative Approach to the Fixed-Order Robust H∞ Control Problem Using a Sequence of Infeasible Controllers, Recent Advances in Robust Control - Theory and Applications in Robotics and Electromechanics, Dr. Andreas Mueller (Ed.), ISBN: 978-953-307-421-4, InTech, Available from: http://www.intechopen.com/books/recent-advances-in-robust-control-theory-and-applications-in-robotics-and-electromechanics/an-iterative-approach-to-the-fixed-order-robust-h-control-problem-using-a-sequence-of-infeasible-con



#### InTech Europe

University Campus STeP Ri Slavka Krautzeka 83/A 51000 Rijeka, Croatia Phone: +385 (51) 770 447

Fax: +385 (51) 686 166 www.intechopen.com

#### InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai No.65, Yan An Road (West), Shanghai, 200040, China 中国上海市延安西路65号上海国际贵都大饭店办公楼405单元

Phone: +86-21-62489820 Fax: +86-21-62489821 © 2011 The Author(s). Licensee IntechOpen. This is an open access article distributed under the terms of the <u>Creative Commons Attribution 3.0</u> <u>License</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



