

# We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,900

Open access books available

185,000

International authors and editors

200M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index  
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?  
Contact [book.department@intechopen.com](mailto:book.department@intechopen.com)

Numbers displayed above are based on latest data collected.  
For more information visit [www.intechopen.com](http://www.intechopen.com)



# Artificial Intelligence and Big Data Analytics in Vineyards: A Review

*Nathaniel K. Newlands*

## Abstract

Advances in remote-sensing, sensor and robotic technology, machine learning, and artificial intelligence (AI) – smart algorithms that learn from patterns in complex data or big data – are rapidly transforming agriculture. This presents huge opportunities for sustainable viticulture, but also many challenges. This chapter provides a state-of-the-art review of the benefits and challenges of AI and big data, highlighting work in this domain being conducted around the world. A way forward, that incorporates the expert knowledge of wine-growers (i.e. human-in-the-loop) to augment the decision-making guidance of big data and automated algorithms, is outlined. Future work needs to explore the coupling of expert systems to AI models and algorithms to increase both the usefulness of AI, its benefits, and its ease of implementation across the vitiviniculture value-chain.

**Keywords:** Artificial Intelligence, Big data, Climate change, Decision support, Expert knowledge, Vitiviniculture, Risks

## 1. Introduction

Viticulture is at the front line of climate change as grape production is highly sensitive to changing environmental conditions. Growers, producers, and investors plan and anticipate risks far into the future with long time horizons (i.e., 7–11 years or more) for investing, establishing, and attaining positive net income and returns on investment. Growers are grappling with unpredictable, rapidly changing weather patterns and more frequent and intense extreme events such as spring frosts, floods, droughts, heatwaves, and wildfires. Seasonal climate changes of hotter and longer summers and warmer winters are shifting areas suitable for growing grapes further north in the Northern Hemisphere (NH), and south in the Southern Hemisphere (SH), from historical cultivation latitudes of 4° and 51° (NH) and 6° and 45° (SH) [1]. This is driving wine makers to move vineyards to higher elevations that provide colder nighttime temperatures and less frequent and intense peak daytime temperatures to ripen grapes, while preventing over-ripening [2, 3]. Climate change warming scenarios project that grape cultivar diversity may buffer wine-growing regions from losses resulting from both the reduction of suitable areas for growing grapes and attainable yields. In a recent global study using data on long-term French records to extrapolate globally for 11 cultivars (varieties), increasing cultivar diversity more than halved future, projected losses of current wine-growing areas and decreasing areas lost (56 to 24%) under a 2°C warming scenario, and reducing areas lost by a third (85% versus 58%) under a 4°C warming

scenario [4]. These warming scenarios combine daily temperature and precipitation from a large ensemble of the Community Earth System Model (CESM), alongside winegrape phenology and global variety-level planting data [5, 6], projecting geographical shifts of areas suitable for grape varieties as well as phenological shifts in the timing of grape ripening (veraison). The resulting loss of suitability of areas is primarily attributed to shifting temperature regimes, and greater accumulations of temperatures above 25°C, and number of days above 40°C. Precipitation was found to have a buffering effect, both reducing the number of varieties that were lost over time, while increasing the capacity for cultivar turnover [4]. While growing diverse cultivars that are more heat-tolerant and drought-resistant can reduce area and yield loss due to climate change impacts, the industry still faces the uncertainty and complexity associated with fulfilling the stringent consumer demands for quality, novelty, cost and sustainability of this agricultural product.

Big data (BD) is data that is machine-readable as opposed to human-readable. There is no official size that makes data “big”. It consists of massive amounts of digital information, collected from all sorts of sources that are too large, raw, or unstructured for analysis using conventional relational database and techniques. The internet-of-things (IoT) (i.e., the network of physical objects that exchanging data between devices, software, and systems over the Internet) continues to create BD and expand globally. Artificial intelligence (AI) refers to the simulation of human intelligence in machines that are programmed to think, learn and problem-solve like humans and mimic their actions. Machine learning (ML) is a sub-set of AI where machines learn from data without being explicitly programmed. Deep learning (DL) is a subset of ML in which artificial neural networks (ANNs) mimics the structure of the human brain, to adapt and learn from vast amounts of data. Algorithms are procedures that are implemented in computer code that use data, and are, in general, distinguished from models, which comprise many algorithms. BD needs to be of sufficient high quality to reliably train, validate, and independently test and/or reproduce algorithmic and model output at reported levels of accuracy and reliability. Here the goal is to design AI algorithms with a fast and efficient learning speed, fast convergence to a solution, good generalization ability and ease of implementation.

## **2. Review objective and methodology**

This review explores the benefits and challenges of BD and AI to sustainable viniviculture through the lens of recent research findings and insights. Detailing all the different AI methodologies and their implementation is beyond the scope of this review that focuses on their domain application. For background reading of state-of-the-art AI methods and solution techniques, we direct interested readers to an article that features how vineyards are making use of BD [7], a recent introductory methodological reviews of ML in agriculture [8], and DL [9]. In the review conducted and reported here, recently published and highly relevant scientific journal articles were searched and selected using the University of Victoria (UVic)’s Summons 2.0 search engine, which includes a wide range of scientific databases, including the Scopus, ScienceDirect and PubMed databases. A total of 59 articles were selected that met the required, minimal criteria that they assessed, applied, adapted, or developed an AI method/algorithm and addressed a main aspect linked with viniviculture. This search approach was selective rather than exhaustive or systematic. The resulting sample size is similar to the 40 articles selected as part of another recent AI review which also employed online search of major scientific databases [8].

A systems overview of vitiviniculture interactions and drivers of change was first constructed. This was used to distinguish 10 major aspects under which a range of use-cases could be identified and linked across the selected works. This was informed, in part, by a broad review of vineyard ecosystems, their multifunctionality, and ecosystem services, applied the Common International Classification of Ecosystem Services (CICES) highlights the need to better identify and understand interactions within vineyards, identifying six ecosystem services (or aspects) that are most studied, namely: i) cultivated crops, ii) filtration and sequestration, iii) storage and accumulation, iv) pest and disease control, v) heritage and cultural services, and vi) scientific services (e.g., studying vineyard agronomy) [10]. Challenges identified and described within the selected articles were next extracted, compiled, and synthesized into a summary Table. A depiction or simplified design of a novel BD value chain informed by an ES comprising expert knowledge and providing an ES system with an ability to learn is presented. This is structured to encompass all the identified aspects and potentially capable of addressing current research challenges.

### 3. AI in Vitiviniculture

Viticulture is at the front line of technological disruption driven by automated, AI algorithms that integrate and learn from large complex data obtained from diverse sources both old and new. New technologies and data sources include satellite and drone remote-sensing, field sensors, and automated weather stations which are increasingly being deployed and used to enhance decision-making because of their increased availability, affordability, and reliability. For example, Palmaz vineyards in California's Napa Valley are early-adopters of BD and AI, bringing innovation and invention to the ancient art of making wine. They use monitoring and geospatial technology for guidance and decision support. This includes VIGOR (Vineyard Infrared Growth Optical Recognition) to monitor and adjust conditions in the vineyard and an intelligent wine-making assistant, FILCS (Fermentation Intelligent Logic Control System), nicknamed Felix, and STAVES (Sensory Transambiental Variance Experiment) to monitor wines as they age in the barrel [11]. New decision-support tools have also been developed that use BD and AI technology provided by Sippd<sup>TM</sup> and Vitiapp<sup>TM</sup> [12, 13]. There are aspirations even to build an AI system (i.e., a Turing AI taster) that can out-perform a wine expert? [14]. Sippd offers a commercially-available, personal sommelier that uses AI to help consumers discover wines based on taste and budget, with personalized wine recommendations. VitiApp<sup>TM</sup> is a pre-commercial web-based application for supporting decisions about vineyard management. It includes environmental data (weather, soil) to describe conditions influencing grape yield and fruit composition, cloud computing to integrate multiple data streams from a diversity of vineyard sensors and weather forecast data. It provides vineyard patch-specific awareness of weather-based risks for each selected management issue: botrytis/powdery/downy disease, and frost/chilling/heat accumulation, wind, rainfall, soil moisture and/or spraying conditions.

While often used interchangeably, viti-culture refers to the science, study, and production of grapes, whereas vini-culture is specific to grapes for winemaking; when combined is vitiviniculture. According to the International Organization of Vine and Wine (OIV), sustainable vitiviniculture is a "œglobal strategy on the scale of the grape production and processing systems, incorporating at the same time the economic sustainability of structures and territories, producing quality

products, considering requirements of precision in sustainable viticulture, risks to the environment, products safety and consumer health and valuing of heritage, historical, cultural, ecological, and landscape aspects (see [15] and references therein). While sustainable wines are currently a niche market, they are increasing in number, and consumers are willing to pay a premium for sustainably produced wines. Actions and guidance need to incorporate uncertainty and be fine-tuned to the local conditions and impacts. Grapevines phenotype (terroir), canopy micro-climate, vine growth and physiology, yield, and berry composition all contribute various attributes to wine and the degree to which it reflects its varietal origins and signature characteristics or typicity [1]. Vitiviniculture management is likely to become more complex. There are also stringent rules and regulations linked with production certification schemes and labelling systems for vineyards that apply organic, sustainable, biodynamic practices that include reducing environmental risks. The Summerhill Pyramid Winery based in Kelowna, British Columbia, Canada, for example, was certified in both organic under Canadian organic standards (PACS # 16-077, COR Section 345) in 1988 and Demeter biodynamic certification in 2012. Timely, suitable, and cost-effective adaptation strategies and enhanced foresight are crucial to support the complex dynamics and management of vitiviniculture.


#### 4. AI learning algorithms and model types

There are three main types of learning: *supervised* that learns known patterns, *unsupervised* that learns unknown or hidden patterns, and *reinforced* that learns rules or actions in data to learn a pattern or decision process and can be value-, policy-, or model-based in how it optimizes its solution to a given complex problem. Classification and regression problems are supervised, clustering and anomaly detection are unsupervised. Learning algorithms differ according to the problem and their ability to be trained on different types and amounts of data without being overfitted. Overfitting is a concept in AI and data science, which occurs when a statistical model fits exactly against its training data because it memorizes the noise and fits too closely. Deep double descent is the phenomenon where performance improves, then gets worse as the model begins to overfit, and then finally improves more with increasing model size, data size, or training time. Essentially, there is a given level of complexity where models are more prone to overfitting, but if enough complexity is captured in the model, the larger the model and data, the better. Learning can be sequential, in which one part of a task is learnt before the next, or incremental, in which an algorithm learn from scratch and gradually obtains more knowledge with an increasing amount of training inputs or examples by adjusts weights of an observation based on the last classification. How algorithms are trained on data differs as well. Bagging (i.e., bootstrap aggregating) generates additional data for training a model by resampling a given dataset through repeatedly re-combinations to produce multi-sets of the original data. Learning can also be ensemble-based (termed batch learning or stacking) that combines several base models in order to produce one optimal predictive model. Bagging is suitable for high variance, low bias problems, boosting is suitable for low variance, high bias problems, and stacking combines different models to learn some parts of a problem, in solving the whole space of a complex problem. Popular ML algorithms differ in terms of how they find solutions and partition a given problem space. A Support Vector Machine (SVM) uses hyperplane partitioning, Random Forest (RF) uses tree-based ensemble partitioning, and Gradient Boosting (GB) use an ensemble of weak prediction decision trees. Adaboost or Adaptive Boosting assigns higher

weights to incorrectly classified data and Stochastic Gradient Boosting uses statistical bootstrapping of data to generate samples for implementing boosting. XGBoost is a boosting algorithm that benefit from 'regularization' that penalizes various parts of the algorithm to improve its performance by reducing overfitting.

ANNs comprise a collection of connected units or nodes called artificial neurons aggregated into different layers which transmit and process signals between their connections (edges). The signal of a given node is prescribed by a mathematical 'activation' function. Signals travel from a first 'input' layer, through one or more intermediate or 'hidden' layers, to an 'output' layer. Nodes in the hidden layer have values that are unknown and determined mathematically from their input and output signals as a network learns. Different layers may perform different transformations on their inputs. Connections can exist between nodes in different layers or between nodes within a given layer. Feedforward neural networks (FNNs) are a type of ANN having no memory, whereby signals only move in one direction from the input through to the output layer, never being processed by a node more than once. An extreme learning machine (ELM) is a FNN with a one or many hidden layers whose nodes can signal randomly, never update, or inherit previous signals without requiring any tuning of the mathematical function parameters of its node activation functions, or the weight values that alter the strength of how its inputs are connected within the network. A wide range of different DL model structures have evolved from FNNs. Recurrent neural networks (RNNs) are FNNs with memory whose nodes process signals in loops/feedbacks/cycles that considers current inputs and also what it has learned from previous inputs. Long-short-term-memory (LSTM) are a type of RNN that uses special units that include a 'memory cell'™ that maintains information in memory for longer periods of time. Convolutional neural networks (CNNs) have several layers whose nodes are sparsely connected (i.e., nodes are not fully connected) whose flexibility is particularly useful for image recognition and object classification. A CNN typically comprises four types of layers, namely, the convolution layer, rectifier (ReLU) layer, pooling, and fully connected layers. Every layer has its own functionality and performs feature extractions and discovers hidden patterns in input data. RNNs can use sequential information, while CNNs cannot.

Restricted boltzman machines (RBM) consist of a two-layer network of fully connected nodes with both forward and backwards connections (i.e., a cycle) that can share weights (i.e., bidirectional). This two-layer network was originally designed to better determine good starting weights (i.e., pretraining) of FNNs. A deep belief network (DBN) consists of RBMs which are sequentially connected, comprising multiple hidden layers, with connections between hidden units are in separate layers. Deep q-learning networks (DQLNs) use reinforcement learning to make a sequence of decisions through trial and error within an interactive environment involving 'agents' that have 'states' that change, learn, and adapt over time. Q-learning is a specified form of reinforcement learning (i.e., values-based learning) that is model-free i.e., does not require a model of the environment. It learns expected values of future rewards for actions of agents that are in a given state with a given 'value'. It uses q-learning (i.e., learning from delayed rewards) based on Bellman's Equation that decomposes the value of an agent's state into an immediate reward and the value of a cumulative set of successor states according to a discount factor that determines the importance of future rewards. Bayesian learning (or belief) networks (BLNs) are a type of network model that is stochastic or probabilistic and involves 'priors'. Prior is short for 'prior probability distribution' and is the probability distribution that express one's beliefs about an uncertain quantity before some data or further evidence is taken into account. They are used to represent spatial or temporal dependence (represented by conditional probability distribution



**Figure 1.**  
*Overview of the interactions of major climate, biotic, and abiotic drivers, stressors, and risks within vineyards.*

functions) between multiple stochastic variables (i.e., nodes), describing how the variables depend on each other in terms of cause-and-effect or causality (i.e., connections or arcs between nodes). Variables can be discrete or continuous. BLNs can be prepared by experts or learned from data, then used for inference to estimate the probabilities for causal or subsequent events. Copula bayesian networks (CBNs) use a tailored mathematical function called a copula that provides an efficient way to represent and compute the joint probability represented by such networks along with how its variables depend on each other.

New methods and frameworks to use and integrate BD and AI for complex problem-solving and enhanced decision making will, very likely, be needed to support sustainable vitiviniculture. Such approaches will need to consider complex interactions between climate, biotic, and abiotic drivers, stressors, and risks within vineyards, influencing grape and wine production, and value-chain resiliency and sustainability (**Figure 1**).

## 5. AI use-cases and knowledge gaps

Structured data is highly organized and easily understood by machine language, whereas unstructured data is often categorized as qualitative data that cannot be processed and analyzed using conventional tools and methods and includes text, video files, audio files, mobile activity, social media posts, and satellite imagery. BD can include also vague and imprecise information, qualitative data, and rule-based logic. An expert system (ES) is a computer program, model, or algorithm that uses AI to simulate the judgment and behavior of a human or an organization that has expert knowledge and experience in a particular domain or field. It provides supervision for AI algorithms by human experts termed human-in-the-loop (HITL), whereby a model requires human interaction and intervention and is not fully automated or self-reliant. AI in winemaking based on an ES approach was explored in 2000 [16], with limited research on ES, and closely associated, fuzzy inference systems (FIS) in viniviticulture. Fuzzy theory and FIS represent vagueness and imprecise information often used in making decision in a mathematical way using

fuzzy sets and rule-based logic. Several leading examples are noteworthy. An ES for automated forecasting of optimal grape ripeness dates using data gathered from a vineyard wireless sensor network (WSN) has been developed and tested, but uses the Holt method (exponential adaptive forecasting for trended data) instead of ML or DL models/algorithms [17]. Also, an FIS that enables automating the classification of grape quality at harvest for grape growers has been developed and tested [18]. An ES for evaluating the sustainability of vineyards based on their management called Vigneto uses a fuzzy logic indicator [19]. A decision support system called FGRAPEDBN that uses fuzzy logic and expert knowledge is able to predict grape berry maturity. Berry maturity is measured as sugar concentration that increases rapidly, and acidity concentration, that decreases along with pH levels as berry mature. This ES attains high predictive accuracy (i.e., a root-mean-squared-error (RMSE) of 7 g/l (i.e., 0.44 g/l or 0.11 g/kg) [20]. The coupling of ES to AI (i.e., ML and DL models/algorithms) in viticulture, or agriculture in general, is still unexplored and in its infancy. Also, ES systems generally have no ability to learn decision rules, so could benefit also from being informed by AI/ML analytics and predictive insights.

A wide array of applications and use-cases of AI in vitiviniculture are evident, and are summarized in **Table 1**. This shows that there is substantial interest, applied expertise, and future potential in developing such approaches to help mitigate and adapt to climate change, address inter-related risks, and enhance decision-making and foresight. Current AI work is, however, concentrated heavily on grapevine yield prediction and grape variety classification using on the pattern recognition, detection, counting, and clustering of grape berries and bunches in imagery collected by observers, unmanned aerial vehicles (UAVs), and/or robots. Such imagery differs based on vineyard environmental conditions and grape variety altering illumination, occlusions, colors and contrast in images. Existing research limitations and challenges point to the need for robotics and mobile sensing platforms, the combination or fusion of both fine-scale hyperspectral and coarser-scale multispectral imagery data, as well as spatially-distributed sampling within vineyards to better measure and assess micro-climate variability linked with meso- and macro-climate and landscape suitability requirements that are changing with climate change.

Suitability requirements for vineyards would benefit from other AI/ML techniques to explore geospatial data and cross-validate geographical locations determined from CNN models applied to identify vineyards in satellite data. A wide range of different models for disease and pest control (i.e., a hybrid BLN, CNN, RF, GB) have been applied, and these multiple AI approaches could be coupled to provide a fully-integrated solution for processing field imagery, conducting data mining and analytics, and forecasting of disease risk in vineyards. Vineyard management is already exploring decision rule applications via case-based reasoning, and sequential methods of AI, but in isolation, and such work could greatly benefit from being coupled together to accelerate advancement. This would enable them to be tested on a broader set of vineyard data and to better identify best management practices, rather than a more incremental, siloed approach. Much more work is needed to explore opportunities and potential of BD and AI in vineyard biotic and abiotic factors and stress. Only a handful of studies have explored the use of satellite remote-sensing (i.e., Earth Observation or EO) data for detecting and mapping water and heat stress, yet large amounts of data for training and validating AI models now exists from EO data centers and providers. This could help to validate whether satellite indices can reliably detect and map stress variability in vineyard, what data fusion and satellite indices perform best, to port such BD and capabilities to support stakeholders proactive decision making ahead of extreme weather

Aspect	Use-cases	Method/ algorithm	Current challenges	References
Suitability requirements	detect, segment vineyards	CNN	spectral distortions dependent on wavelength, image acquisition parameters	[21, 22]
Grape/grape bunch detection	non-invasive, automated cluster compactness, variety discrimination, classification, tracking	DNN, CNN, AdaBoost and RWNN, SVM, ANN	high-quality training and validation data (different varieties, illumination conditions)	[23–31]
Disease and pest control	disease forecasting, automated detection and differentiation of diseases from leaf images	hybrid BLN, CNN, RF, GB	vineyard data on grape yield, disease imagery to validate models for different varieties, diseases, vineyards, climatic zones; deploying imaging systems on ground vehicles	[32–35]
Vineyard management, grape growing	automated grape vine pruning; irrigation, nutrients	RNN with LSTM, Case-based reasoning (CBR)11	learning rules of expert pruners; broader method testing; including inter-annual variability due to weather, climate;	[36, 37]
Biotic factors and stress	automated insect trapping; rhizogenesis and acclimatization; soil microbial biomass	ANN, genetic algorithm	expanding training data and introducing more parameters regarding soil physical properties and management	[38–40]
Abiotic factors and stress	water stress from hyperspectral imagery; heat stress from Sentinel-2 multispectral imagery	RF, EGB	classification using the widely-applied Savitzky–Golay smoothed spectra reduces accuracy	[41–43]
Grapevine phenology detection, yield prediction	grape berry maturity, yield prediction	fuzzy logic, dynamic BLN	reducing uncertainty with an integration of expert knowledge	[20, 44–48]
Wine aroma, sensory profiling	vertical vintage using near-infrared spectroscopy (NIR); weather/management data	Clustering, GO	coupling models to data using new and emerging technologies to make these analyses more affordable and user-friendly	[49, 50]
Wine quality, classification	wine preferences from physicochemical properties, organic acids; abnormal fermentation detection; wine blending, AI consultant; preference prediction	ANN,SVM	greater use, adoption of novel models/tools, cost–benefit analysis	[12, 14, 51–55]
Traceability, authenticity, protection	incident handling in wine storage; authenticity assessment; wine aging prediction; constructing wine barrels, smoke exposure	clustering, dimensional reduction	greater use, adoption of novel models/tools, cost–benefit analysis	[56–62]

*Refer to abbreviation list for model/algorithms.*


**Table 1.**  
*Showcase of AI/ML in vitiviniculture (partial set from the review).*

impacts like heatwaves. Most work on wine aroma and sensory profiling still employs traditional statistical techniques and clustering with limited work on global optimization (GO). While decision tools already exist in the market to track the wine preferences of consumers, they could be better informed from AI analysis and prediction that links more objective, scientific data on new varieties, wine constituents, alternative wine blends and new wine grown in newly establish vineyards in more suitable areas as climate change shifts grape and wine suitability. The application of BD and AI in traceability, authenticity, and protection also relies on more traditional statistical methods, rather than BD and AI. This is surprising and was not expected before conducting this review, as this area involves large extents of the value-chain and major business risk. Here, government could play a vital role to co-design and pilot test new solutions alongside experts in BD and AI, as developing broad-based solutions in this aspect likely require broad collaboration, multidisciplinary expertise, substantial BD collection and sharing, and industry wide involvement, adoption, and deployment.

## 6. Proposed BD and AI framework

An existing ontology framework called the Agri-Food Experiment Ontology (AFEO) has been developed to guide the integration of data in a way that provides researchers with the information necessary to address extended research questions [63]. It contains 136 concepts spanning viticulture practices, wine-making products, and operations. It utilizes the Resource Description Framework (RDF) format, a standard model for relational data queries, interchange, and metadata processing, to represent these data in a standard format. Based on this review, an analytical framework is proposed that integrates BD analytics and AI prediction as part of a BD value-chain using expert knowledge as HITL intervention and guidance is outlined in **Figure 2**.

BD is distributed across different remote-sensing platforms (e.g., drone and satellite), across vineyards (e.g., networks of AI and climate-smart vineyards), and within vineyards (e.g., field sensor networks), and across data centers and



**Figure 2.**  
*Depiction of a vineyard BD value-chain that incorporates diverse, distributed vineyard data alongside an expert system. This system integrates traditional, cultural perspectives, knowledge, and reasoning of grape growers, viticulture specialists, and other wine industry stakeholders.*

providers (e.g., long-term climate stations and weather monitoring networks providing both historical climate and near-real-time weather station data). Using a distributed cloud approach, an application of cloud computing technology, BD can be interconnected with public and private applications served from varied geographical locations for preprocessing quality control, data quality checks, model identification (i.e., variable selection, quantile classification), indicator model benchmarking, and the development of risk forecast models using AI. An ES system comprising conditional, decision rules provides traditional and expert knowledge, while informing AI model training and validation. An AI model then also learns by selecting rules from the master ES ruleset, adjusting and updating rules as it learns. In this way, the framework is agile and scaleable to address a wide range of stakeholder needs along the value-chain. This includes life-cycle assessment (LCA), providing data to support monitoring and tracking of vineyard sustainability indicators, and providing forecasts (i.e., foresight) to better anticipate future impacts, having additional lead time to mitigate and safeguard operations in time, and deciding between different possible actions and interventions to climate change (i.e., irrigation needs and limitations, disease outbreaks, extreme weather events) risks for more informed vineyard management scheduling and planning. Weather and climate transformed into tailored information and knowledge that vineyard stakeholders and users need and require are provided through customized Climate Information Services (CIS) help to drive forecasts of relevant vineyard indicators. This could integrate sub-seasonal and seasonal forecasting, alongside longer-term, downscaled inter-annual and decadal scenario projections. The quantification of risk (i.e., levels and associated uncertainties) is essential to determine an appropriate response. With an approach that can be scaled up to the entire vitiviculture value-chain the adoption of BD and AI can be accelerated. This would enable all stakeholders to co-learn and collaborate in evidence-based and model-tested design tactics and strategies. Such an approach can ensure mitigation and adaptation actions and interventions are enabling, rather than inhibiting, to maximize perceived benefits and organizational readiness, while minimizing external pressures [64].

## 7. Conclusions

Vineyards that are certified organic and biodynamic, however, are not necessarily the same ones that are early- or significant-adopters of latest BD and AI technology that can accelerate and support the wider transformation from conventional to sustainable vitiviculture practices. As discussed, this is because of a disconnect that exists between the path to adoption of sustainable practices and the path to adoption of BD and AI technology. This could be addressed by providing a way to structure and integrate an expert knowledge and insights from all stakeholders into an ES embedded within an overarching analytical framework. The majority of research challenges identified in this review, which span a wide range of aspects of vitiviculture, also point to the need for including expert knowledge to provide context and rules to design AI algorithms and their automated learning, while helping to structure data, obtain high-quality data for training AI models, and validate the use and adoption of new BD types and sources. Aligning the existing AFEO ontology that links vitiviculture objects and experimental activities to an analytical BD and AI modeling, could accelerate the advancement of sustainable vitiviculture. This would also provide the ES methodology with an ability to learn from experience which most systems cannot do currently. ML and DL models and algorithms need to be trained and informed by an ES that integrates imprecise and

vague information as well as qualitative data and decision rule-based logic that is used in stakeholder decision making. This will require linking the scientific and expert knowledge on climate and weather risks pertaining to drivers and interactions, the BD value chain, to address the identified research challenges outlined here. Future work will aim to synthesize knowledge and insights from the wide array of applications of ES, to design a representative ES for the proposed BD value chain.

### Acknowledgements

NKN acknowledges viticulture research funding support from the Canadian Agricultural Partnership (CAP) Program, Agriculture and Agri-Food Canada (AAFC) under project no. 2336, ‘Influence of cultural practices and climate change on sustainability of grape production under northern conditions’. I thank Dr. T.A. Porcelli for helpful editing and feedback.

### Conflict of interest

The authors declare no conflict of interest.

### Abbreviations

AI	Artificial intelligence
ANN	Artificial neural network
AFEO	Agri-Food Experiment Ontology
BLN	Bayesian learning network
BD	Big data
CBR	Case-based reasoning via a learning-based adaptation strategy
CESM	Community Earth System Model
CICES	Common International Classification of Ecosystem Services
CIS	Climate Information Services
CNN	Convolutional neural network
CBN	Copula bayesian network
DL	Deep learning
DQLN	Deep q-learning neural network
DSS	Decision-support system
EGB	Extreme gradient boosting via second-order derivative approximation (XGBoost)
EBM	Extreme learning machine
EO	Earth observation
ES	Expert system/s
FIS	Fuzzy inference system/s
FNN	Feed-forward neural network
GB	Gradient boosting via gradient decent
GO	Global optimization (constrained)
HITL	Human-in-the-loop
LCA	Life-cycle assessment
LSTM	Long short-term memory architecture
ML	Machine learning
IOV	International Organization of Vine and Wine

IOT	Internet-of-things
RDF	Resource Description Framework
RF	Random forest ensemble learning
RMSE	Root-mean-squared-error
RNN	Recurrent neural network
RBM	Restricted boltzman machine
RWNN	AdaBoost and random weight neural network
SVM	Support vector machine
UAV	Unmanned aerial vehicles
WSN	Wireless sensor network

Author details

Nathaniel K. Newlands<sup>1,2</sup>

1 Summerland Research and Development Centre, Agriculture and Agri-Food Canada, Summerland, British Columbia, Canada

2 Department of Geography, University of Victoria, Victoria, British Columbia, Canada

\*Address all correspondence to: [nathaniel.newlands@canada.ca](mailto:nathaniel.newlands@canada.ca)

IntechOpen

© 2021 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. 

## References

- [1] Santos JA, Fraga H, Malheiro AC, Moutinho-Pereira J, Dinis L-T, Correia C, et al. A Review of the Potential Climate Change Impacts and Adaptation Options for European Viticulture. *Applied Sciences*. 2020; **10**(9):3092. DOI: 10.3390/app10093092
- [2] Asimov E. How climate Change Impacts Wine. October. 2019. Available from: <https://www.nytimes.com/interactive/2019/10/14/dining/drinks/climate-change-wine.html>;14 Accessed 2021-07-07
- [3] Gutiérrez-Gamboa G, Zheng W. Martínez de Todac F: Strategies in vineyard establishment to face global warming in viticulture: a mini review. *Journal of the Science of Food and Agriculture*. 2021;**101**:1261-1269. DOI: 10.1002/jsfa.10813
- [4] Morales-Castilla I. García de Cortázar-Atauri I, Cook BI, Lacombe T, Parker A, van Leeuwen C, Nicholas KA, Wolkovich EM: Diversity buffers winegrowing regions from climate change losses. *Proceedings of the National Academy of Sciences*. 2020; **117**(6):2864-2869. DOI: 10.1073/pnas.1906731117
- [5] Kay JE, Deser C, Phillips A, Mai A, Hannay C, Strand G, et al. Polvani L, and M Vertenstein: The Community Earth System Model (CESM) Large Ensemble Project: A community resource for studying climate change in the presence of internal climate variability. *Bulletin of the American Meteorological Society*. 2015;**96**(8): 1333-1349. DOI: 10.1175/BAMS-D-13-00255.1
- [6] Supplementary Information for Morales-Castilla I, García de Cortázar-Atauri I, Cook BI, Lacombe T, Parker A, van Leeuwen C, Nicholas KA, Wolkovich EM: Diversity buffers winegrowing regions from climate change losses. *Proceedings of the National Academy of Sciences*. 2020;**117**(6):2864-2869. DOI: 10.1073/pnas.1906731117. Available from: <https://www.pnas.org/content/pnas/suppl/2020/01/21/1906731117.DCSupplemental/pnas.1906731117.sapp.pdf> [Accessed 2021-08-09]
- [7] Starr A. How wineries take advantage of big data (or any data). *Wines and Vines*. May, 2018:30-32
- [8] Liakos K. Busato P, Moshou D, Pearson S. Bochtis D: Machine learning in agriculture: a review. *Sensors*. 2018;**18**:2674. DOI: 10.3390/s18082674
- [9] Emmert-Streib F, Yang Z, Feng H. Tripathi S and Dehmer M (2020) An introductory review of deep learning for prediction models With big data. *Frontiers in Artificial Intelligence*. 2020; **3**:4. DOI: 10.3389/frai.2020.00004
- [10] Winkler KJ, Viers JH, Nicholas KA. Assessing ecosystem services and multifunctionality for vineyard systems. *Frontiers in Environmental Science*. 2017;**5**:15. DOI: 10.3389/fenvs.2017.00015
- [11] McCreary N. Palmaz Vineyards: The Winery of the Future. *The Grapevine Magazine*. June. 2020. Available from: <https://thegrapevinemagazine.net/2020/06/palmaz-vineyards-the-winery-of-the-future/>;29 Accessed: 2021-07-07
- [12] Sippd Introduces an AI-Powered Digital Sommelier [Internet] 2020. Available from: <https://www.winebusiness.com/vendornews/?go=getVendorNewsArticle&dataid=233720> [Assessed: 2021-07-07]
- [13] Evans KJ, Coghlan GM, Han SC, Chung H, Kang BH: Supporting on-vineyard decisions with VitiApp. In: *Proceedings of the 16th Australian Wine*

Industry Technical Conference; 24-28 July 2016, Adelaide, SA.

[14] Yapp C. The Turing AI Wine Taster? ITNOW. 2012;54(4):52-53. DOI: 10.1093/itnow/bws118

[15] Baiano A. An overview on sustainability in the wine production chain. *Beverages*. 2021;7:15. DOI: 10.3390/beverages7010015

[16] Grenier P, Alvarez I, Roger JM, Steinmetz V, Barre P, Sablayrolles JM: Artificial intelligence in wine-making. *Journal international des sciences de la vigne et du vin*. 2000;34(2):61-66. DOI: 10.20870/oeno-one.2000.34.2.1007

[17] Aiello G, Cannizzaro L, La Scalia G, Muriana C. An expert system for vineyard management based upon ubiquitous network technologies. *International Journal of Services Operations and Informatics*. 2011;6(3): 230-247. DOI: 10.1504/IJSOI.2011.041419

[18] Tagarakis A, Koundouras S, Papageorgiou EI, Dikopoulou Z, Fountas S, Gemtos TA. A fuzzy inference system to model grape quality in vineyards. *Precision Agriculture*. 2014;15:555-578. DOI: 10.1007/s11119-014-9354-9

[19] Lamastra L, Balderacchi M, Di Guardo A, Monchiero M, Trevisan M. A novel fuzzy expert system to assess the sustainability of the viticulture at the wine-estate scale. *Science of the Total Environment*. 2016;572:724-733. DOI: 10.1016/j.scitotenv.2016.07.043

[20] Perrot N, Baudrit C, Brousset JM, Abbal P, Guillemain H, Perret B, et al: A decision support system coupling fuzzy logic and probabilistic graphical approaches for the agri-food industry: prediction of grape berry maturity. *PLoS ONE*. 2015;10(7):e0134373. DOI: 10.1371/journal.pone.0134373

[21] Jones EG, Wong S, Milton A, Sclauzero J, Whittenbury H, McDonnell MD. The impact of pan-sharpening and spectral resolution on vineyard segmentation through machine learning. *Remote Sensing*. 2020;12:934. DOI: 10.3390/rs12060934

[22] Kamsu-Foguema B, Flammang A. Knowledge description for the suitability requirements of different geographical regions for growing wine. *Land Use Policy*. 2014;38:719-731. DOI: 10.1016/j.landusepol.2014.01.018

[23] Palacios F, Diago MP, Tardaguil J. A non-invasive method based on computer vision for grapevine cluster compactness assessment using a mobile sensing platform under field conditions. *Sensors*. 2019;19:3799. DOI: 10.3390/s19173799

[24] Franczyk B, Hernes M, Kozierkiewicz A, Kozina A, Pietranik M, Roemera I, et al. Deep learning for grape variety recognition. *Procedia Computer Science*. 2020;176:1211-1220. DOI: 10.1016/j.procs.2020.09.117

[25] Fernandes A, Utkin A, Eiras-Dias J, Silvestre J, Cunha J, Melo-Pinto P. Assessment of grapevine variety discrimination using stemhyperspectral data and AdaBoost of random weight neural networks. *Applied Soft Computing*. 2018;72:140-155. DOI: 10.1016/j.asoc.2018.07.059

[26] Gutiérrez S, Tardaguila J, Fernández-Novales J, Diago MP Support vector machine and artificial neural network models for the classification of grapevine varieties using a portable NIR spectrophotometer. *PLoS ONE*. 2015;10(11):e0143197. DOI:10.1371/journal.pone.0143197

[27] Cecotti H, Rivera A, Farhadloo M, Pedroza MA. Grape detection with convolutional neural networks. *Expert Systems with Applications*. 2020;159:

113588. DOI: 10.1016/j.eswa.2020.113588

[28] Neves dos Santos F, Sobreira H, Campos D, Morais R, Moreira AP, Contente O: Towards a reliable robot for steep slope vineyards monitoring. *Journal of Intelligent Robot Systems*. 2016;**83**:429-444. DOI: 10.1007/s10846-016-0340-5

[29] Santos TT, de Souza LL, dos Santos AA, Avila S. Grape detection, segmentation, and tracking using deep neural networks and three-dimensional association. *Computers and Electronics in Agriculture*. 2020;**170**:105247. DOI: 10.1016/j.compag.2020.105247

[30] Liu S, Whitty M. Automatic grape bunch detection in vineyards with an SVM classifier. *Journal of Applied Logic*. 2015;**13**:643-653. DOI: 10.1016/j.jal.2015.06.001

[31] Pérez-Zavala R, Torres-Torriti M, Cheein FA, Troni G. A pattern recognition strategy for visual grape bunch detection in vineyards. *Computers and Electronics in Agriculture*. 2018;**151**:136-149. DOI: 10.1016/j.compag.2018.05.019

[32] Lu W. Newlands, NK, Carisse O, Atkinson DA, Cannon AJ: Disease risk forecasting with Bayesian learning networks: application to grape powdery mildew (*Erysiphe necator*) in vineyards. *Agronomy*. 2020;**10**:62. DOI: 10.3390/agronomy10050622

[33] Chen M, Brun F, Raynal M, Makowski D: Forecasting severe grape downy mildew attacks using machine learning. *PLoS ONE* 2020;**15**(3): e0230254. DOI: 10.1371/journal.pone.0230254

[34] Gutiérrez S, Hernández I, Ceballos S, Barrio I, Díez-Navajas A, Tardaguila J. Deep learning for the differentiation of downy mildew and

spider mite in grapevine under field conditions. *Computers and Electronics in Agriculture*. 2021;**182**:105991. DOI: 10.1016/j.compag.2021.105991

[35] Pérez-Expósito JP, Fernández-Caramés TM. Paula Fraga-Lamas. Castedo L: VineSens: An eco-Smart decision-support viticulture system. *Sensors*. 2017;**17**:465. DOI: 10.3390/s17030465

[36] Fourie J, Bateman C, Hsiao J, Pahalawatta K, Batchelor O, Misse PE, et al. Towards automated grape vine pruning: Learning by example using recurrent graph neural networks. *International Journal of Intelligent Systems*. 2021;**36**:715-735. DOI: 10.1002/int.22317

[37] Zhai Z, Martínez JF, Martínez BL, Díaz VH. Applying case-based reasoning and a learning-based adaptation strategy to irrigation scheduling in grape farming. *Computers and Electronics in Agriculture*. 2020;**178**:105741. DOI: 10.1016/j.compag.2020.105741

[38] Faria P, Nogueira T, Ferreira A, Carlos C, Rosado L. AI-powered mobile image acquisition of vineyard insect traps with automatic quality and adequacy assessment. *Agronomy*. 2021;**11**:731. DOI: 10.3390/agronomy11040731

[39] Gago J, Landín M, Gallego PP. Artificial neural networks modeling the in vitro rhizogenesis and acclimatization of *Vitis vinifera* L. *Journal of Plant Physiology*. 2010;**167**:1226-1231. DOI: 10.1016/j.jplph.2010.04.008

[40] Pellegrini E, Rovere N, Zaninotti S, Franco I, De Nobili M, Contin M. Artificial neural network (ANN) modelling for the estimation of soil microbial biomass in vineyard soils. *Biology and Fertility of Soils*. 2021;**57**:145-151. DOI: 10.1007/s00374-020-01498-1

- [41] Loggenberg K, Strever A, Greyling B, Poona N. Modelling water stress in a Shiraz vineyard using hyperspectral imaging and machine learning. *Remote Sensing*. 2018;**10**:20. DOI: 10.3390/rs10020202
- [42] Cogato A, Pagay V, Marinello F, Meggio F, Grace P, De Antoni MM. Assessing the feasibility of using Sentinel-2 imagery to quantify the impact of heatwaves on irrigated vineyards. *Remote Sens*. 2019;**11**:2869. DOI: 10.3390/rs11232869
- [43] Mirás-Avalos JM, Araujo ES. Optimization of vineyard water management: challenges, strategies, and perspectives. *Water*. 2021;**13**:746. DOI: 10.3390/w13060746
- [44] Ballesteros R, Intrigliolo DS, Ortega JF, Ramírez-Cuesta JM, Buesa I, Moreno MA. Vineyard yield estimation by combining remote sensing, computer vision and artificial neural network techniques. *Precision Agriculture*. 2020;**21**:1242-1262. DOI: 10.1007/s11119-020-09717-3
- [45] Sun L, Gao F, Anderson MC, Kustas WP, Alsina MM, Sanchez L, et al. Daily mapping of 30m LAI and NDVI for grape yield prediction in California vineyards. *Remote Sensing*. 2017;**9**:317. DOI: 10.3390/rs9040317
- [46] Liu S, Cossell S, Tang J, Dunn G, Whitty M. A computer vision system for early stage grape yield estimation based on shoot detection. *Computers and Electronics in Agriculture*. 2017;**137**: 88-101. DOI: 10.1016/j.compag.2017.03.013
- [47] Coviello L, Cristoforetti M, Jurman G, Furlanello C. GBCNet: In-field grape berries counting for yield estimation by dilated CNNs. *Applied Sciences*. 2020;**10**:4870. DOI: 10.3390/app10144870
- [48] Verdugo-Vásquez N, Acevedo-Opazo C, Valdés-Gómez H, Ingram B, de Garcia de Cortázar-Atauri I, Tisseyre B. Towards an empirical model to estimate the spatial variability of grapevine phenology at the within field scale. *Precision Agriculture*. 2020;**21**: 107-130. DOI: 10.1007/s11119-019-09657-7
- [49] Fuentes S, Torrico DD, Tongson E, Viejo GC. Machine learning modeling of wine sensory profiles and color of vertical vintages of pinot noir based on chemical fingerprinting, weather and management data. *Sensors*. 2020;**20**: 3618. DOI: 10.3390/s20133618
- [50] Fuentes S, Tongson E, Torrico DD, Viejo CG. Modeling Pinot Noir aroma profiles based on weather and water management information using machine learning algorithms: A vertical vintage analysis using artificial intelligence. *Foods*. 2020;**9**:33. DOI: 10.3390/foods9010033
- [51] Cortez P, Cerdeira A, Almeida F, Matos R, Reis J. Modeling wine preferences by data mining from physicochemical properties. *Decision Support Systems*. 2009;**47**(4):547-553. DOI: 10.1016/j.dss.2009.05.016
- [52] Urtubia A, Hernández G, Roger JM. Detection of abnormal fermentations in wine process by multivariate statistics and pattern recognition techniques. *Journal of Biotechnology*. 2012;**159**: 336-341. DOI: 10.1016/j.jbiotec.2011.09.031
- [53] Vismara P, Coletta R, Trombettoni G. Constrained global optimization for wine blending. *Constraints*. 2016;**21**(4):597-615. DOI: 10.1007/s10601-015-9235-5
- [54] Larkin T, McManus D. An analytical toast to wine: Using stacked generalization to predict wine preference. *Statistical Analysis and Data Mining: The ASA Data Science Journal*. 2020;**13**:451-464. DOI: 10.1002/sam.11474

- [55] Milovanovic M, Žeravíka J, Obořila M, Pelcová M, Lacina K, Cakar U, et al. A novel method for classification of wine based on organic acids. *Food Chemistry*. 2019;**284**: 296-302. DOI: 10.1016/j.foodchem.2019.01.113
- [56] Lam HY, Choy KL, Ho GTS, Kwong CK, Lee CKM. A real-time risk control and monitoring system for incident handling in wine storage. *Expert Systems with Applications*. 2013; **40**:3665-3678. DOI: 10.1016/j.eswa.2012.12.071
- [57] Portinale L, Leonardi G, Arlorio M, Coisson JD, Travaglia F, Locatelli M. Authenticity assessment and protection of high-quality Nebbiolo-based Italian wines through machine learning. *Chemometrics and Intelligent Laboratory Systems*. 2017;**171**:182-197. DOI: 10.1016/j.chemolab.2017.10.012
- [58] Martínez-Martínez V, Nevares I, del Alamo-Sanza M: Artificial intelligence methods for constructing wine barrels with a controlled oxygen transmission rate. *Molecules*. 2020;**25**:3312. DOI:10.3390/molecules25143312
- [59] Pereira AC, Reis MS, Saraiva PM, Marques JC. Madeira wine ageing prediction based on different analytical techniques: UV-vis, GC-MS. HPLC-DAD. *Chemometrics and Intelligent Laboratory Systems*. 2011;**105**:43-55. DOI: 10.1016/j.chemolab.2010.10.009
- [60] Summerson V, Viejo CG, Pang A, Torrico DD, Fuentes S. Review of the effects of grapevine smoke exposure and technologies to assess smoke contamination and taint in grapes and wine. *Beverages*. 2021;**7**:7. DOI: 10.3390/beverages7010007
- [61] Wang Y, Zhou B, Zhang H, Ge J. A vision-based intelligent inspector for wine production. *International Journal of Machine Learning & Cybernetics*. 2012;**3**:193-203. DOI: 10.1007/s13042-011-0051-y
- [62] Fuentes S, Tongson EJ, De Bei R, Viejo CG, Ristic R, Tyerman S, et al. Non-invasive tools to detect smoke contamination in grapevine canopies, berries and wine: A remote sensing and machine learning modeling approach. *Sensors*. 2019;**19**:3335. DOI: 10.3390/s19153335
- [63] Muljarto AR, Salmon JM, Charnomordic B, Buche P, Tireau A, Neveu PA. Generic ontological network for agri-food experiment integration – Application to viticulture and winemaking. *Computers and Electronics in Agriculture*. 2017;**140**: 433-442. DOI: 10.1016/j.compag.2017.06.020
- [64] Atwal G, Bryson D, Williams A. An exploratory study of the adoption of artificial intelligence in Burgundy's wine industry. *Strategic Change*. 2021;**30**: 299-306. DOI: 10.1002/jsc.2413