

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,900

Open access books available

186,000

International authors and editors

200M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com



Evaluation for the UMA's of Diversified Breeding in the Mixteca Poblana, México

Oscar Agustín Villarreal Espino Barros¹, José Alfredo Galicia Domínguez¹,
Francisco Javier Franco Guerra¹, Julio Cesar Camacho Ronquillo¹
and Raúl Guevara Viera²

¹Benemérita Universidad Autónoma de Puebla

²Universidad de Camagüey

¹México

²Cuba

1. Introduction

The ethnic zone named Mixteca in the state of Puebla, Mexico; is a region with rough topography, arid and semiarid climate, critical poverty, and isolated of the development. In that area, the white tail deer (*Odocoileus virginianus*) from the "mexicanus" subspecies is used, in Units for the Management and Wildlife Conservation or UMA's, by means of the model called Diversified Breeding (livestock) (Villarreal, 2006). This technology is based on a productive model of Diversified Integrated and Self-sufficient type (Sustainable Farming Systems), where the exploitation of bovine of meat is diversified, by means of rational and sustained utilization of the white tailed deer, other species of the wild fauna and their habitat, in the hunting game and the tourism of nature. These sustainable models are an alternative for the conservation of the natural resources, since they'll favor the recycling of nutrients, production of biomass and their movement across the ecosystem, achieving to establish schemes that integrate the productive managing, with the exchange of energy and nutrients, with a natural base of coherent performance (Pimentel, 2001). The objective of this work was to realize an ecological and socioeconomic evaluation of the application of the model of Diversified Breeding in the UMA's of white-tailed deer, in the Mixteca region in the south of the Mexican state of Puebla. (Villarreal et al. 2008).

1.1 Study's setting

The Mixteca poblana belongs to the dry tropic of the depression of the Balsas River (Fig. 1), with habitat whit tropical deciduous forest (Fig. 2), arid brushwood and oaks forest, among other vegetative types. It covers 47 Municipalities, with a principally mountainous surface of 10.565 km². Due to its geographical conditions the region shows under agricultural potential, the activities of the primary sector of the economy are the agriculture of temporarily and the extensive ranching of bovine's and goats livestock. The secondary and tertiary activities concentrated in two growth points, the cities of Tehuacán and Izúcar of Matamoros (Villarreal, 2006). Due to the lack of opportunities of development the rural

population migrates principally to the New York, California and Texas states in the American Union. In the region the white tailed deer of the "*mexicanus*" subspecies, is distributed in 37 Municipalities by a surface of 547.550 ha. (Villarreal & Guevara, 2002).



Fig. 1. Map from location of Mixteca region, Puebla State, Mexico.




Fig. 2. Tropical deciduous forest in the Mixteca Poblana, México (Picture, Oscar Villarreal).

2. Materials and methods

The application of the Pressure-State-Response framework or PSR was used, which allows to analyze and to quantify the socioeconomic and environmental sustainability of agricultural systems to regional or local levels (De Camino & Muller, 1993; OCDE, 1993 Winograd, 1995). The work was realized by means of technologies of group by the farmers from seven UMA's, as well as the collection of information of all the UMA's in governmental dependences, into federal level as the Environment and Natural Resources Secretary (SEMARNAT), and Puebla State Government as, the Sustainable Environmental and Territorial Organization Secretary (SSAOT), and the Rural Development Secretary (SDR). The information was analyzed attending to a group of variables of the technological model such as: the population density, evaluation of the habitat, carrying capacity and diversity of the diet, the rate of crop and regional development between others. The determined results for the different variables used in the matrix appeared for unit of measure, or according to the type of action quantifiable.

3. Results and discussions

The socioeconomic and environmental evaluation by means of the PSR matrix to the UMA's of Diversified Breeding, threw the following results (Table 1): the increase of the population density of deer like response to the application of the technological model; though they are not spectacular for treating itself about animals in free life, represent a positive progression already brought in hunting ranches in the southwest of the United States, and UMA's the North-East of Mexico (Brown, 2004). On the other hand, the calculations "*in situ*" of the primary productivity of phytomass usable in the order of 0,79 and 0,88 ton./dray matter per year, has contributed in the decisions of managing of the population density and its relation with the capacity of load, which is between 7,28 and 9,41 has./UA (United Animal), besides 139 vegetable species which have been identified like consumed by the deer. As a consequence, it has produced an optimization itself in the employment of food supplements and waters in critical epochs (Villarreal, 2006). The consumption of herbaceous plants and tree and shrub in the diet constitutes an advantage for the system of corporal reservations in drought (Savory, 2005; Villarreal & Marín, 2005); that produced increases in the rates of crop of the deer. Another undeniable aspect though not quantified, it is the relative to environmental services for the capture of carbon of the biomass, and the recycling nitrogen in the soil (Savory, 2005). In relation to the use of land, has been observed that for the past period from March, 2001 to December, 2009, occurred unexpectedly an increase in the number of properties incorporated as UMA's from 13 to 72, which means the pass from 14.423,92 ha. to 82.522,02 ha., incorporated into this model which respects the biodiversity and takes advantage of the animal resource in rational form; in addition, of six initial Municipalities it has increased to 35. This information relates to the degree of adoption in the time of the technology in the region, where the works of conservation, managing and crop, developed by institutions of top education (Benemérita Universidad Autónoma de Puebla) and lenders of technical services for the UMA's, have had good results recognized and supported by the Federal institutions Environment and Natural Resources Secretary (SEMARNAT) and Government of Puebla State, that are the organisms tracers of the public policies in the rural way.

Variables	Element	Indicator	Period or years	Effects
Deer`s population	Growth	Population density	Before Later	-- + +
Habitat	Components	Evaluation	Before Later	-- +
Deer`s supply	Phytomass	Capacity of load	Before Later	-- Evaluated <i>in situ</i>
	Consumption of forage	Variety	Before Later	Unknown 139 <i>Spp.</i>
Big game trophies	Utilization	Rate of crop	Before Later	-- +
Management of land	Extension	Surfaces (has.)	2001 2009	14.423.92 82.522,02
Biodiversity	UMA`s	Number of lands	2001 2009	13 Predios 72 Predios
Regional development	Municipalities	Numbers	2001 2009	13 35
Socio-economic Development	Generation of permanents employments	Increase of each 1000 ha., of operation	Before Later	00 2-3
Information and participation	Activities of training and capture of decisions	UMA`s Management plan.	Before Later	-- ++
Agreements and events	Agreements big game trophies	Regional Tournament and Mexican "Slam"	Before After	Non include Include
Investigations and consultations	Universities and ONG`s	Researching groups	2000 2011	1 3
		Working groups	2000 2011	Anyone 5
Conservation	Protected natural areas	Number of Municipalities	1998 2011	9 11
		Nº hectares	1998 2011	145.715,8 161.662,8

Table 1. Analysis of PSR Matrix (framework) to model of Diversified Breeding from Mixteca Poblana region, Mexico

Other measured indicators in the PSR matrix are: the participation of the producers in the accomplishment of socio cultural events such as: the "Thummler Award" (Mexican Deer Super Slam) and the "Regional Tournament of Hunting Game, slams directed in order to obtain big game trophies, which confirms the validity of the technological adoption, in the search of the sustainability of the use of the natural resources, in harmony with the agricultural activities to attack the poverty and social inequality (Fig 3); which they are a

reason of emigration of the population in productive age to the United States, and that affect the sustainable regional development (Villarreal, 2002, 2006).



Fig. 3. Arturo Villarreal, young hunter and his trophy of Mexican white tailed deer, taken in the Mixteca Poblana region (Picture from Oscar Villarreal).

In addition, it is necessary to indicate, the labor in favor of the wild fauna with game potential, since there are three groups of investigators that realize functions of researching, transferring of technology, extensions, promoting and advising (Villarreal et al. 2011). On the part of Benemérita Universidad Autónoma de Puebla (BUAP), stand out the groups of the Faculty of Veterinary and Animal Science (FMVZ) and the Biology School, besides the group of the Faculty of Veterinary and Animal Science, from Universidad Autónoma Metropolitana (UAM). The Benemérita Universidad Autónoma de Puebla has come organizing the "Symposiums on Game Animals of Mexico", academic and national event that looks for the conservation of the natural resources and generation of socioeconomic benefits, using as tool the hunting game and the ecotourism.

On the other hand, the sector of the Non-Governmental Organizations (ONG's), is represented in a general form by three groups that are employed at subject matters of forestry development join with wild fauna. Finally only there was only a natural protected area. The Biosphere Tehuacán-Cuicatlán Reserve (RBT-C), dependent organism on the National Commission of Natural Protected Areas (CONANP) from Environment and

Natural Resources Secretary, which includes nine Municipalities of the east of the region, with a surface of 145.715,8 ha., (Villarreal, 2006). On May 2, 2011, the Sustainable Environmental and Territorial Organization Secretary, of the Puebla State Government, had decreed the Natural Protected State Area "Tentzo's Sierra", which includes inside the Mixteca Poblana two north Municipalities with 15.947 ha. from the conservation and sustainable managing in to the region(Fig. 4).



Fig. 4. Dr. Rafael Moreno Valle, Governor of Puebla State and Eng. Juan Elvira Quesada, Minister of Environment and Natural Resources Secretary, during inauguration of Natural Protected State Area "Tentzo's Sierra". At right show up the Mexican royal (golden) eagle *Aquila chrysaetos canadensis* (Picture Oscar Villarreal).

4. Conclusion

We can conclude that the analysis-summary of the PSR matrix for the conservation and managing of the Mexican white-tailed deer in the UMA's from Mixteca, demonstrated the potentials of the rational utilization of the cervid and its habitat, a regional level as resource of wild life inside the model of Diversified Breeding, to reach the sustainability of this technological model in the region, from the auto management, the empowerment and the community participation, respecting its biodiversity. Therefore, there is advisable the application of PSR matrix for similar valuations in other regions of Mexico.

We recommend to have care in the conservation and the appropriate managing of this biodiversity, since some threats besides the deforestation due to the advance of the urban borders, industrial and agricultural, it is the introduction of plants and species and


subspecies (geographical races) exotic animals, it means, foreign to the regional ecosystems, such as: the red deer (*Cervus elaphus*), sika deer (*Cervus nippon*), axis deer (*Axis axis*), fallow deer (*Dama dama*), Texan white tailed deer (*Odocoileus virginianus texanus*) and European wild boar (*Sus scropha*), among other exotic species (Álvarez et al. 2008). The society in general and the government in its three levels (Municipal, State and Federal) are correspondents of the conservation, managing and rational utilization and supported of the Mexican white tailed deer and its habitat for the benefit of the Puebla society, Mexico and the world.

5. References

- Álvarez-Romero, J. G.; Medellín R. A.; Oliveras de Ita, A.; Gomes de Silva, H. & Sánchez, O. (2008). *Animales exóticos en México; una amenaza para la biodiversidad*. Comisión Nacional para el Conocimiento y Uso de la Biodiversidad, Instituto de Ecología, Universidad Nacional Autónoma de México, Secretaría del Medio Ambiente y Recursos Naturales; ISBN 978-970-9000-46-7. México, D. F. 518 pp.
- Brown, K. (2004). Experiences in Texas Private Properties: Lessons in wildlife coordinated management, regulatory decrease and free market economy. *Proceedings of: 16th National Diversified Livestock (Wildlife Breeders) Congress*. Asociación Nacional de Ganaderos Diversificados Criadores de Fauna, Nuevo Laredo, Tams., México, pp 20-21.
- De Camino R. y S. Muller. (1993). *Sostenibilidad de la agricultura y los recursos naturales. Bases para establecer indicadores*. Proyecto IICA/GTZ. San José, Costa Rica, 38 pp.
- OCDE (Organization for Economic Co-Operation and Development). (1993). *OECD core set of indicators for environmental performance reviews. A synthesis report by the Group on the State of the Environment. Environment monographs*. N° 83. OCDE/GD (93)179. 39 pp.
- Pimentel, D. (2001). Limits of biomass utilization. *Encyclopedia of Physical Science and Technology*. 3a Ed. Vol. 2. Academic Press, New York. USA.
- Savory, A. (2005). *Manejo Holístico; Un nuevo marco metodológico para la toma de decisiones*. Secretaría del Medio Ambiente y Recursos Naturales, ISBN: 968-817732-6 México, D. F. pp 115-180.
- Villarreal, O. A. (2002). El "Grand Slam" del Venado Cola Blanca Mexicano, una Alternativa Sostenible. *Archivos de Zootecnia*, Vol. 51, N° 193-194. Instituto de Zootecnia; Facultad de Veterinaria. Universidad de Córdoba, España; pp 187-193. ISSN 0004-0592.
- Villarreal, O. A. & Guevara, R. 2002. "Distribución Regional del Venado Cola Blanca Mexicano (*Odocoileus virginianus mexicanus*); en la Mixteca Poblana, México". *Producción Animal*, Año 2002. Vol. 14, N° 2. pp 35-40. Facultad de Ciencias Agropecuarias. Universidad de Camagüey, Ministerio de Educación Superior, Cuba. ISSN 0258-6010.
- Villarreal, O. A. & Marín. M. (2005). Agua de Origen Vegetal para el Venado Cola Blanca Mexicano. *Archivos de Zootecnia*. Vol. 54 Núm. 206-207, pp 191-196. Instituto de Zootecnia; Facultad de Veterinaria. Universidad de Córdoba, España. ISSN 0004-0592.

- Villarreal O. A. (2006). *El venado cola blanca en la Mixteca poblana. Conceptos y métodos para su conservación y manejo*". Benemérita Universidad Autónoma de Puebla, ISBN: 968 863 992-3. Puebla, México. 191 pp.
- Villarreal. O. A.; Franco, J.; Hernández, J. E.; Romero, S.; T. & Guevara, R. (2008). Evaluación de las UMAS de venado cola blanca en la región Mixteca, México. *Zootecnia Tropical*, Año 2008, Vol. 26, N° 3: pp 395-398. Instituto Nacional de Investigaciones Agrícolas; Ministerio del Poder Popular para la Agricultura y Tierras, Venezuela: ISSN 0798-7269.
- Villarreal, O. A.; Plata, F. X.; Franco, F. J.; Hernández, J. E.; Mendoza, G. D.; Aguilar, B.; Camacho, J. C. (2011). Conservación y manejo del venado cola blanca en México: región Mixteca Poblana. *Ciencia Tecnología e Innovación para el Desarrollo de México (PCTI)*: Año 3 N° 70. ISSN: 2007-1310.
- Winograd, M. (1995). *Indicadores ambientales para Latinoamérica y el Caribe. Hacia la sustentabilidad en el uso de tierras*. Proyecto IICA/GTZ, OEA. Instituto de Recursos Mundiales. San José, Costa Rica.

IntechOpen



New Advances and Contributions to Forestry Research

Edited by Dr. Dr. Andrew A. Oteng-Amoako

ISBN 978-953-51-0529-9

Hard cover, 256 pages

Publisher InTech

Published online 27, April, 2012

Published in print edition April, 2012

New Advances and Contributions to Forestry Research consists of 14 chapters divided into three sections and is authored by 48 researchers from 16 countries and all five continents. Section Whither the Use of Forest Resources, authored by 16 researchers, describes negative and positive practices in forestry. Forest is a complex habitat for man, animals, insects and micro-organisms and their activities may impact positively or negatively on the forest. This complex relationship is explained in the section Forest and Organisms Interactions, consisting of contributions made by six researchers. Development of tree plantations has been man's response to forest degradation and deforestation caused by human, animals and natural disasters. Plantations of beech, spruce, Eucalyptus and other species are described in the last section, Amelioration of Dwindling Forest Resources Through Plantation Development, a section consisting of five papers authored by 20 researchers. New Advances and Contributions to Forestry Research will appeal to forest scientists, researchers and allied professionals. It will be of interest to those who care about forest and who subscribe to the adage that the last tree dies with the last man on our planet. I recommend it to you; enjoy reading it, save the forest and save life!

How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

Oscar Agustín Villarreal Espino Barros, José Alfredo Galicia Domínguez, Francisco Javier Franco Guerra, Julio Cesar Camacho Ronquillo and Raúl Guevara Viera (2012). Evaluation for the UMA's of Diversified Breeding in the Mixteca Poblana, México, New Advances and Contributions to Forestry Research, Dr. Dr. Andrew A. Oteng-Amoako (Ed.), ISBN: 978-953-51-0529-9, InTech, Available from:
<http://www.intechopen.com/books/new-advances-and-contributions-to-forestry-research/evaluation-for-the-uma>

INTECH
open science | open minds

InTech Europe

University Campus STeP Ri
Slavka Krautzeka 83/A
51000 Rijeka, Croatia
Phone: +385 (51) 770 447
Fax: +385 (51) 686 166

InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai
No.65, Yan An Road (West), Shanghai, 200040, China
中国上海市延安西路65号上海国际贵都大饭店办公楼405单元
Phone: +86-21-62489820
Fax: +86-21-62489821

www.intechopen.com

www.intechopen.com

IntechOpen

IntechOpen

© 2012 The Author(s). Licensee IntechOpen. This is an open access article distributed under the terms of the [Creative Commons Attribution 3.0 License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

IntechOpen

IntechOpen