We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

Introductory Chapter: Why the Study of Fullerenes is so Important?

Natalia Vladimirovna Kamanina

Additional information is available at the end of the chapter

<http://dx.doi.org/10.5772/intechopen.74812>

1. Introduction

It is known that the use of the laser technique has been dramatically activated from the 1960's. Due to the reason that the lasers are operated at different spectral range and at different energy density (power), the scientists and engineers have had the task to find the novel materials to protect the human eyes and technical devices from high laser irradiation. Moreover, the modern solar energy, gas storage, and biomedicine elements have searched for the new sensitizers with good advantage as well.

In this aspect, the science history and nature permits to resolve this task [1–7]. From David Jones experiments (1966) and E. Osawa calculations (1970); from E. Colder experiments (1984), and from H.W. Kroto, R.E. Smalley, R.F. Curl consideration (1985), the fullerenes have been discovered and have got their name on 1985. Indeed, it provokes the future investigation. Thus, the carbon nanotubes (CNTs) have been opened in 1991. Now, these nanostructures have an important advantage in the modification of the surface and the body of inorganic and organic materials.

The main reason to use the fullerenes is connected with their unique energy levels and high value of electron affinity energy. Only S_1-T_1 transition has the time close to 1.2 ns, but the higher transitions from the excited singlet or triplet states have the time in the pico- or femtosecond range. Thus, the study of the fullerene and relative systems dynamic in the nano-, pico-, and femtosecond regime is actual, and the investigation of the ionization and fragmentation of fullerenes with different approaches are important. Moreover, the fullerenes have the large value of the electron affinity energy close to 0.65–0.7 eV. That is larger than the one for most dyes and organic molecules *intramolecular* acceptor fragment. It can stimulate the efficient *intermolecular* charge transfer complex (CTC) formation in the fullerene-doped organic conjugated materials. Regarding the CNTs, it should be necessary to take into account the variety of charge

transfer pathways, including those along and across a CNT, between CNTs, inside a multiwall CNT, between organic molecules and CNTs, and between the donor and acceptor moieties of an organic matrix molecule. The data presented in **Figure 1a** and **b** show the possible mechanism of charge carriers moving in the fullerene-, carbon nanotubes, and relative nano-objects-doped organic materials. Moreover, the bio-objects based on DNA can be added to this consideration. Some theoretical and experimental results about the process shown in **Figure 1** have been previously presented in the papers [8–15]. It should be remarked that the polarizability of the sensitized organic composites is larger than the one for the pure polymer or the liquid crystal matrix due to the formation of the larger dipole moment under the sensitization process.

The basic features of carbon nanotubes are regarded to their high conductivity, strong hardness of their C–C bonds, complicated and unique mechanisms of charge carrier moving, and large surface energy [16–22]. Moreover, the CNTs refractive index n is so small, namely, it is placed in the range of 1.05–1.1. Different types of the optical materials, especially inorganic ones, can be treated by CDV, PDV, laser ablation, laser oriented deposition, etc. technical methods, to deposit the CNTs on the materials surfaces in order to develop the novel coatings. Indeed, it can provoke the change of the refractivity, spectral, mechanical, and wetting phenomena of the composites. Analytical and quantum chemical simulations have supported the experimental results. Some accent has been given to form the covalent bonding between the atoms of carbon nanotubes and near-surface atoms of the matrix materials, see **Figure 2**. It provokes the dramatic increase of the transparency, mechanical hardness, laser strength, wetting angle, etc. parameters [23–27].

In the current “Fullerenes and relative materials” book, namely eight chapters are placed. They are devoted to study the fullerenes C_{60} and C_{70} , as well as the polymeric phase of fullerenes and their derivatives under high pressure and high temperature. The interesting results are presented about the possibility to encapsulate of 3–10 nitrogen atoms into the C_{70} cage.

Figure 1. The possible mechanisms of CTC formation in the nano- and bio-objects-doped conjugated organics (a) with the selection of possible charge transfer on the CNTs basis (b).

Figure 2. Possible covalent bonding formation in the systems of MgF₂-CNTs (a) [24] and analytical calculation of this process (b) [25].

Raman spectrum of hydrogenated carbon film deposited by dc-pulse plasma CVD has been analyzed, and the process of the hybridization of graphene fragment, which limits the nucleation and growth of onion-like nanoparticle, has been shown. Optical, nonlinear optical, and mechanical features of the nano-objects containing composites are presented and supported by the analytical and quantum-chemical simulations.

All chapters present the results about the unique properties of the materials studied in the different area of their applications, including the general optoelectronics, solar energy and gas storage, laser and display, biomedicine, etc. It is important for the education process and for the civil and special device operation. The advanced idea, the special approach, and the information described in the current book will be fruitful for the readers to find a sustainable solution in a fundamental study and in the technique. The book can be useful for the students, post-graduate students, engineers, researchers, and technical officers of optoelectronic universities and companies.

Acknowledgements

The editor would like to thank all authors of the chapters presented, reviewers and all who have helped to prepare this book. The editor would like to acknowledge to Mr. Slobodan Momcilovic, Publishing Process Manager, InTech Publisher, Croatia for his good and continued cooperation.

Conflict of interest

There is no conflict of interest.

Author details

Natalia Vladimirovna Kamanina^{1,2*}

*Address all correspondence to: nvkamanina@mail.ru

1 Vavilov State Optical Institute, Saint-Petersburg, Russia

2 St. Petersburg Electrotechnical University ("LETI"), Saint-Petersburg, Russia

References

- [1] Kroto HW, Heath JR, O'Brien SC, Curl RF, Smalley RE. C_{60} : Buckminsterfullerene. *Nature*. 1985;**318**:162-163. DOI: 10.1038/318162a0
- [2] Krätschmer W, Fostiropoulos K, Huffman DR. The infrared and ultraviolet absorption spectra of laboratory-produced carbon dust: Evidence for the presence of the C_{60} molecule. *Chemical Physics Letters*. 1990;**170**(2-3):167-170
- [3] Krätschmer W, Lamb LD, Fostiropoulos K, Huffman DR. Solid C_{60} : A new form of carbon. *Nature*. 1990;**347**:354-358
- [4] McKenzie DR, Davis CA, Cockayne DJH, Muller DA, Vassallo AM. The structure of the C_{60} molecules. *Nature*. 1992;**355**:622-624
- [5] Couris S, Koudoumas E, Ruth AA, Leach S. Concentration and wavelength dependence of the effective third-order susceptibility and optical limiting of C_{60} in toluene solution. *Journal of Physics B: Atomic, Molecular and Optical Physics*. 1995;**8**:4537-4554
- [6] Krieng T, Petr A, Barkleit G, Dunsch L. Improved thermal stability of nonpolymeric organic glasses by doping with fullerene C_{60} . *Applied Physics Letters*. 1999;**74**(24):3639-3641
- [7] Shibata T, Ishii T, Nozawa H, Tamamura T. High-aspect-ratio nanometer-pattern fabrication using fullerene-incorporated nanocomposite resists for dry-etching application. *Japanese Journal of Applied Physics*. 1997;**36**(12B):7642-7645
- [8] Kamanina NV. Peculiarities of optical limiting effect in π -conjugated organic systems based on 2-cyclooctylamino-5-nitropyridine-doped with C_{70} . *Journal of Optics A: Pure and Applied Optics*. 2001;**3**(5):321-325. DOI: 10.1088/1464-4258/3/5/302
- [9] Kamanina NV. Optical investigations of a C_{70} -doped 2-cyclooctylamino-5-nitropyridine-liquid crystal system. *Journal of Optics A: Pure and Applied Optics*. 2002;**4**(4):571-574. DOI: 10.1088/1464-4258/4/5/313
- [10] Kamanina NV. Fullerene-dispersed liquid crystal structure: Dynamic characteristics and self-organization processes. *Physics-Uspekhi*. 2005;**48**(4):419-427. DOI: 10.1070/PU2005v048n04ABEH002101

- [11] Kamanina NV, Emandi A, Kajzar F, Attias A-J. Laser-induced change in the refractive index in the systems based on nanostructured polyimide: Comparative study with other photosensitive structures. *Molecular Crystals and Liquid Crystals*. 2008;**486**:1-11
- [12] Kamanina NV, Uskokovic DP. Refractive index of organic systems doped with nano-objects. *Materials and Manufacturing Processes*. 2008;**23**:552-556
- [13] Kamanina NV, Serov SV, Shurpo NA, Likhomanova SV, Timonin DN, Kuzhakov PV, Rozhkova NN, Kityk IV, Plucinski KJ, Uskokovic DP. Polyimide-fullerene nanostructured materials for nonlinear optics and solar energy applications. *Journal of Materials Science: Materials in Electronics*. 2012;**23**(8):1538-1542. DOI: 10.1007/s10854-012-0625-9
- [14] Kamanina NV, Zubtcova YuA, Kukharchik AA, Lazar C, Rau I. Control of the IR-spectral shift via modification of the surface relief between the liquid crystal matrixes doped with the lanthanide nanoparticles and the solid substrate. *Optics Express*. 2016;**24**(2):6 pages. DOI: 10.1364/OE.24.00A270. OPTICS EXPRESS A270
- [15] Kamanina Natalia V, Serov Sergey V, Bretonniere Y, Ch A. Organic systems and their photorefractive properties under the nano- and biostructuration: Scientific view and sustainable development. *Journal of Nanomaterials*. 2015: Article ID 278902, 5 pages. DOI: 10.1155/2015/278902
- [16] Namila S, Chandra N, Shet C. Mechanical behavior of functionalized nanotubes. *Chemical Physics Letters*. 2004;**387**:247-252
- [17] Fa W, Yang X, Chen J, Dong J. Optical properties of the semiconductor carbon nanotube intramolecular junctions. *Physics Letters*. 2004;**A323**:122-131 www.elsevier.com/locate/pla
- [18] Taherpour AA, Aghagolnezhad-Gerdroudbari A, Rafiei S. Theoretical and quantitative structural relationship studies of reorganization energies of [SWCNT(5,5)-Armchair-C_nH₂₀] (n = 20-310) nanostructures by neural network CFFBP method. *International Journal of Electrochemical Science*. 2012;**7**:2468-2486 www.electrochemsci.org
- [19] Yang Z-P, Ci L, Bur JA, Lin S-Y, Ajayan PM. Experimental observation of an extremely dark material made by a low-density nanotube array. *Nano Letters*. 2008;**8**(2):446-451. DOI: 10.1021/nl072369t
- [20] Bao H, Ruan X, Fisher TS. Optical properties of ordered vertical arrays of multi-walled carbon nanotubes from FDTD simulations. *Optics Express*. 2010;**18**(6):6347-6359
- [21] Chen K-R, Yeh H-F, Chen H-C, Liu T-J, Huang S-J, Ping-Yao W, Tiu C. Optical-electronic properties of carbon-nanotubes based transparent conducting films. *Advances in Chemical Engineering and Science*. 2013;**3**:105-111. DOI: 10.4236/aces.2013.31013
- [22] Kvashnin DG, Sorokin PB. Effect of ultrahigh stiffness of defective graphene from atomistic point of view. *Journal of Physical Chemistry Letters*. 2015;**6**(12):2384-2387
- [23] Kamanina NV, PYa V, Studeonov VI, Usanov YE. Strengthening transparent conductive coatings and “soft” materials of the IR range when nanotechnologies are used. *Journal of Optical Technology*. 2008;**75**(1):67-68

- [24] Kamanina NV, Vasilyev PY, Studeonov VI. Using nanotechnologies in optics: On the possibility of enhancing the transparency and increasing the mechanical surface strength of materials in the UV and IR regions. *Journal of Optical Technology*. 2008;**75**(12):806-808
- [25] Kamanina NV, Bogdanov KY, Vasilyev PY, Studeonov VI. Enhancing the mechanical surface strength of “soft” materials for the UV and IR ranges and increasing their transmission spectrum: Model MgF_2 -nanotube system. *Journal of Optical Technology*. 2010;**77**(2):145-147
- [26] Kamanina NV, Features of Optical Materials Modified with Effective Nanoobjects: Bulk Properties and Interface, New York, Physics Research and Technology, “Novinka”. New York: Nova Science Publishers, Inc.; 2014. 116 p. ISBN: 978-1-62948-033-6
- [27] Kamanina NV. Chapter 8. Perspective of the structuration process use in the optoelectronics, solar energy, and biomedicine. In: Vakhrushev A, editor. *Nanomechanics*. Rijeka: InTech; 2017. pp. 167-183, 192. ISBN 978-953-51-3182-3. DOI: 10.5772/68123

IntechOpen