We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

Introductory Chapter: Chalcogen Chemistry - The Footprint into New Materials Development

---

Ndibewu Peter Papoh

Additional information is available at the end of the chapter

<http://dx.doi.org/10.5772/intechopen.82542>

---

1. Chalcogen chemistry – the footprint into new materials development

The study of chalcogen chemistry is just fascinating for two reasons. Firstly, they span the entire biotic communities connecting chemistry to many other scientific disciplines. These include biogeochemistry, biochemistry, biology, food, agriculture, and also medicine, as well as pharmacology. Secondly, the chalcogen elements known as chalcogens demonstrate extremely interesting properties forming new compounds endowed with sophisticated characteristics that are increasingly making a remarkable footprint in a new era of materials development. These two reasons have intensified worldwide exploration of chalcogen elements contained in natural compounds as minerals. Furthermore, the aforementioned reasons have motivated research focused on expanding knowledge on this special class of compounds. In the past few decades, the shift of interest has been toward the development of new materials (in combination with metals and ligands). The contribution of this field of chemistry to the development of new materials, and their impacts on the everyday life of mankind, has triggered a recent renaissance of the interconnectivity between new chemical concepts and reactivities, resulting in a multitude of multidisciplinary focused research niche areas. The unique structures and reactivity of the class of chalcogen compounds and materials [1, 2] as well as their fascinating optical [3, 4] and electronic properties [5, 6] confer onto them very wide potential applications [7–12].

Group 16 or group VI-(A) elements in the modern periodic table comprising of oxygen (O), sulfur (S), selenium (Se), tellurium (Te), and polonium (Po) are usually called chalcogens (“ore builders”) [13, 14]. The most valuable fundamental characteristic of these elements is their versatile nature to form new bonds and new compounds [15–17]. In this regard and

with respect to the periodic law, the properties of the chemical elements in the chalcogen group are not arbitrary, but depend upon the structure of the atom and vary with the atomic number in a systematic way [13, 14]. In a geochemical sense, the chalcogens are referred to as soft elements, thus, also named chalcophiles [18, 19].

Geometrically, chalcophiles are the soft elements (one must keep in mind the terminology of the hard/soft acids and bases concept) [13, 20]. The modern term “chalcogen” is a derivation of two Greek words *chalcos* or “*khalkós*,” meaning “ore formers” [19]. This word also means copper (and had also been used for bronze/brass or coin during the ancient time). One valid reason is that they are found in copper ores. The second word is a latinized Greek word “*genēs*” (meaning born or produced). These two words gave birth to the coined term “*khalkos-genes*” or to today’s modern term chalcogens [21, 22]. Earlier on, chalcophiles were thought to be electron rich [13]. They are described as the low-valent elements of the Group 16 elements (O, S, Se, Te, and Po) or particularly electronegative elements and often bond to the functional groups of organic molecules [13] and/or are found as electron donors for the transition metals [23, 24]. This property has created yet another research area of interest, referred to as electrophilic and polycationic chalcogen chemistry [25]. Generally, the electron configuration of the chalcogens is represented as ns^2np^4 , with two electrons short of a filled valence shell [26, 27]. The properties of O, S, Se, Te, and Po are presented in **Table 1**.

On the one hand, while chalcophiles preferably form minerals with sulfur (**Figure 1**), selenium, and tellurium, on the other hand, their unique properties in forming new compounds and materials have created a paradigm shift in research interests focusing on the deep understanding of the chalcogens and their resultant compounds also known as chalcogenides.

A great variety of technological applications are now found for the many compounds of the elements of chalcogens [28–34]. This textbook emphasizes on this shift from not only fundamental chalcogen chemistry but also on the new shift to new chalcogen materials synthesis, characterization, and testing. These trends also include fundamental research works in other fields like those in coordination chemistry focusing on a large variety of ligands [20, 23]. This subfield explores ligands containing chalcogen atoms potentially suitable for the preparation of new precursors for metal-chalcogenide vapor deposition [7]. Two examples of these macromolecules with biological activity are metallo-enzymes containing multi-metallic centers as active sites for a number of catalytic reactions and chalcogen-containing mixed macrocycles with signaling functional groups as sensors for heavy metal-ion recognition [16].

The literature [35–37] provides a variety of chalcogen compounds and materials or chalcogenides, though not exhaustive. In naming a few, it is worthwhile mentioning the class of charge-transfer salts of chalcogen-rich molecules such as tetrathiafulvalene (TTF), 1,2-dichalcogenolenes, or the variegated area of metal chalcogenides, which are all of topical interest [38]. The details of many other interesting compounds are provided in the other chapters of this book. In the field of materials and their potential applications and as an illustration, published research results and discussion span from n -dimensional molecular conductors to magnets, to bistable switchable materials, and to non-linear optical (NLO) materials [39].

This textbook discusses chalcogen chemistry from a multidisciplinary approach which ranges from synthetic to structural and theoretical chemistry, organic to inorganic and

Property	Oxygen	Sulfur	Selenium	Tellurium	Polonium
Atomic mass (amu)	16.00	32.07	78.96	127.60	209
Atomic number	8	16	34	52	84
Atomic radius (pm)	48	88	103	123	135
Atomic symbol	O	S	Se	Te	Po
Density (g/cm ³) at 25°C	1.31 (g/L)	2.07	4.81	6.24	9.20
Electron affinity (kJ/mol)	−141	−200	−195	−190	−180
Electronegativity	3.4	2.6	2.6	2.1	2.0
First ionization energy (kJ/mol)	1314	1000	941	869	812
Ionic radius (pm) [†]	140 (−2)	184 (−2), 29 (+6)	198 (−2), 42 (+6)	221 (−2), 56 (+6)	230 (−2), 97 (+4)
Melting point/boiling point (°C)	−219/−183	115/445	221/685	450/988	254/962
Normal oxidation state(s)	−2	+6, +4, −2	+6, +4, −2	+6, +4, −2	+2 (+4)
Product of reaction with H ₂	H ₂ O	H ₂ S	H ₂ Se	None	None
Product of reaction with N ₂	NO, NO ₂	None	None	None	None
Product of reaction with O ₂	—	SO ₂	SeO ₂	TeO ₂	PoO ₂
Product of reaction with X ₂	O ₂ F ₂	SF ₆ , S ₂ Cl ₂ , S ₂ Br ₂	SeF ₆ , SeX ₄	TeF ₆ , TeX ₄	PoF ₄ , PoCl ₂ , PoBr ₂
Standard reduction potential (E ⁰ , V) (E ⁰ → H ₂ E in acidic solution)	+1.23	+0.14	−0.40	−0.79	−1.00
Type of oxide	—	Acidic	Acidic	Amphoteric	Basic
Valence electron configuration*	2s ² 2p ⁴	3s ² 3p ⁴	4s ² 4p ⁴	5s ² 5p ⁴	6s ² 6p ⁴

*Configuration shown in this table does not include filled d- and f-subshells.

[†]Cited values for the hexa-cations are for six-coordinate ions and these values are usually estimated.

Table 1. Selected properties of the Group 16 elements [26].

analytical chemistry [40], biological to material science and supramolecular chemistry. As such, it is suitable for scientists, technologists, students, as well as for those whose major interest is chalcogen chemistry, with particular interests in the chalcogen compounds and materials [41, 42]. This introductory chapter is followed by four chapters. The presentation of the chapters in this book is such that there is no arbitrary separation of theoretical concepts (reactivity), chemistry (organic and inorganic), and applications of chalcogens and chalcogen materials (or chalcogenides) while an effort has been made to stress all three grouping of ideas and facts equally. As such, in individual chapters, the authors have attempted to present the chemistry of the chalcogen(s) or chalcogenide(s) with enough discussion focusing on their structural bonding and reactivities in relation to their characterization and applications. In all the chapters, practical examples are provided insofar as possible in order to illustrate ideas.

Figure 1. A crystalline sulfur deposit. This sulfur deposit is located around a volcanic vent in Kilauea Crater, Hawaii, USA [14]; sulfur is very different from oxygen, and not very abundant; elemental sulfur is usually found in rock formations overlying salt domes, often accompanying petroleum deposits [26].

Author details

Ndibewu Peter Papoh

Address all correspondence to: ndibewup@tut.ac.za

Department of Chemistry, Faculty of Science, Tshwane University of Technology, Pretoria, South Africa

References

- [1] Garcia-Vivo D, Ramos A, Ruiz MA. Cyclopentadienyl and related complexes of the group 6 elements having metal–metal triple bonds: Synthesis, structure, bonding and reactivity. *Coordination Chemistry Reviews*. 2013;**257**:2143-2191
- [2] Boere RT, Roemmele TL. *Comprehensive Inorganic Chemistry II: Chalcogen–Nitrogen Radicals*. Lethbridge, AB, Canada: University of Lethbridge; 2013. pp. 376-406. DOI: 10.1016/B978-0-08-097774-4.00117-0
- [3] Alekberov RI, Isayev AI, Mekhtiyeva SI, Fábíán M. Local structures and optical properties of As-Se-Te(S) chalcogenide glasses. *Physica B: Condensed Matter*. 2018;**550**:367-375
- [4] Fouad SS, Ammar AH, Abo-Ghazala M. The relationship between optical gap and chemical composition in $\text{Sb}_x\text{Se}_{1-x}$ system. *Physica B*. 1997;**229**:249-255
- [5] Belghit R, Belkhir H, Kadri MT, Heciri D, Ahuja R. Structural, elastic, electronic and optical properties of novel antiferroelectric KNaX ($X = \text{S}, \text{Se}, \text{and Te}$) compounds: First principles study. *Physica B: Condensed Matter*. 2018;**545**:18-29

- [6] Salam MMA. First principles study of structural, elastic and electronic structural properties of strontium chalcogenides. *Chinese Journal of Physics*. 2018, In press, accepted manuscript. Available online 6 November 2018
- [7] Manivannan R, Victoria SN. Preparation of chalcogenide thin films using electrodeposition method for solar cell applications—A review. *Solar Energy*. 2018;**173**:1144-1157
- [8] Dai F, Shen J, Dailly A, Balogh MP, Cai M. Hierarchical electrode architectures for high energy lithium-chalcogen rechargeable batteries. *Nano Energy*. 2018;**51**:668-679
- [9] Kim WH, Nguyen VQ, Shaw LB, Busse LE, Sanghera JS. Recent progress in chalcogenide fiber technology at NRL. *Journal of Non-Crystalline Solids*. 2016;**431**:8-15
- [10] Shubha GN, Tejaswini ML, Lakshmi KP. Advanced material for newer applications. *Materials Today: Proceedings*. 2018;**5**(1) Part 3
- [11] Lin C, Rüssel C, Dai S. Chalcogenide glass-ceramics: Functional design and crystallization mechanism. *Progress in Materials Science*. 2018;**93**:1-44
- [12] Shiryaev VS, Churbanov MF. Recent advances in preparation of high-purity chalcogenide glasses for mid-IR photonics. *Journal of Non-Crystalline Solids*. 2017;**475**:1-9
- [13] Dube JW, Ragona PJ. *Comprehensive Inorganic Chemistry II. Low-Coordinate Main Group Compounds—Group 16*. London, ON, Canada: Western University; 2013. pp. 624-647. Available from: 10.1016/B978-0-08-097774-4.00124-8 [Accessed: November 12, 2018]
- [14] LibreTexts™ Chemistry. 2013. Available from: [https://chem.libretexts.org/LibreTexts/University_of_Missouri/MU%3A__1330H_\(Keller\)/22%3A_Chemistry_of_the_Nonmetals/22.06%3A_The_Other_Group_6A_Elements%3A_S%2C_Se%2C_Te%2C_and_Po](https://chem.libretexts.org/LibreTexts/University_of_Missouri/MU%3A__1330H_(Keller)/22%3A_Chemistry_of_the_Nonmetals/22.06%3A_The_Other_Group_6A_Elements%3A_S%2C_Se%2C_Te%2C_and_Po) [Accessed: November 13, 2018]
- [15] Ghorai P, Brandão P, Bauzá A, Frontera A, Saha A. Anion-reliant structural versatility of novel cadmium(II) complexes: Synthesis, crystal structures, photoluminescence properties and exploration of unusual O...S chalcogen bonding involving thiocyanate coligand. *Inorganica Chimica Acta*. 2018;**469**:189-196
- [16] Mahmudov KT, Kopylovich MN, Guedes da Silva MFC, Pombeiro AJL. Non-covalent interactions in the synthesis of coordination compounds: Recent advances. *Coordination Chemistry Reviews*. 2017;**345**:54-72
- [17] Bessièrès B. Functions containing a chalcogen and any group other than a halogen or a chalcogen reference module in chemistry. *Molecular Sciences and Chemical Engineering*. 2014
- [18] Werner F. A second note on the term 'Chalcogen'. *Journal of Chemical Education*. 2001. Available from: http://jchemed.chem.wisc.edu/Journal/Issues/2001/Oct/abs1333_1.html. [Accessed: November 11, 2018]
- [19] Greenwood NN, Earnshaw A. *Chemistry of the Elements*. New York: Pergamon Press; 1984

- [20] Ephritikhine M. Molecular actinide compounds with soft chalcogen ligands. *Coordination Chemistry Reviews*. 2016;**319**:35-62
- [21] Cotton FA, Geoffrey W. *Advanced Inorganic Chemistry: A Comprehensive Text*. 2nd ed. New York: Interscience Publishers; 1966
- [22] Lide DR, Frederikse HPR, 2005. editors. *CRC Handbook of Chemistry and Physics: Special Student Edition*. 77th ed. Boca Raton, FL: CRC Press; <http://webdelprofesor.ula.ve/ciencias/isolda/libros/handbook.pdf> [Accessed: November 11, 2018]
- [23] Dipak Kumar Dutta DK, Biswajit D. Potential rhodium and ruthenium carbonyl complexes of phosphine-chalcogen (P-O/S/Se) donor ligands and catalytic applications. *Coordination Chemistry Reviews*. 2011;**255**(15-16):1686-1712
- [24] Sberegava AV, Watts D, Vedernikov AN. Oxidative functionalization of late transition metal-carbon bonds. Chapter in *Advances in Organometallic Chemistry*. May 2017. https://www.researchgate.net/publication/316972402_Oxidative_Functionalization_of_Late_Transition_Metal-Carbon_Bond [Accessed: November 11, 2018]
- [25] Saberinasab M, Salehzadeh S, Solimannejad M. The effect of a strong cation... π interaction on a weak selenium... π interaction: A theoretical study. *Computational and Theoretical Chemistry*. 2016;**1092**:41-46
- [26] National Science Foundation (NSF). The California State University affordable learning solutions, and merlot. 2018. LibreTexts™ Chemistry. info@libretexts.org. Available from: [https://chem.libretexts.org/Core/Inorganic_Chemistry/Descriptive_Chemistry/Elements_Organized_by_Block/2_p-Block_Elements/Group_16%3A_The_Oxygen_Family_\(The_Chalcogens\)](https://chem.libretexts.org/Core/Inorganic_Chemistry/Descriptive_Chemistry/Elements_Organized_by_Block/2_p-Block_Elements/Group_16%3A_The_Oxygen_Family_(The_Chalcogens)). [Accessed on January 12, 2018]
- [27] Devillanova FA, du Mont W-W, editors. *Handbook of Chalcogen Chemistry (New Perspectives in Sulfur, Selenium and Tellurium)*. 2nd edition, Vol. 1. The Royal Society of Chemistry (RSC) Publishing; 2013. Available from: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Handbook+of+Chalcogen+Chemistry#1%5Cnhttp://dx.doi.org/10.1039/9781849737463> [Accessed on October 1, 2018]
- [28] Shpotyuk M, Kovalskiy A, Golovchak R, Shpotyuk O. Phenomenology of γ -irradiation-induced changes in optical properties of chalcogenide semiconductor glasses: A case study of binary arsenic sulphides. *Journal of Non-Crystalline Solids*. 2018;**498**:315-322
- [29] Shieh M. Ternary copper-incorporated group 8 (Ru or Fe) carbonyl chalcogenide complexes and polymers: From syntheses to applications. *Journal of Organometallic Chemistry*. 2017;**849-850**:219-227
- [30] Fraenkl M, Frumarova B, Podzemna V, Slang S, Wagner T. How silver influences the structure and physical properties of chalcogenide glass (GeS₂)₅₀(Sb₂S₃)₅₀. *Journal of Non-Crystalline Solids*. 2018;**499**:412-419
- [31] Xiao JR, Yang SH, Feng F, Xue HG, Guo SP. A review of the structural chemistry and physical properties of metal chalcogenide halides. *Coordination Chemistry Reviews*. 2017;**347**:23-47

- [32] Gago AS, Luo Y, Alonso-Vante N. Chalcogenide electrocatalysts for energy conversion fuel cell. *Encyclopedia of Interfacial Chemistry*. 2018:419-445
- [33] Lucas J, Troles J, Zhang XH, Boussard-Pledel C, Bureau B. Glasses to see beyond visible. *Comptes Rendus Chimie*. 2018;**21**(10):916-922
- [34] Ji W, Chu X, Zhang S, Wang D, Ma Y. Active basal plane in ZT-phased MX₂ (M = Mo, W; X = S, Se, Te) catalysts for the hydrogen evolution reaction: A theoretical study. *International Journal of Hydrogen Energy*. 2018;**43**(42):19432-19437
- [35] Chand S, Thakur N, Katyal SC, Barman BP, Sharma P. Recent developments on the synthesis, structural and optical properties of chalcogenide quantum dots. *Solar Energy Materials and Solar Cells*. 2017;**168**:183-200
- [36] Kuchta MC, Parkin G. Terminal chalcogenido complexes of Group 13 and 14 elements. *Coordination Chemistry Reviews*. 1998;**176**:323-372
- [37] Taylor R. Progress in the understanding of traditional and nontraditional molecular interactions. *Comprehensive Medicinal Chemistry III*. 2017:67-100
- [38] Papavassiliou GC, Terziz A, Delhaes P. Tetrathiafulvalene (TTF), 1,2-dichalcogenolenes and their conducting salts. In: Nalwa HS, editor. *Handbook of Organic Molecules and Polymers*. Vol. 1. Cahrge-Transfer Salts. Fullerenes and Photoconductors. Chichester, New York, USA: John Wiley & Sons Ltd; 1997
- [39] Zhang J, Sun Z, Zhang W, Ji C, Liu S, Han S, et al. Hydrogen-bonded switchable dielectric material showing the bistability of second-order nonlinear optical properties. *Crystal Growth & Design*. 2017;**17**:3250-3256
- [40] Kelly PF, King RSP. Catenated sulfur compounds. In: Jan R, Kenneth P, editors. *Comprehensive Inorganic Chemistry II*. 2nd ed. Vol. 1. 2013. The Netherlands: Elsevier B.V.; 2018. pp. 7544. ISBN: 978-0-08-096529-1
- [41] Véronique Sousa V. Chalcogenide materials and their application to non-volatile memories. *Microelectronic Engineering*. 2011;**88**(5):807-813
- [42] Tiwari AP, Kim D, Kim Y, Prakash O, Lee H. Highly active and stable layered ternary transition metal chalcogenide for hydrogen evolution reaction. *Nano Energy*. 2016;**28**: 366-372