We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

Importance of Fifth Generation Wireless Systems

K. Sakthidasan Sankaran, G. Ramprabu and V.R. Prakash

Abstract

Fifth generation wireless communications are denoted by 5G technology. 5G schemes are coming from first generation analog communication, 2G of Global System for Mobile communication (GSM), then 3G of Code Division Multiple Access (CDMA), after that fourth generation of long-term evaluation (LTE), and now fifth generation World Wide Wireless Web (WWWW). This research investigation presents issues, challenges, and the importance of 5G Wifi communication. In the 5G digital cellular network, the coverage area of the service providers is separated into small area called cells. All the audio, video, and image files are digitized and converted by an ADC (Analog to Digital Converter) and transmitted through stream of bits. 5G wireless devices are communicated using radio waves in a geographically reusable common pool of frequency band. Using wireless backhaul connection, the local antennas are connected with the internet/telephone network. Spectrum speed is substantially higher in millimeter wave. Hence, this was considered in this work.

Keywords: 5G, wifi communication systems, WWWW, challenges, issues and importance of 5G

1. Introduction

First, the goal of 5G network is to offer an extremely high speed data rate to enormous customers. Subsequently, to deploy a huge sensors in order to support abundant simultaneous connections, there must be a significant improvement inside the spectral performance of 5G [1] network when compared to 4G network. The telecommunication region has been introducing every 10 years a brand new generation of mobile networks in view that the creation of 1G. Introduction to any new cellular network requires new frequency assignment and a wide spectral BW (bandwidth). **Table 1** shows the progress of different telecommunication structures and their corresponding spectral bandwidth.

Other parameters like bit rate (higher peak), managing of concurrently connected devices, spectral performance, lesser battery intake, outage opportunity, higher bit rate, lower latencies, no. of supported gadgets, lower deployment cost and an additional dependable communication are predicted to be better in 5G. The anticipated deployment for this community is 2020.

Network will not suitable to support such increasingly more community usages is the major issue. In an effort to boom want to set up a flatter and greater dispensed community. The abundant file formats which includes all supported image, video, audio and information via NW (network) suggests that new source coding

Network generation	Year of appearance	Spectrum value
4G	2012	<100 MHz
3G	2001	<20 MHz
2G	1991	<200 KHz
1G	1981	<30 KHz

Table 1.
Network generations and its spectrum value.

Figure 1.
5G structure for future networks.

along with H.264 is needed for sharing and shifting. Some other aspect that ought to be taken into consideration is using superior radio access networks (RANs) including heterogeneous networks, and complex methodologies for RAT which includes a new WWAN (wireless wide area network). In the future demand of 5G, improvement in technologies that are associated with transportation cell, network speed and interoperability should be increased. Typically, the optimization can be done on the programs, devices and network. 5G wifi method offers a huge excessive bandwidth by the way we use wifi devices. Further about 5G is, without any boundary limit, 5G will interconnect the complete world through an exclusive clever era. In order to offer an actual worldwide wireless web (WWWW), a new innovative idea of a multipath data course scheme is applied. To implement this kind of wifi globally network mixing is required. The final 5G architecture is designed in reality with multi-bandwidth path by collecting the current and network destiny. **Figure 1** depicts the structure, which incorporates the prevailing and destiny system.

Consequently, in such an actual 5G, code-division multiple access (CDMA), multicarrier code-division multiple access (MCCDMA), ultra wide band (UWB),

orthogonal frequency-division multiplexing (OFDM), and Internet protocol version 6 (IPv6) will maintain the complete system. Because of such an in depth structure, by way of the use of 5G it will be potential to have super records talents and join limitless decision volumes and endless records broadcast. This potential needs that the implemented generation for access points and transfer in 5G has to offer an excessive connection for the community. Some other expectation of 5G is its potential to allocate net get admission to networks across the world at a clean velocity. The use of 5G, the furnished decision for a wifi community could be excessive and there may be big bandwidth shaping in both the direction. Capacity in remote diagnostics is an extremely good characteristic of 5G era. Through faraway management users will experience a network with speedy solutions.

2. Challenges and issues in fifth generation wireless systems

The maximum appealing objective for destiny attacker within the impending communications system of 5G can be the consumer instrumentation, accessing of a network, communication through mobile operator and outside IP networks. To assist the density protection problems and challenge in 5G system parts, we bequest cell structures which will have a sway on the future 5G communications systems have a tendency to gift adviser samples of viable threats and assaults explicit to those parts [2]. To receive these examples, we have a tendency to discover threats and assaults against by means of exploiting explicit capabilities with this latest communication principle. For the instance attacks, we have a tendency to in addition speak potential mitigation methods resultant from the literature that enables you for a roadmap nearer to an additional bigger counter measures.

2.1 Access networks

In fifth generation wireless systems, access points are anticipated to be notably complicated and heterogeneous, together with a couple of distinctive radio get right of entry to technologies and other advanced get admission to schemes, consisting of femtocells in order to guarantee the carrier availability. In non-existence of 4G for a while, the UE have to set up the connection over networks of 2G or 3G. Still, the reality that 5G network structures will help to inherit all the protection troubles of the fundamental entry to network [3].

During the transition from 4G to 5G communication, more desirable safety techniques must be carried out to counter prominent protection threats on 5G get right of entry to networks. To cope with this trouble, potential safety threats to the future 5G get right of entry to networks need to be first of all diagnosed. In this phase, awareness on attack presence on modern 4G access points and HeNB femto-cells which can also be viable assaults at the 5G networks.

2.2 User equipment

In the fifth generation wireless systems era, User Equipment (UE), which includes powerful clever phones and pills, may be a completely important a part of our day by day existence. Such system will provide an extensive range of attractive functions to permit give up consumers to access an abundance of high-first-rate customized offerings. In any case, the normal creating acknowledgment of the fate UE, joined with the increased measurements transmission skills of 5G systems, the colossal selection of open working structures and the truth that the future UE will

help a tremendous style of network choices are issues that provides the future UE an ideal objective for cyber-criminals. Aside from the customary SMS/MMS-based absolutely Denial of Service (DoS) assaults, the future UE can likewise be revealed to more noteworthy refined assaults started from portable malware with the goal that you can focus on each the UE and the 5G cell network. The unprotected running structures will permit stop clients to introduce programs on gadgets, no longer easiest from trusted yet additionally from suspicious resources. Therefore, cell malware, which will be ensured in bundles made to give off an impression of being blameless programming, will be downloaded and introduced on stop client's cell devices presenting them to numerous dangers. Portable malware can be intended to empower aggressors to exploit the put away private realities on the gadget or to discharge assaults contrary to different substances, which incorporates diverse UE, the cell get right of section to systems, the cell administrator's middle system and distinctive outer systems connected to the cell focus network. Henceforth, traded off future cell phones will now not exclusively be a peril to their clients, anyway likewise to the whole 5G cell network serving those [4].

2.3 External IP networks

In 5G wifi systems, the goal of DDoS attack is an external IP networks, wherein cellular back end generates traffic and finally transmits it to the goal over the core cellular network. Moreover, outside internet protocol systems, which incorporate organization systems, might be a delicate objective for being undermined by methods for malware through tainted cell contraptions getting to them. In this subsection, we blessing a delegate situation, in view of on [5], of how an association network might be undermined through the kindled 5G cell phone of a worker.

2.4 Core network for mobile operators

Because of their IP-primarily depends open structure, 5G versatile structures may be powerless to IP ambushes which are ordinary compared to the Internet. DoS attacks, that are a central shot at the Internet these days, will be blessing on the predetermination 5G correspondences structures concentrated on substances on the portable administrator's center network [2]. In any case, the 5G versatile administrator's middle network might be moreover influenced by DDoS assaults focused on outside elements, anyway moving their malevolent site guests over it. Potential ambushes include:

Mobile Operator's Core Network is targeted by DDoS attacks:

- Signaling Amplification
- HSS Saturation
- External units over a Mobile Operator's Core Network are targeted by DDoS attacks.

3. Importance of fifth generation

Few importances of fifth generation wireless systems are demonstrated in **Figure 2**. In the subsequent, all of the importances is intricate and highlights their function and importance for accomplishing fifth generation.

Figure 2.
Importance of fifth generation networks.

3.1 Existing RATs evolution

5th generation will rarely be a particular RAT, as a substitute it's miles possibly that it is going to be a combination of RATs along with the development of current methodology with new innovative plan complimented. In that capacity, the first and the most extreme intensely evaluated answer for adapt to the 1000× capacity crunch is the development of current RATs as far as SE, EE and inactivity, just as helping adaptable RAN sharing among more than one supplier. In particular, LTE needs to comply with help enormous/3-D MIMO to what's more exploit the spatial degree of freedom (DOF) by means of cutting edge multi-consumer bar shaping, to comparably decorate impedance crossing out and obstruction coordination capacities in a hyper thick small-cell sending situation. WiFi also wishes to conform to higher make the most to be had unauthorized spectrum. IEEE 802.11 ac, the modern-day enhancement of the WiFi era, can offer broadband wifi pipes with multi-Gbps facts charges. It uses the bandwidth extensively of hundred and sixty MHz on the much less polluted 5 GHz ISM band, using as much as 256 Quadrature Amplitude Modulation (QAM). It bolster concurrent transmissions up to 4 streams utilizing multi-person MIMO system [2]. The included shaft framing approach has helped the protection by methods for a few sets of significance, contrasted with its antecedent (IEEE 802.11n). At last, significant telecom organizations comprehensive of Qualcomm have as of late been running on creating LTE in the unlicensed range just as coordinating 3G/4G/WiFi handsets into a solitary multi-mode base station (BS) unit. In such manner, its miles expected that the upcoming UE will

be shrewd adequate to lift the pleasant interface for making connection with the RAN fundamentally dependent on the QoS necessities of the currently running implementation.

3.2 Hyper dense small-cell deployment

When an additional EE is brought up in the device, hyper dense deployment of small-cell is every other challenging task to achieve the capacity in multiples of 1000. It is also called HetNet, Which in turn noticeably beautify the spectral efficiency (b/s/Hz/m2) of the region. Recently, many extraordinary ways are there to understand HetNet: (i) covering a cell device with small cells of identical technology with micro-, P.C.-, or femtocells; (ii) small-scale cells of various technology are masked in dissimilarity to simply the cellular one. The method is known as multi-tier HetNet, at latter point it has been denoted as multi-RAT HetNet.

On Qualcomm, a main organization in addressing 1000× potential undertaking via hyper dense small-cellular usage, has established that including small cells has the ability to scale the community nearly in a progressively increasing style, as depicted through diagram 3 [6]. That is, when small cells are increased then the capability also increased every time. Also, signal utilization and inter-mobile interference are increased when the cell length is reduced. To triumph over this downside, complex inter-cellular interference management strategies are wanted on the system stage together with complementary interference cancelation methods at the UEs. Enhancement of small-mobile changed into focus of LTE R-12, where the New Carrier Type (NCT) changed into delivered to manage small-scale cells by its host macro-cell. This lets in extra green manage plane functioning via the macro-layer at the same time by offering a maximum capacity and spectrally green records plane through the small-scale cells [7]. At last, reduction of cellular size enhances the network energy efficiency by keeping the community nearer to the UEs (Figure 3).

3.3 Self-organizing network

Self-Organizing Network (SON) usefulness is very important thing of 5G. SON benefits additional energy when the mass of little cells build. Practically 80% of the wifi site guests is created inside. To convey this enormous site guests, we need hyper thick small-cellular arrangements in houses—set up and kept up specifically with the guide of the clients—refractory administrators. Indoor little cells should be self-customizable and mounted in an attachment and recreational way [2]. Besides, the

Figure 3. Capacity scales linearly with the number of added small cells.

ability of SON is required to shrewdly adjust to the neighboring little cells to restrain inter-mobile obstruction. For exemplar, a little versatile can do that through self-governing synchronizing with the network and astutely altering its radio inclusion.

3.4 Machine type communication

Aside from people, interfacing cell machines is some other key issue of 5G. Machine type communication (MTC) is bringing programming up in which both one and both of the stop clients of the verbal trade meeting include machines. MTC forces two chief requesting circumstances on the system. To start with, the amount of gadgets that should be connected is generally enormous. Ericsson anticipates that 50 billion devices should be joined together inside the fate arranged society; the association imagines ‘anything which can pick up from being connected may be connected’ [8]. In the cell structure mechanism of a network, the diverse test forced with the guide of MTC is very quickening call for the management of actual-time and remote. It needs a truly low dormancy of considerably lower than an ms, so- alluded to as “tactile Internet” [9], managing 20× inactivity development from 4G to 5G.

3.5 Millimeter-wave rats development

The ordinary sub-three GHz range is to transform into progressively more clogged and the current RATs are drawing close to Shannon’s capacity limitation. All things considered, examines on investigating cm- and mmWave groups for versatile correspondences has just been initiated. Despite the fact that the examinations on this era are still in its early stages, the output looks encouraging. It has three principle obstacles for mmWave portable correspondences. To begin with, the course misfortune is exceptionally better at those groups, contrasted with a standard sub-3GHz groups. Secondly, EM signals have a tendency to proliferate in the Line-Of-Sight (LOS) way, representing the connections of radio inclined and found to be obstructed by utilizing moving contraptions or individuals. Finally and yet importantly, the infiltration misfortune through the homes is considerably huge at these groups, shutting the exit way for indoor clients of RATs.

In spite of these confinements, there are heap gifts for mmWave interchanges. A significant measure of range is accessible in mmWave band; for instance, at 60 GHz, there might be 9 GHz of unlicensed range accessible. This is huge range, particularly the worldwide designated range for every cell innovation barely surpasses 780 MHz [10]. This measure of range can completely change portable interchanges through expert viding extremely-broadband remote pipes that can flawlessly stick the focused and the remote systems. Different advantages of mm Wave interchanges comprise of the little reception apparatus sizes ($\lambda/2$) and their little detachments, empowering many radio wire variables to be pressed in just one square centimeter. This in flip grants us to achieve exceptionally exorbitant bar shaping benefits in immensely little region, in such a way it can be connected at each the BS and the UE. Consolidating savvy staged cluster receiving wires, we will totally exploit the spatial level of opportunity of the wifi channel that may further improve the machine potential. At last, in light of the fact that the versatile station moves round, bar shaping loads can be balanced adaptively all together that the receiving wire shaft is always indicating the BS.

As of late, a manufacturing company boss is investigating mm Wave groups for cell correspondences, tried an innovation which could accomplish 2 Gbps realities cost with 1 km assortment in a city surroundings [11]. Besides, Professor Theodore Rappaport and his examinations bunch on the Polytechnic Institute of New York

University have approved that cell interchanges at 28 GHz in a thick metropolitan condition alongside Manhattan, NY, is reasonable with a portable size of 200 m the utilization of dual 25 dBi reception apparatuses, one in base station and second in the UE, it promptly sensible the utilization of cluster receiving wires and the shaft shaping strategy [10].

Finally, foliage misfortune for mmWaves is full-size and might confinement the engendering. Besides, mmWave transmissions may likewise encounter tremendous weakenings in the event of a substantial downpour for the reason that rain droplets are equivalent to the radio wavelength size (millimeters) and subsequently can reason dispersing. In this manner, a reinforcement cell contraption working in inheritance sub-3 GHz groups is most likely required as a piece of the mmWave answer [10].

3.6 Redesign of backhaul links

Updating the backhaul hyperlinks is consequent crucial trouble of 5th generation network. To improve the RAN in parallel backhaul interfaces should be reengineered to hold the huge client traffic produced in network cells. Something else, the backhaul connections will before long become bottlenecks, undermining the correct activity of the entire contraption. This issue increases more prominent energy on the grounds that the number of inhabitants in little cells increments [2]. Diverse verbal trade method can be thought by including optical fiber, mmWave and microwave. Explicitly, mmWave factor-to-point connections misusing exhibit radio wires with exceptionally sharp shafts are considered for solid self-backhauling in the absence of meddling with different cells or with the entrance hyperlinks.

3.7 Energy efficiency

EE is a challenging factor while growing 5G. Currently, Information and Communication Technology (ICT) expends as a decent arrangement as 5% of the power delivered far and wide and is responsible for about 2% of overall nursery fuel outflows—generally equivalent to the emanations made with the guide of the aeronautics venture. What issues more prominent is the truth that on the off chance that we do never again take any degree to decrease the carbon emanations, the commitment is anticipated to twofold by 2020 [12]. Consequently, it is important to seek after electricity-efficient format forms from RAN and backhaul connections for the UEs.

The advantage of power-green system layout is manifold. To begin with, it can assume a basic job in supportable improvement by lessening the carbon impression of a cell endeavor itself. Secondly, ICT in light of the way that the inside allowing development of the fate shrewd towns similarly can play an essential limit in cutting down the carbon impression of different parts. Third, it might expand the offers of portable administrators by bringing down their operational consumption by saving money with their quality bills. Before the last step, bringing down the ‘Joule per bit’ cost can save versatile contributions ease for the clients, permitting level rate evaluating paying little mind to the 10–100× measurements expense advancement foreseen through 2020. Last anyway no longer least, the battery life of the UEs can be extended, this has been observed by methods for the statistical surveying organization TNS [13] in light of the fact that the main measure of the overall population of the shoppers obtaining a wireless.

3.8 New spectrum allocation for 5G

Spectrum allocation of new gas wifi communications in the subsequent decade is an additional concern about 5G. The 1000× site visitors flow can infrequently be

adjusted by means of most effective spectral performance enhancement or by using hyper-compaction. Actually, the main telecom groups which include Qualcomm and NSN consider that beyond technology modernization, extra bandwidth in multiples of 10 is wanted to fulfill the call for [2]. Allocating 100 MHz spectrums at 700 MHz and 400 MHz bandwidth at 3.6 GHz, in addition to the ability of numerous GHz bandwidth allocations in cm or mm wavelength to 5G can be focused the following WRC convention, classified by ITU-R in 2015.

3.9 Bandwidth sharing

Original spectrum management is highly time ingesting. Hence the utilization of available bandwidth is critical. Sharing bandwidth in various methods may be accepted to conquer the verified regulatory boundaries. Military radars are allocated with huge radio spectrums, where it is not completely applied over the period of 24 hours for all the days in a week or within the complete coverage area. In contrast, bandwidth purification is highly hard as a few spectrum are impossible to clean or will take very long time to clean it effectively; beyond that, the spectrum may be cleaned in a few locations however no longer in the whole state. Exactly, the Authorized/Licensed Shared Access (ASA/LSA) technique has been suggested via Qualcomm in order to obtain the advantage of spectrum in small-scale regions without interfering with the regime person [14]. This kind of allocation of spectrum can balance the spectrum cleaning slowly. This is well significant citing that as cell site visitor increase quickens, spectrum reforming becomes essential to smooth an already allotted bandwidth and ensuring its availability for 5G. Cognitive Radio ideas are also rechecked to mutually make use of certified and unlicensed spectrums. Finally, an innovative model to share the spectrum may be required as multi-tenant community operation and it will become sizeable.

3.10 Ran virtualization

The final but no longer least important is virtualization of RAN by enabling 5G, permits to share wifi infrastructure over multiple carriers. Network virtualization has to be driven from stressed out core community towards the RAN. For network virtualization, the intelligence wishes to be drawn out from the RAN and guided in a centralized method the usage of a software program mind, it can be accomplished in various community coats. Network virtualization can bring numerous blessings to the wifi area, inclusive of each Capex and Opex financial savings through multiple user network and sharing of the network system, stepped forward EE, increasing the required assets on-demand basis, by reducing the TTM (time to market) of modern offerings leads to expand the community agility, in addition to clean maintenance and rapid troubleshooting via improved transparency of the community [15–18]. Virtualization can serve converge for both wired and the wifi mesh by means of mutually coping with the entire community using primary orchestration set, also to improve the network performance. At last, multiple RANs assisting 3G, 4G or wireless may be accepted wherein exclusive interfaces using radio signals may be grew to become OFF or ON via CSPCU (central software program control unit) to enhance Quality of Experience (QoE) or Energy Efficiency (EE) of stop consumers.

4. Conclusion

The concept of fifth generation wireless communication technology WWW is initiated from fourth generation LTE technique. Accordingly, fifth generation

should create a significant divergence and include few extra services and traits to the global over fourth generation. Fifth generation must be gifted technology that communicates the globe with no edges. Consequently, in this article the main importance of fifth generation wireless communication systems are proposed and also the issues and challenges of fifth generation communication systems are also described. The major benefit of switching to 5G is convergence of multi-network functions in order to reduce the complexity, cost, power, rapid speed and incredibly low latency. Even though 5G provides better infrastructure for new business models, help to streamline communications, organizing to handle big data using its efficient transfer speed without going away from its core function. That is to serve as a mobile network. Also 5G enable us to explore technologies like virtual reality (VR) and augmented reality (AR). In the future, it will lend his hands on new innovations such as remote robotic surgery and personalized wearable health trackers. Not but the least IoT security will be a source of major investment in forthcoming years.

Author details

K. Sakthidasan Sankaran^{1*}, G. Ramprabu² and V.R. Prakash¹

¹ Hindustan Institute of Science and Technology, Chennai, Tamil Nadu, India

² New Prince Shri Bhavani College of Engineering and Technology, Chennai, Tamil Nadu, India

*Address all correspondence to: sakthidasan.sankaran@gmail.com

IntechOpen

© 2019 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

References

- [1] Arjmandi MK. “5G overview: Key technologies”, chapter 2. In: Opportunities in 5G Networks. Boca Raton: CRC Press; 2016. pp. 19-32
- [2] Rodriguez J. Fundamentals of 5G Mobile Networks. Wiley: John Wiley and Sons Ltd; 2015
- [3] Piqueras Jover R. Security attacks against the availability of LTE mobility networks: Overview and research directions. In: Wireless Personal Multimedia Communications, IEEE, 16th International Symposium. 2013. pp. 1-9
- [4] La Polla M, Martinelli F, Sgandurra D. A survey on security for mobile devices. IEEE Communications Surveys and Tutorials. 2012;15(1):446-471
- [5] Li F, Peng W, Huang CT, Zou X. Smartphone strategic sampling in defending enterprise network security. In: Communications, IEEE International Conference. 2013. pp. 2155-2159
- [6] Qualcomm 1000x: More Small Cells–Hyper-Dense Small Cell Deployments. 2004
- [7] Hoymann C, Larsson D, Koorapaty H, Cheng JF. A lean carrier for LTE. IEEE Communications Magazine. 2013;51(2):74-80
- [8] Ericsson. 5G Radio Access–Research and Vision, White paper. 2013
- [9] Fettweis G, Alamouti S. 5G: Personal mobile internet beyond what cellular did to telephony. IEEE Communications Magazine. 2014;52(2):140-145
- [10] Rappaport TS, Sun S, Mayzus R, et al. Millimeter wave mobile communications for 5G cellular: It will work! IEEE Access. 2013;1:335-349
- [11] Pi Z, Khan F. An introduction to millimeter-wave mobile broadband systems. IEEE Communications Magazine. 2011;49(6):101-107
- [12] Saghezchi FB, Radwan A, Rodriguez J, Dagiuklas T. Coalition formation game toward green mobile terminals in heterogeneous wireless networks. IEEE Wireless Communications. 2013;20(5):85-91
- [13] TNS. ‘Two-Day Battery Life’ Tops Wish List for Future All-in-One Phone Device. 2005
- [14] Qualcomm, 1000x: More Spectrum–Especially for Small Cell. 2013a
- [15] Chowdhury NMK, Boutaba R. Network virtualization: State of the art and research challenges. IEEE Communications Magazine. 2009;47(7):20-26
- [16] Goudos SK, Diamantoulakis PD, Karagiannidis GK. Multi-objective optimization in 5G wireless networks with massive MIMO. IEEE Communications Letters. 2018;22(11):2346-2349
- [17] Salem AA, El-Rabaie S, Shokair M. Energy efficient ultra- dense networks based on multi-objective optimisation framework. IET Networks. 2018;7(6):398-405
- [18] Hussain M, Rasheed H. March. Communication infrastructure for stationary and organized distributed smart meters. In: 2019 2nd International Conference on Communication, Computing and Digital Systems (C-CODE) (pp. 17-22). IEEE; 2019