

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,900

Open access books available

186,000

International authors and editors

200M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com



Implementation of ISO 14000 in Luggage Manufacturing Industry: A Case Study

S. B. Jaju

*G. H. Raison College of Engineering,
Department of Mechanical Engineering, Nagpur
India*

1. Introduction

Definitions of EMS as provided by three separate documents on environmental management systems are as given below

ISO 14001: "the organizational structure, responsibilities, practices, procedures, processes and resources for implementing and maintaining environmental management"

BS 7750: "the organizational structure, responsibilities, procedures, processes and resources for implementing environmental management"

Eco-Management and Audit Scheme (EMAS): "that part of the overall management system which includes the organizational structure, responsibilities, practices, procedures, processes and resources for determining and implementing the environmental policy"

2. Development of the ISO 14000 series

The ISO 14000 family includes the ISO 14001 standard, which represents the set of standards used by various types of organizations for designing and implementing an effective environmental management system. The major objective of the ISO 14000 series of norms is "to promote more effective and efficient environmental management in organizations and to provide useful and usable tools - ones that are cost effective, system-based, and flexible and reflect the best organizations and the best organizational practices available for gathering, interpreting and communicating environmentally relevant information".

Unlike previous environmental regulations, which began with command and control approaches, later replaced with ones based on market mechanisms, ISO 14000 was based on a voluntary approach to environmental regulation. The series includes the ISO 14001 standard, which provides guidelines for the establishment or improvement of an EMS. The standard shares many common traits with its predecessor ISO 9000, the international standard of quality management, which served as a model for its internal structure and both can be implemented side by side. As with ISO 9000, ISO 14000 acts both as an internal management tool and as a way of demonstrating a company's environmental commitment to its customers and clients.

Prior to the development of the ISO 14000 series, organizations voluntarily constructed their own EMS systems, but this made comparisons of environmental effects between companies difficult and therefore the universal ISO 14000 series was developed. An EMS is defined by

ISO as: “part of the overall management system, that includes organisational structure, planning activities, responsibilities, practices, procedures, processes and resources for developing, implementing, achieving and maintaining the environmental policy’.

3. Driving forces

Environmental concerns

For a number of years preceding the introduction of a formal EMS, there was a genuine concern about its various environmental impacts. Some typical examples of impacts are:

- energy and resource usage (electricity, gas , water)
- raw material usage (paper, plates, inks, packaging, chemicals, film)
- general waste (domestic)
- recyclable waste (paper, timber, aluminum, silver, plastics)
- hazardous waste (chemical wastes, liquid effluent, air emissions)
- nuisances (noise, litter, dust, odors)
- contracted activities (transport, subcontracted printing work)
- product end use and disposal

Legal obligations

Over recent years, there have been considerable changes in environmental legislation. Every organisation wants to address its legal obligations, such as compliance with effluent discharge license parameters, or local authority planning requirements. Integrated Pollution Control licensing, for instance, will eventually oblige most industries to comply with stricter industry guidelines on pollution control, with the threat of heavy financial penalties resulting from non-compliance.

Customer pressure

Lot of pressure is from customer end that is the basic aim of any organisation. Ultimately customer should have faith in the industry that the said industry is having compliance for environmental parameters.

4. Basic principles and methodology

The fundamental principle and overall goal of the ISO 14001 standard, is the concept of continual improvement. ISO 14001 is based on the Plan-Do-Check-Act methodology, grouped into five phases that relate to Plan-Do-Check-Act; Environmental Policy, Planning, Implementation & Operation, Checking & Corrective Action and lastly Management Review.

Plan – establish objectives and processes required

Prior to implementing ISO 14001, an initial review or gap analysis of the organisation’s processes and products is recommended, to assist in identifying all elements of the current operation and if possible future operations, that may interact with the environment, termed environmental aspects. Environmental aspects can include both direct, such as those used during manufacturing and indirect, such as raw materials (Martin 1998). This review assists the organisation in establishing their environmental objectives, goals and targets, which should ideally be measurable; helps with the development of control and management

procedures and processes and serves to highlight any relevant legal requirements, which can then be built into the policy.

Do – implement the processes

During this stage the organisation identifies the resources required and works out those members of the organisation responsible for the EMS' implementation and control. This includes documentation of all procedures and processes; including operational and documentation control, the establishment of emergency procedures and responses, and the education of employees, to ensure they can competently implement the necessary processes and record results. Communication and participation across all levels of the organisation, especially top management is a vital part of the implementation phase, with the effectiveness of the EMS being dependant on active involvement from all employees.

Check – measure and monitor the processes and report results

During the check stage, performance is monitored and periodically measured to ensure that the organisation's environmental targets and objectives are being met (Martin 1998). In addition, internal audits are regularly conducted to ascertain whether the EMS itself is being implemented properly and whether the processes and procedures are being adequately maintained and monitored.

Act – take action to improve performance of EMS based on results

After the checking stage, a regular planned management review is conducted to ensure that the objectives of the EMS are being met, the extent to which they are being met, that communications are being appropriately managed and to evaluate changing circumstances, such as legal requirements, in order to make recommendations for further improvement of the system. These recommendations are then fed back into the planning stage to be implemented into the EMS moving forward.

5. Role of EMS

1. An assessment of the existing practices and situation of an organization.
2. A register of all environmental effects associated with the company's activities, established through an initial environmental review.
3. A list of all legislation relevant and applicable to the environmental aspects of the activities, products and services of the organization.
4. Development of a corporate environmental policy and environmental management plan
5. The setting of environmental performance objectives and targets for both current and future activities.
6. Development of environmental performance evaluation procedures.
7. Establishment of an effective environmental training program for all employees within the organization, which will raise awareness, enhance skills for dealing with environmental issues and stress compliance with relevant legislation.
8. Implementation of a system, which reliably manages the performance of the organization, for both current and future activities.
9. Documentation of the system communicated to all employees and distributed to all interested parties, especially to the public.
10. Establishment of non-conformance and corrective and preventive action procedures.

11. Regular checking, reviewing and auditing of company practices and management commitment to reflect changing conditions with a focus on continual improvement.

6. Benefits of EMS implementation

6.1 Natural

1. Clean Air, Water, Soil.
2. Prevention and/or significant reduction of pollution and waste Generation.
3. Improved health and safety of interested parties.
4. Reduction in the use of non-renewable resources.
5. Improved conservation and efficient use of natural resources.

6.2 Corporate

1. Reduced financial costs through reduction in consumption of resources and through waste minimization.
2. Reduction and/or avoidance of potential emergency situations.
3. Avoidance of incidence of non-compliance with legislation and reduction in fines and cleanup costs.
4. Reduction in the cost of gaining capital, financial backing, insurance and valuation by becoming an "environmentally friendly" organization.
5. Improved marketing advantage as a "green" operation.
6. Increased staff morale and occupational safety and health standards.
7. Improved customer, client and community relations.
8. Increased documentation, communication and feedback of environmental policies and initiatives.

7. Major requirements of ISO 14000

Following are some of the requirements of ISO 14000:

1. Environmental protection as one of the highest corporate priorities with clear assignment of responsibilities and accountabilities to all employees.
2. Compliance with all environmental laws and regulations applicable to the company's activities, products and services.
3. Ongoing communications on environmental commitment and performance with all shareholders.
4. Strategic planning that sets forth environmental performance objectives and targets, implemented through a disciplined management process.
5. Periodic performance measurement (as well as systems audits and management reviews) to achieve continual improvement wherever possible.
6. Full integration with health and safety, quality, finance, business planning and other essential management processes.
7. Focus on EMS and looks for attributes that would sustain sound environmental decision making and performance.
8. Top management commitment.
9. Third-party registration, through ISO 14001, or self-declaration for companies that meet the ISO 14000 standards. ISO 14001 includes discrete elements of environmental aspects, legal requirements, objectives and targets, environmental management program, communications, and emergency preparedness and response.

8. Stage by stage implementation of ISO 14001

First stage: commitment and policy

- i. Environmental policy

Second stage: Planning

- i. Environmental aspects
- ii. Legal and other requirements
- iii. Objectives and targets
- iv. Environmental management program

Third stage: Implementation

- i. Structure and responsibility
- ii. Training, awareness and competence
- iii. Communication
- iv. Environmental documentation
- v. Document control

Fourth stage: Operational control measurement and evaluation

- i. Monitoring and measurement
- ii. Non-conformance and corrective and preventive action
- iii. Records
- iv. Environmental management system audit

Fifth stage: Review and improvement

- i. Management review

9. Benefits of developing ISO 14000 series

1. Having a single, global set of environmental management system guidance standards.
2. The development of a common, global approach to voluntary and self-directed environmental management.
3. Enhancement of the ability to measure levels of sustainability and environmental performance through auditing methods.
4. Harmonization of non-uniform standards for a range of environmental impact issues.

10. Implementation OF ISO 14000 in luggage manufacturing industry:

The study is done for Canteen and Tools and Mould repairing.

CANTEEN: Firstly the various input to canteen are identified viz. Vegetables, spices, oil, food grains, water, LPG gas, Electricity. Output of the canteen is Food products.

The various effects of the canteen on the environment as a whole are identified

1. Used water discharged to drainage.
2. Fire in L. P. G. (Emergency).
3. Solid waste non biodegradable (Carboys, drums, containers, empty milk bags).
4. Solid waste biodegradable (spent food and vegetables).
5. Fume generation.
6. Heat loss to atmosphere.

7. Noise generation.

The complete canteen as process showing input and output as well its effects on environment are tabulated in aspect register as shown in Table I.

Each aspect is studied carefully for the following category of aspects:

1. Normal aspects: Effects of aspects are negligible.
2. Abnormal Aspects: Severe effect on environment.
3. Emergency Aspects: Nature of Aspect is emergency. Emergency prepared plan has to be there. Proper training to be given to the people for handling the emergency situations. They should be equipped with safety devices to tackle the emergency. For example: Suppose if there is a fire hazard. Whether the fire fighting equipment is there or not. If it is there then whether the people are trained to operate it and so on.

Emergency preparedness plan for every department, which will consist of the following few points:

1. Fire equipments are available or not that too in proper place.
2. Are the people trained to handle the situations?
3. Security people should be trained.
4. First aid training is to be given to all.
5. Fire equipments layout, number of fire equipments, is to be planned.
6. Emergency siren should start immediately after the fire.
7. All people should assemble at one place.

Factor rating is applied to each aspect depending on various factors. The various ratings used are

A: Occurrence

Continuous (8hours & above)/ day	5
Less than 8 hours/ day	4
Less than 8 hours/ week	3
Less than 8 hours/ month	2
Less than 8 hours/ year	1

C: Significance of Impact

Causing death to human being on site/ offsite, damage to flora fauna, air, water, land (offsite).	5
Damage to flora fauna, air, water, land or hospitilisation to human being on site.	4
Damage to flora fauna, air, water, land or first aid to human being on shop	3
Damage to flora fauna, air, water, land and or first aid to human being on shop	2
Negligible impact	1

D: Controls

Controls absent	5
Controls present	4
Controls present but needs human intervention	3
Controls present no human intervention	2
Closed loop control	1

E: Frequency of Detection

Once in a year & above	5
Once in six months	4
Once in one to three months	3
Once in a week	2
Once in a day	1

F: Category of waste

Hazardous waste	5
Non-hazardous waste (High)	4
Non-hazardous waste (Low)	3
100% recycled in house or recycled from outside party for inside use	2
Negligible waste generation	1

The factor rating of impacts for each aspect is shown in Table II. After categorisation of aspects, their impact has to be ascertained. Then whether they can be measured or not. If measured, what is the present status? Then the frequency of occurrence is to be known. Further what is the treatment given to nullify the bad effects of aspects on environment? All these analysis is depicted in Table III. After rating and critical analysis of each aspect one should have the action plan for the aspect, which is affecting severely on environment. Meetings should be conducted to take reviews on the improvement after the implementation of action plan. The improved status to be maintained and periodic review are done to ascertain. In the similar way study is carried out for process of **TOOL AND MOULD REPAIR** and the reports are shown in Table IV, V and VI.

11. Conclusion

With the implementation of EMS, communications concerning environmental practices were streamlined. It was possible to identify areas where utility savings existed. EMS defined roles and responsibilities towards each aspect of the process and their impacts on the environment. A systematic approach is understood to handle environmental issues in place and the overall plant cost savings coming from tracking resources and accounting for them. The EMS also provides the more intangible benefit of employee taking pride of working in the plant that is a good environmental neighbour.

IntechOpen

Table No. I

LUGGAGE INDUSTRIES LTD.	ASPECT REGISTER DOC No. : ASP – 27	SHEET No. : 1 of 3
Dept. : Pers & Admn		ISSUE DATE : 1-08-2003
		REV No. : 00
Process :- Canteen		REV. DATE : 00
<div><div><div>Fume Generation</div><div>Heat loss to atmosphere</div><div>Noise Generation</div><div>Vegetables, spices,</div><div>Water Consumption</div><div>L.P.G. Gas</div><div>Electricity</div><div>Used water discharged to drainage</div><div>CANTEEN</div><div>Food products</div><div>Fire in L.P.G. (Emergency)</div><div>Solid waste biodegradable (spent food and Vegetable)</div><div>Solid waste non biodegradable (carboys, drums, containers, empty milk bags)</div></div></div>		
Prepared by :		Approved By :

Table No. II

LUGGAGE INDUSTRIES LTD.		ASPECT REGISTER DOC No. : ASP – 27						SHEET No. : 3 of 3	
Dept. : Pers & Admn								ISSUE DATE : 1-08-2003	
Process :- Canteen								REV No. : 00	
								REV. DATE : 00	
Sr. No.	ASPECT	FACTOR RATING						TOTAL RATING	IS IT SIGNIFICANT
		A	B	C	D	E	F		
NORMAL ASPECTS									
01	Fume Generation	5	1	1	2	5	1	15	No
02	Heat loss	5	1	1	2	5	1	15	No
03	Noise generation	-----S T A T U T O R Y-----							YES
04	Discharge of used water	5	3	1	3	3	3	18	YES
05	Solid waste biodegradable spent food vegetable	5	3	1	3	3	3	18	YES
06	Solid waste non biodegradable corboys drums containers etc.	2	1	1	3	3	3	13	No
ABNORMAL ASPECTS									
07	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	No
EMERGENCY ASPECTS									
08	Fire in L.P.G. Storage area								YES
Prepared by :					Approved By :				

Table No. III

LUGGAGE INDUSTRIES LTD.				ASPECT REGISTER DOC No. : ASP – 27			SHEET No. : 2 of 3		
Dept. : Pers & Admn Process :- Canteen							ISSUE DATE : 1-08-2003		
							REV No. : 00		
							REV. DATE : 00		
Sr. No.	Aspect	Impact	Measur. Indicator	Present status	Frequency of		Present treatment	Type of control	Remarks reference
					Occur	Meas			
NORMAL ASPECTS									
01	Fume generation	Air Pollution	Not measured	Not measured	Cont.	Not Measured	Nil	Nil	Nil
02	Heat loss	Ambient warming	Deg. Celsius	Not measurable	Cont.	Not measurable	Nil	Nil	Nil
03	Noise generation	Noise pollution	dB	72 dB	Cont.	Negligible	Nil	Statutory	Noise level report
04	Solid waste biodegradable spent food and vegetable	Land Contamination	Kgs/Day	45 -50 kgs	Cont.	Once in a day	Disposed to animal feeder	Self	EMP-P&A01
05	Discharge of used water to drainage	Water pollution	K Ltrs.	Not measured	Daily	Not measured	Disposed to sewage	Self	EMP-P&A02
06	Solid waste non-biodegradable carboys, drums, containers	Land contamination	Nos./month	18 Tins 20 Gunny bags 900 milk bags	Cont.	Once in a month	Disposed to recyclers	Self	Nil
ABNORMAL ASPECTS									
07	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil
EMERGENCY ASPECTS									
08	Fire in L.P.G. storage area	Damage to flora fauna, air, land, human being & assets	-	No incident so far	-	-	-	-	Emergency preparedness & response plan
Prepared by :						Approved By :			

Table No. IV		
LUGGAGE INDUSTRIES LTD	ASPECT REGISTER DOC No. : ASP – 13	SHEET No. : 1 of 3
Dept. : Tool Room		ISSUE DATE : 1-08-2003
		REV No. : 01
Process :- Tool / Mould Repairing		REV. DATE : 18/01/2004
<div><div>M.S. Plate, Steel round, Copper plate / round, Graphite blocks, Water for machine coolant, machine oil</div><div>Noise generation</div><div>Dust generation</div><div>Heat loss to atmosphere</div><div>TOOLS & MOULD REPAIRING</div><div>Finished / Semifinished Tools & Moulds</div><div>Cotton waste</div><div>Chips generation</div><div>Coolant / Oil leakage</div></div>		
Prepared by :		Approved By :

Table No. V

LUGGAGE INDUSTRIES LTD		ASPECT REGISTER DOC No. : ASP - 13						SHEET No. : 3 of 3	
Dept. : Tool Room								ISSUE DATE : 1-08-2003	
Process :- Tool/ Mould Repairing								REV No. : 01	
								REV. DATE : 18/01/2004	
Sr. No.	ASPECT	FACTOR RATING						TOTAL RATING	IS IT SIGNIFICANT
		A	B	C	D	E	F		
NORMAL ASPECTS									
01	Noise generation	-- -- -- -- -- S T A T U T O R Y -- -- -- -- --							YES
02	Heat loss to atmosphere	5	1	1	3	5	1	16	NO
03	Dust generation	3	1	1	5	5	1	16	NO
04	Cotton waste generation	5	1	1	3	3	3	16	NO
05	Metal scrap	5	1	1	3	3	1	14	NO
06	Spent coolant	-- -- -- -- -- S T A T U T O R Y -- -- -- -- --							YES
ABNORMAL ASPECTS									
07	Oil leakage	----- S T A T U T O R Y -----							YES
EMERGENCY ASPECTS									
08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	nil
Prepared by :						Approved By :			


Table No. VI

LUGGAGE INDUSTRIES LTD.					ASPECT REGISTER DOC No. : ASP – 13					SHEET No. : 2 of 3	
Dept. : Tool Room										ISSUE DATE : 1-08-2003	
										REV No. : 01	
Process :- Tool / Mould Repairing										REV. DATE : 18/01/2004	
Sr. No.	Aspect	Impact	Measur. Indicator	Present status	Frequency of		Present treatment	Type of control	Remarks reference		
					Occur	Meas					
NORMAL ASPECTS											
01	Noise generation	Noise pollution	dB	80	Cont.	Once in 6 months	Nil	Statutory	Measurement of noise level report		
02	Dust generation (By Grinding)	Air Pollution	Mg./Nm³	Negligible	Cont.	Not measured	Nil	Nil	Nil		
03	Heat loss to atmosphere	Ambient warming	° Cent.	Max. 5°C above ambient te perature	Cont.	Not Measured	Nil	Nil	Nil		
04	Cotton waste generation	Land Contamination	Kgs	Approx. 60 Kgs/Month	Cont.	Monthly	Disposed to recyclers	Nil	Monthly issue from store		
05	Metal scrap	Land Contamination	Kgs.	Appr x. 30 Kgs/Month	Cont.	Monthly	Disposed to recyclers	Nil	Scrap ticket		
06	Spent coolant	Water pollution	Ltrs.	Approx. 30 Ltr./Month	Cont.	Monthly	Effluent treatment plant	Statutory	Register for spent coolant to powder coating		
ABNORMAL ASPECTS											
07	Oil leakage	Land Contamination	Ltrs.	Negligible	Rare	Not Measured	Secondary containment	Statutory	Nil		
EMERGENCY ASPECTS											
08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	nil		
Prepared by :						Approved By :					

12. References

- [1] Ambika Zutshi and Amrik S. Sohal, (2000), *Environmental management systems auditing: auditors' experiences in Australia*, Int. J. Environment and Sustainable Development, Vol. 1, No. 1, pp 73-87.
- [2] Subhash Babu, A., Madhu, K. and Sahani, N. (1998), *Positioning ISO 14000 standards an investigative study covering selected Indian Industries*, Proc. ISME Conference, Dec 1998, IIT Delhi, pp 286-291.
- [3] Fabio Orecchini, (2000), *The ISO 14001 certification of a machine process*, Journal of Cleaner Production, Vol. 8, Issue 1, February 2000, pp 61-68.
- [4] Martin, R 1998, ISO 14001 Guidance Manual, National Centre for environmental decision-making research: Technical report, viewed 23 August 2010
- [5] Company manual.

IntechOpen



Environmental Management in Practice

Edited by Dr. Elzbieta Broniewicz

ISBN 978-953-307-358-3

Hard cover, 448 pages

Publisher InTech

Published online 21, June, 2011

Published in print edition June, 2011

In recent years the topic of environmental management has become very common. In sustainable development conditions, central and local governments much more often notice the need of acting in ways that diminish negative impact on environment. Environmental management may take place on many different levels - starting from global level, e.g. climate changes, through national and regional level (environmental policy) and ending on micro level. This publication shows many examples of environmental management. The diversity of presented aspects within environmental management and approaching the subject from the perspective of various countries contributes greatly to the development of environmental management field of research.

How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

S. B. Jaju (2011). Implementation of ISO 14000 in Luggage Manufacturing Industry: A Case Study, Environmental Management in Practice, Dr. Elzbieta Broniewicz (Ed.), ISBN: 978-953-307-358-3, InTech, Available from: <http://www.intechopen.com/books/environmental-management-in-practice/implementation-of-iso-14000-in-luggage-manufacturing-industry-a-case-study>

INTeCH
open science | open minds

InTech Europe

University Campus STeP Ri
Slavka Krautzeka 83/A
51000 Rijeka, Croatia
Phone: +385 (51) 770 447
Fax: +385 (51) 686 166
www.intechopen.com

InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai
No.65, Yan An Road (West), Shanghai, 200040, China
中国上海市延安西路65号上海国际贵都大饭店办公楼405单元
Phone: +86-21-62489820
Fax: +86-21-62489821

© 2011 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike-3.0 License](https://creativecommons.org/licenses/by-nc-sa/3.0/), which permits use, distribution and reproduction for non-commercial purposes, provided the original is properly cited and derivative works building on this content are distributed under the same license.

IntechOpen

IntechOpen