

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,900

Open access books available

186,000

International authors and editors

200M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com



Eco-Friendly Fluorescent Carbon Nanodots: Characteristics and Potential Applications

Adil Shafi, Sayfa Bano, Suhail Sabir, Mohammad Zain Khan and Mohammed Muzibur Rahman

Abstract

Carbon nanodots are zero-dimensional tiny particles of carbon with outstanding characteristics and potential applications. Carbon nanodots are fluorescent materials and possess unique characteristics such as biocompatibility, photostability, low toxicity, sustainable, and eco-friendly. Fluorescent carbon nanodots are emerging nanomaterials that show promising potential in bioimaging, optical sensing, information encryption and storage, photocatalysis, lasers, drug delivery, energy conversion, and photovoltaic applications. Carbon nanodots can be synthesized at very low cost through various sustainable approaches that employ inexpensive renewable resources as starting materials. Carbon nanodots are fascinating carbon-based materials that have received mass attention from past few years for their substantial applications in diverse fields. Carbon nanodots have a huge impact on both health and environmental applications because of their potential to serve as nontoxic replacements to traditional heavy metal-based quantum dots. Herein we highlight the intriguing characteristics and potential applications of fluorescent carbon nanodots in various fields and their perspective in future.

Keywords: carbon nanodots, biocompatible: nanomaterials, health, sustainable

1. Introduction

Carbon nanodots are the emerging class of carbon-based nanomaterials with small size and fascinating properties. Carbon nanodots are surface functionalized carbonaceous nanomaterials with tunable fluorescence and remarkable features [1]. Carbon nanodots are nowadays considered as the rising star in the nanocarbon family due to their sustainable, compatible, cost-effective, and benign nature [2]. Carbon was considered as black material unable to emit light up to the discovery of fluorescent carbon nanodots. The strong tunable luminescence combined with other fascinating properties has attracted considerable attention toward the fluorescent carbon nanodots [3]. Carbon nanodots also called graphene quantum dots share similar properties with graphene oxide with difference in size and shape, as the former is quasispherical in shape with nano-diameters [4]. The promising features of fluorescent carbon nanodots are remarkably assessed in various fields, namely, bioimaging, photocatalysis, optoelectronics, photovoltaics, drug delivery, and sensors [5].

Carbon nanodots were first discovered as a by-product in the purification of single-walled carbon nanotubes [6]. Since then, there have been a considerable increase in the interest of researchers to fabricate carbon-based fluorescent quantum dots, which can substitute the toxic and unstable metallic-based quantum dots (CdS, CdSe, CdTe, PbS, etc.). The fluorescent carbon nanodots possess many advantages over classical quantum dots in terms of biocompatibility, stability, solubility, inertness, cytotoxicity, drug delivery, and synthesis [7, 8]. In addition to that, carbon nanodots do not show photobleaching or blinking effects. In spite of that, they exhibit enhanced quantum yields and strong absorption in the UV-visible region. Although fluorescent quantum dots are prepared from different precursors and synthetic methodologies, the actual mechanism of fluorescence is still in debate [9]. Researchers have reported four possible mechanisms of fluorescence: quantum confinement effect or π domains; the surface state, determined by hybridization of carbon skeleton; the molecular state, determined by surface functionalities; and the crosslink-enhanced emission (CEE) effect [10]. Therefore, the strong blue-green and excitation dependent fluorescence depends on the synthetic method, experimental protocol, and the surface passivation of the carbon nanodot.

From past few years, extensive research is going on fluorescent carbon nanodots because of their intriguing properties and structural functionalities. On the surface of the carbon nanodot, several carboxyl, carbonyl, ammine, and amide moieties are present, which impart excellent solubility and biocompatibility [11]. The surfaces of the carbon nanodots can be modified and passivated with several organic, inorganic, polymer, or biological moieties, which in turn enhance their luminescent, sensing, and other properties. The carbon nanodot doped with a suitable heteroatom shows improved efficiency and enhanced radiative emission due to the shifting of Fermi level [12]. Based on specific surface morphology, carbon nanodots can be hydrophilic or hydrophobic. The hydrophilic nature of carbon nanodots makes them a promising material in diverse fields, thereby attracting the attention of researchers [13].

Among many fascinating applications in diverse fields, photoluminescence is the most researched and at the same time most debated application of these carbon nanodots. Fluorescent carbon nanodots exhibit strong and tunable fluorescence over a wide range of electromagnetic spectrum [14, 15]. Carbon nanodot fluorescence is sensitive to environmental conditions, solvents, temperature, pH, and external agents [16, 17]. Fluorescence is retarded by the agglomeration of particles and enhanced by the dispersion of particles [18]. The tunability of fluorescence provides multicolored blue-green emission, which spans entire visible region and is characterized by increased quantum yield [19]. The fluorescence shown by carbon nanodots can be efficiently quenched by oxidizing or reducing agents in solutions, indicating the electron acceptor or donor capability of carbon nanodots [20]. The redox property of these carbon nanodots can be exploited in light energy conversions, optoelectronics, photovoltaic devices, and in many related applications [21].

Fluorescent carbon dots have been synthesized by different conventional methodologies such as laser ablation, hot injection, hydrothermal, electrochemical, and acidic oxidation methods [22–26]. It is well known fact that carbon nanodots synthesized by different synthetic protocols using different precursors or modifications possess different physiochemical properties, which indicate their complex behavior. However, most methods face some limitation from environmental perspectives in using carbon precursors, synthetic procedure, and purification techniques [27, 28]. At present, extensive research is focused on using natural products to prepare fluorescent carbon dots. Preparation of fluorescent carbon dots by using renewable natural resources is cost-effective and can help in sustainable

development of environment [29, 30]. The eco-friendly synthetic route combined with cost-effective approach can make the synthesized nanodots promising candidates for environmental remediation.

Carbon nanodots with a wide range of possible structures and architectures have been reported. The architecture of both the carbon core and surface functionalities plays a very important role in controlling the activity of the carbon nanodots [31]. The morphology of the carbon dots is nearly quasispherical, but the structure can be graphitic, turbostratic, amorphous, or crystalline. The hybridization of carbon atom may be sp^2 (turbostratic or graphitic carbon) or sp^3 (diamond-like carbon) [32]. In this chapter, the eco-friendly green synthetic approach along with fascinating characteristics and remarkable applications of fluorescent carbon dots is discussed. The surface functionalization and passivation to confer desirable properties to carbon nanodots have been highlighted. The future perspectives and the possible challenges, which can improve the physiochemical properties of carbon dots, have also been discussed.

2. Synthesis of fluorescent carbon nanodots

2.1 Conventional synthesis

Generally, the synthetic procedure of carbon nanodots is quite a tedious process, which involves several steps, surface passivation, and post-synthetic modifications [33, 34]. Also, the physiochemical properties and potential applications of carbon dots solely depend on the synthetic procedures [35]. Two conventional approaches have been employed to synthesize carbon nanodots, top-down approach, and bottom-up approach [36].

Top-down approach involves the cleavage of larger carbon cluster into smaller carbon fragments resulting in the formation of carbon nanodots with diameter less than 10 nm. The large molecules are fragmented by laser ablation, arc discharge, acid oxidation, or exfoliation methods (electrochemical, ultrasonic, solvothermal, and hydrothermal exfoliation methods) [2]. Contrarily bottom-up approach is based on several chemical reactions, which results in the conversion of small carbon precursors into nanoscale carbon dots. In bottom-down approach, the carbon nanodots are synthesized through partial dehydration and dehydrogenation by using microwave, solvothermal, pyrolysis, or thermal decomposition method [37, 38].

During preparation of carbon nanodots, several problems that need to be focused on control of size, proper functionalization of surface, and carbonaceous aggregation should be avoided [39, 40]. Size uniformity is important for uniform properties and mechanistic pathways, whereas surface functionalization is critical for solubility and surface applications. The size or surface properties can be optimized by post-treatment method, such as dialysis, gel-electrophoresis, ultracentrifugation, and filtration. Carbonaceous aggregation can be avoided by adopting electrochemical methods or confined pyrolysis methods [41] (**Table 1**).

2.2 Green synthesis

The conventional synthesis of carbon nanodots is uneconomical and unjustified because of high cost, tedious experimental protocols, post-preparation modifications, and time-consuming methodologies [45]. Therefore, it is imperative to design facile, eco-friendly, and sustainable methods to synthesize carbon nanodots. Green approach is one of the sustainable methods, which is very easy, cost-effective, eco-friendly, and nonlaborious [46]. From past few years, carbon nanodots were extensively synthesized using natural precursors through greener approach [47].

Synthetic method	Characteristics	Demerits	Literature
Laser ablation	<ul style="list-style-type: none"> • Top-down process • Fast and effective • Carbon NDs with strong fluorescence emissions • Tunable surface states 	Low quantum yield, post-treatment is required	[42]
Chemical oxidation	<ul style="list-style-type: none"> • Top-down process • Most accessible • Various sources 	Require drastic conditions, poor control over size, tedious protocol	[15]
Microwave irradiation	<ul style="list-style-type: none"> • Eco-friendly • Cost-effective and scalable 	Modification not needed but poor control over size	[41]
Solvothermal/hydrothermal treatment	<ul style="list-style-type: none"> • Nontoxic • Cost-effective and eco-friendly 	Poor control over particle size	[43]
Electrochemical carbonization	<ul style="list-style-type: none"> • Size control • Stable method • One-step method 	Small molecule precursors, poor quantum yield	[44]

Table 1.

Characteristics of different synthetic methods used for preparation of carbon NDs.

Natural precursors include apple juice, orange juice, shrimps, sweet potatoes, garlic, aloe vera, and honey, which have been utilized as carbon precursors in the preparation of carbon nanodots [48]. In addition to this, plant wastes such as pomelo peel, willow bark, watermelon bark, and waste carbon paper have also been used as carbon precursors for synthesizing carbon nanodots. Biomaterials such as carbohydrates (starch, glucose, and sucrose) have also been utilized for the preparation of carbon nanodots [37]. The replacement of toxic and costly precursors by greener and natural precursors was considered to be the promising method for the synthesis of eco-friendly and potential fluorescent carbon dots.

2.3 Post-synthetic modifications

The synthesized carbon nanodots can be modified further to obtain nanodots with desirable properties. Generally, two strategies have been applied for post-synthetic modifications: suitable heteroatom doping and surface functionalization or modification.

Heteroatoms such as nitrogen, selenium, and sulfur can be incorporated into the nanodots by using suitable heteroatom-containing precursors [49, 50]. Carbon nanodots have also been co-doped with more than one type of heteroatoms through hydrothermal treatment [51]. Although heteroatom doping is facile method of structure modification, the actual mechanism is still unclear and results in irrational structural design.

Carbon nanodots can be selectively modified with the process of surface modification, which is easily controllable. The surface of carbon nanodots can be functionalized with several reactive intermediates through specific or nonspecific interactions [52]. The functionalization of carbon nanodots results in the tailoring of several properties, which in turn proves beneficial for several potential applications. Carbon nanodots have been passivated with oligomeric polymers to improve fluorescence emissions [53].

3. Morphology and composition

The morphology and structure of the carbon nanodots are exclusively dependent on reaction conditions of synthetic procedures [54]. These nanodots belong to the carbon nano family, existing in several possible substructures. Generally, carbon nanodots are considered to be quasispherical or spherical particles of carbon, which are less than 10 nm in size. The inner core of the carbon nanodots is crystalline or amorphous, but the surface layer covering the core contains several to many functional groups ranging from small amino groups to large fatty acid chains [32]. The crystalline structure of inner core was confirmed by several techniques such as scanning electron microscopy (SEM), transmission electron microscopy (TEM), X-ray diffraction (XRD), and amorphous nature, which were deduced by HRTEM technique [55]. The inner core is characterized by sp^2 (turbostratic or graphitic carbon) or sp^3 (diamond-like carbon). It has been reported that the inner core can acquire different possible structures at different conditions, particularly at high level of nitrogen doping [56].

The chemical composition of carbon nanodots also varies from one synthetic method to another. The composition of purified carbon nanodots has been reported as 36% carbon, 5.9% hydrogen, 9.4% nitrogen, and 44.7% oxygen. The oxygen content was significantly higher than the carbon nanodot synthesized from raw candle soot (91.7% C, 4.4% O, 1.8% H, and 1.8%N) [57] (**Figure 1**).




Figure 1.
Morphology and structure of carbon nanodot, taken from Ref. [58].

4. Characteristics of fluorescent carbon nanodots

Fluorescent carbon nanodots are tiny particles with fascinating characteristics and commendable properties. These nanodots are considered as versatile carbon members, which show a plethora of applications. In comparison with other semiconductor quantum dots, carbon nanodots show excellent properties, such as [58, 59]

- extraordinary optical, electrochemical, and electronic properties
- tunable fluorescence emission
- less toxicity
- excellent biocompatibility
- chemical robustness

- peculiar physiochemical properties
- solubility in water
- multiphoton excitation property
- eco-friendly nature

Carbon nanodots show maximum absorption in UV region with a tail extending to visible region. The optical absorption of carbon nanodots can be shifted to longer wavelength by surface passivation and doping with suitable dopants [60]. It has been observed that the nanodots exhibit size-dependent optical properties ranging from 200 to 500 nm, when size is increased from 10 to 21 nm. Moreover, the reactive groups on surface also play a role in increasing the absorption properties of carbon nanodots [60, 61].

Fluorescent carbon nanodots exhibit remarkable wavelength-dependent photoluminescence properties that are totally different from Au nanodots, Ag nanodots, and other metallic nanodots. The fluorescence properties can be tuned through defect states without comprising with core structure. Functionalization of surface removes nonradiative redox recombination centers and increases the quantum yield [62]. Carbon nanodots show multiphoton excitation process, which results in emission of shorter wavelength light than the excitation wavelength. This up-conversion process is a sequential absorption process of one or more photons in the range of 320–425 nm. The photoluminescence from carbon nanodots is possible only when there is quantum confinement of surface energy traps, which becomes emissive upon stabilization through surface passivation [53].

The hydrophilicity of carbon nanodot is because of oxygen-containing functional groups over the surface, which imparts good solubility in water. Hydrophilicity modifies so many properties of carbon nanodots and makes them efficient fluorescent probes for several organic applications [63]. Recently, it has been reported the hydrophilic carbon nanodots can be converted into hydrophobic nanodots by covalent attachment of nonpolar solvents. Hydrophobic carbon nanodots have been used as efficient catalysts in organic synthesis [64].

Carbon nanodots possess remarkable redox properties, which make them efficient photocatalysts for degradation of organic pollutants, oxygen evolution, and CO₂ reduction [65]. The photocatalytic properties are enhanced by heteroatom doping, tuning of bandgap, and interfacial interactions. Carbon nanodots act as a photosensitizer for capturing solar light, thereby facilitating electron-hole separation [66]. Carbon nanodots have shown promising potential in water splitting due to the synergistic effects of several attributes. Zhang et al. introduced the metal-based semiconductor in photocatalysis as carbon dots decorated graphitic carbon nitride photocatalyst for the purification of water by phenol degradation. Muthulingam et al. described about highly efficient degradation of dyes by carbon quantum dots/N-doped zinc oxide photocatalyst and its compatibility on three different commercial dyes under daylight. Sharma et al. introduced about microwave-assisted fabrication of La/Cu/Zr/carbon dots trimetallic nanocomposites with their adsorption against photocatalytic efficiency for remediation of persistent organic pollutants.

4.1 Energy band structure

The energy band structure of carbon nanodots has been proposed on the basis of several computational and theoretical studies. The scheme of energy band structure of inner carbon core and the surface states has been depicted in **Figure 2**. It is




Figure 2.
Scheme depicting energy band structure of carbon nanodots, taken from Ref. [67].

evident from the figure that carbon nanodots exhibit five emission bands, which have been attributed to electron transitions at intrinsic carbon (305 nm), graphitic nitrogen (355 nm), pyridine nitrogen (410 nm), amino nitrogen (455 nm), and carboxyl carbons (500 nm) [67].

5. Applications

Fluorescent carbon nanodots have emerged as versatile carbon nanostructures with a wide range of potential applications. Based on their intriguing and fascinating properties such as biocompatibility, water solubility, and high stability, they are utilized as favorable materials in diverse fields. Carbon nanodots are promising materials and find substantial applications in bioimaging, photocatalysis, sensors (biosensors and chemical sensors), drug delivery, energy conversions, supercapacitors, LEDs, and many related processes [32, 68, 69]. In addition to this, carbon nanodots have shown great achievements in the field of food science in terms of food safety, nutrient management, and food toxicity [70–81]. The surface functionalizations with suitable reactive moieties have rendered carbon nanodots efficient in several biomedical applications such as *in vivo* and *in vitro* fluorescent probes and biomarkers. The applicability of carbon nanodots in biological and chemical sensing shows excellent results with respect to sensitivity, selectivity, stability, reproducibility, and response time.

5.1 Sensing

Carbon nanodots have been utilized as novel, efficient, and environment friendly fluorescent probes for the detection of trace quantities of chemical and biological analytes. Due to their fascinating and useful properties, carbon nanodots have been employed as biosensors for monitoring of glucose, DNA, phosphate, potassium, nitrite, and cellular copper with high selectivity and sensitivity [77, 82, 83]. The photoluminescence properties of carbon nanodots were investigated for the detection of various solvents (VOCs) [84]. It was reported that cyclic voltammetry technique was employed for selective and sensitive detection of glucose by using nitrogen-doped carbon nanodots with a LOD of 1–12 mM [85]. Boron-doped carbon nanodots were effectively utilized as chemosensors for trace detection of hydrogen




Figure 3. Detection of nucleic acids by fluorescent carbon nanodots, taken from Ref. [90].

peroxide and glucose with very low detection limit [86]. Moreover, metal-doped carbon nanodots were effectively used as fluorescent sensors for sensing of dopamine, amoxicillin, catechol, pyridine, formaldehyde, pyrene, and so on [87, 88]. Metal-doped carbon nanodots have shown a considerable role in pH and temperature sensing in aqueous systems. Metal ions like Fe^{3+} are very important for the metabolism of living beings, and any fluctuation in its routine can be disastrous for human beings. Carbon nanodots can help in the detection of fluctuation of Fe^{3+} and thereby help in maintaining stable iron metabolism in the body [89].

Carbon nanodots can be used as a fluorescent nanosensor for nucleic acid detection with single-base mismatch [90–93]. The sensing is based on the adsorption of fluorescent labeled single-stranded DNA over carbon nanodots followed by fluorescence quenching and subsequent hybridization with its target to form double-stranded DNA (**Figure 3**).

5.2 Photocatalysis

Due to efficient redox properties, carbon nanodots have been efficiently employed as photocatalysts for harnessing solar energy in organic pollutant degradation. Carbon nanodots upon irradiation generate electron hole pairs, which can be subsequently utilized for multiple applications in pollutant degradation, CO_2 reduction, and photo catalytic water splitting [94, 95]. Carbon nanodots have been considered as excellent photocatalysts with a strong absorption in the wide range of electromagnetic spectrum. However, due to poor electron transfer inside the carbon nanodots, the application has been impeded. In order to increase the efficiency of carbon nanodots and to make them better photocatalysts, their electronic structure is modified by adopting several strategies namely, metal ion doping, heterostructure formation, composite formation, and so on [8, 95]. Doped carbon nanodots show efficient electronic properties with a strong visible light absorption and show low recombination of charge carriers [96]. Nitrogen-doped carbon nanodots in comparison with bare carbon nanodots show efficient visible light photo catalytic degradation of methyl orange. It has been also reported that carbon nanodots in the size range of 1–4 nm showed good photocatalytic oxidation of benzyl alcohol to benzaldehyde in the presence of H_2O_2 [97]. The conversion efficiency under NIR light was observed to be 92–100%, confirming better redox properties of carbon nanodots. The proposed mechanism for the conversion has been demonstrated in **Figure 4**.




Figure 4.
Carbon nanodot supported oxidation of benzyl alcohol to benzaldehyde in the presence of NIR light, taken from Ref. [97].

5.3 Optonics

White light emitting diode can help in saving a lot of energy, but conventional diodes with rare earth metals suffer a drawback in terms of cost, stability, and toxicity. Because of low cost, eco-friendliness, high-quantum yield and low toxicity, carbon nanodots are replacing the traditional white light emitting diodes. Carbon nanodots are the promising materials to replace phosphors in white light emitting diodes with toxic elements such as cadmium and lead [98]. Carbon nanodots serve as a potential candidate in dye-sensitized solar cells, supercapacitors, and organic solar cells [99, 100]. Carbon nanodots doped with nitrogen or coupled with polymer matrix show a considerable attention in LEDs because of flexibility, thermal stability, and robustness.

6. Conclusion

In summary, fluorescent carbon nanodots are the members of carbon family with fascinating and remarkable properties. Although several protocols have been discussed about their synthesis, the size control and precise morphologies have not been attained yet. It is noteworthy to mention that the green synthesis of carbon nanodots has proved facile and effective in controlling the size and properties. Fluorescent carbon nanodots are unique tiny materials with extraordinary characteristics and commendable properties. The properties of carbon are explored in several fields. Carbon nanodots have shown explicit potential in biomedical, photovoltaic, optoelectronic, and electrochemical fields. In addition, the excellent redox properties and light harnessing potentiality have rendered them potential candidates for photo catalytic applications. Furthermore, the newly discovered chroptical properties of carbon nanodots will certainly find promising applications in both biomedical and electronic fields. Despite of the peculiar and remarkable applications in diverse fields, several properties of the carbon nanodots are still unclear. In future, extensive studies are needed to elucidate the possible mysteries and novel applications of carbon nanodots.

Acknowledgements

The authors are highly thankful to the Department of Chemistry, Aligarh Muslim University for providing research facilities. The authors also acknowledge the authors whose work in the form of images has been reproduced in this chapter.

IntechOpen

Author details

Adil Shafi¹, Sayfa Bano¹, Suhail Sabir¹, Mohammad Zain Khan¹
and Mohammed Muzibur Rahman^{2*}

¹ Environmental Research Laboratory, Department of Chemistry, Aligarh Muslim University, Aligarh, India

² Department of Chemistry, Faculty of Science, King Abdulaziz University, Jeddah, Saudi Arabia

*Address all correspondence to: mmrahman@kau.edu.sa;
mmrahmanh@gmail.com

IntechOpen

© 2020 The Author(s). Licensee IntechOpen. Distributed under the terms of the Creative Commons Attribution - NonCommercial 4.0 License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits use, distribution and reproduction for non-commercial purposes, provided the original is properly cited. 

References

- [1] Baker SN, Baker GA. Luminescent carbon nanodots: Emergent nanolights. *Angewandte Chemie, International Edition*. 2010;**49**(38):6726-6744
- [2] Li H, Kang Z, Liu Y, Lee S-T. Carbon nanodots: Synthesis, properties and applications. *Journal of Materials Chemistry*. 2012;**22**(46):24230-24253
- [3] Sciortino A, Cannizzo A, Messina F. Carbon nanodots: A review—From the current understanding of the fundamental photophysics to the full control of the optical response. *C*. 2018;**4**(4):67
- [4] d'Amora M, Giordani S. Carbon nanomaterials for nanomedicine. In: *Smart Nanoparticles for Biomedicine*. Elsevier; 2018. pp. 103-113
- [5] Karfa P, De S, Majhi KC, Madhuri R, Sharma PK. Functionalization of carbon nanostructures. In: *Comprehensive Nanoscience and Nanotechnology*. Elsevier; 2019. pp. 123-144
- [6] Sagbas S, Sahiner N. Carbon dots: Preparation, properties, and application. In: *Nanocarbon and its Composites*. Elsevier; 2019. pp. 651-676
- [7] Papaioannou N et al. Structure and solvents effects on the optical properties of sugar-derived carbon nanodots. *Scientific Reports*. 2018;**8**(1):6559
- [8] Sha A, Ahmad N, Sultana S, Sabir S, Khan MZ. Ag₂S - sensitized NiO–ZnO heterostructures with enhanced visible light photocatalytic activity and acetone sensing property. *ACS omega*. 2019;**4**(7):12905-12918
- [9] Sun X, Lei Y. Fluorescent carbon dots and their sensing applications. *TrAC, Trends in Analytical Chemistry*. 2017;**89**:163-180
- [10] Zhu S, Song Y, Zhao X, Shao J, Zhang J, Yang B. The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots): Current state and future perspective. *Nano Research*. 2015;**8**(2):355-381
- [11] Shi L et al. Green-fluorescent nitrogen-doped carbon nanodots for biological imaging and paper-based sensing. *Analytical Methods*. 2017;**9**(14):2197-2204
- [12] Xu Y et al. Nitrogen-doped carbon dots: A facile and general preparation method, photoluminescence investigation, and imaging applications. *Chemistry—A European Journal*. 2013;**19**(7):2276-2283
- [13] Panniello A et al. Luminescent oil-soluble carbon dots toward white light emission: A spectroscopic study. *Journal of Physical Chemistry C*. 2018;**122**(1):839-849
- [14] Liu C, Zhang P, Tian F, Li W, Li F, Liu W. One-step synthesis of surface passivated carbon nanodots by microwave assisted pyrolysis for enhanced multicolor photoluminescence and bioimaging. *Journal of Materials Chemistry*. 2011;**21**(35):13163-13167
- [15] Qiao ZA et al. Commercially activated carbon as the source for producing multicolor photoluminescent carbon dots by chemical oxidation. *Chemical Communications*. 2010;**46**(46):8812-8814
- [16] Jiang P, Tian ZQ, Zhu CN, Zhang ZL, Pang DW. Emission-tunable near-infrared Ag₂S quantum dots. *Chemistry of Materials*. 2012;**24**(1):3-5
- [17] Pan D, Zhang J, Li Z, Wu C, Yan X, Wu M. Observation of pH-, solvent-, spin-, and excitation-dependent blue photoluminescence from carbon nanoparticles.

Chemical Communications.
2010;**46**(21):3681-3683

[18] Bourlinos AB, Zbořil R, Petr J, Bakandritsos A, Krysmann M, Giannelis EP. Luminescent surface quaternized carbon dots. *Chemistry of Materials*. 2012;**24**(1):6-8

[19] Pan L et al. Truly fluorescent excitation-dependent carbon dots and their applications in multicolor cellular imaging and multidimensional sensing. *Advanced Materials*. 2015;**27**(47):7782-7787

[20] Wang X et al. Photoinduced electron transfers with carbon dots. *Chemical Communications*. 2009;**46**(25):3774-3776

[21] Li Y et al. An electrochemical avenue to green-luminescent graphene quantum dots as potential electron-acceptors for photovoltaics. *Advanced Materials*. 2011;**23**(6):776-780

[22] Liu C et al. Strong infrared laser ablation produces white-light-emitting materials via the formation of silicon and carbon dots in silica nanoparticles. *Journal of Physical Chemistry C*. 2015;**119**(15):8266-8272

[23] He D et al. Dielectric barrier discharge-assisted one-pot synthesis of carbon quantum dots as fluorescent probes for selective and sensitive detection of hydrogen peroxide and glucose. *Talanta*. 2015;**142**:51-56

[24] Mehta VN, Jha S, Kailasa SK. One-pot green synthesis of carbon dots by using *Saccharum officinarum* juice for fluorescent imaging of bacteria (*Escherichia coli*) and yeast (*Saccharomyces cerevisiae*) cells. *Materials Science and Engineering: C*. 2014;**38**(1):20-27

[25] Xu L, Yin H, Ma W, Wang L, Kuang H, Xu C. MRI biosensor for lead detection based on the

DNAzyme-induced catalytic reaction. *The Journal of Physical Chemistry. B*. 2013;**117**(46):14367-14371

[26] Canevari TC, Nakamura M, Cincotto FH, De Melo FM, Toma HE. High performance electrochemical sensors for dopamine and epinephrine using nanocrystalline carbon quantum dots obtained under controlled chronoamperometric conditions. *Electrochimica Acta*. 2016;**209**:464-470

[27] Wu M et al. Preparation of functionalized water-soluble photoluminescent carbon quantum dots from petroleum coke. *Carbon*. 2014;**78**:480-489

[28] Gedda G, Lee CY, Lin YC, Wu HF. Green synthesis of carbon dots from prawn shells for highly selective and sensitive detection of copper ions. *Sensors and Actuators B: Chemical*. 2016;**224**:396-403

[29] Chen Y, Wu Y, Weng B, Wang B, Li C. Facile synthesis of nitrogen and sulfur co-doped carbon dots and application for Fe(III) ions detection and cell imaging. *Sensors and Actuators B: Chemical*. 2016;**223**:689-696

[30] Aslandaş AM, Balci N, Arik M, Şakiroğlu H, Onganer Y, Meral K. Liquid nitrogen-assisted synthesis of fluorescent carbon dots from blueberry and their performance in Fe³⁺ detection. *Applied Surface Science*. 2015;**356**:747-752

[31] Yao B, Huang H, Liu Y, Kang Z. Carbon dots: A small conundrum. *Trends in Chemistry*. 2019;**1**(2):10

[32] Lim SY, Shen W, Gao Z. Carbon quantum dots and their applications. *Chemical Society Reviews*. 2015;**44**(1):362-381

[33] Zhu S et al. Surface chemistry routes to modulate the photoluminescence of graphene quantum dots: From

- fluorescence mechanism to up-conversion bioimaging applications. *Advanced Functional Materials*. 2012;**22**(22):4732-4740
- [34] Huang H et al. Histidine-derived nontoxic nitrogen-doped carbon dots for sensing and bioimaging applications. *Langmuir*. 2014;**30**(45):13542-13548
- [35] Vasimalai N et al. Green synthesis of fluorescent carbon dots from spices for in vitro imaging and tumour cell growth inhibition. *Beilstein Journal of Nanotechnology*. 2018;**9**(1):530-544
- [36] Wang Y, Hu A. Carbon quantum dots: Synthesis, properties and applications. *Journal of Materials Chemistry C*. 2014;**2**:6921
- [37] Peng H, Travas-Sejdic J. Simple aqueous solution route to luminescent carbogenic dots from carbohydrates. *Chemistry of Materials*. 2009;**21**(23):5563-5565
- [38] Lecroy GE et al. Toward structurally defined carbon dots as ultracompact fluorescent probes. *ACS Nano*. 2014;**8**(5):4522-4529
- [39] Wang H, Gao Q. Synthesis, characterization and energy-related applications of carbide-derived carbons obtained by the chlorination of boron carbide. *Carbon*. 2009;**47**(3):820-828
- [40] Zhou J et al. Tailoring multi-wall carbon nanotubes for smaller nanostructures. *Carbon*. 2009;**47**(3):829-838
- [41] Zhu H, Wang X, Li Y, Wang Z, Yang F, Yang X. Microwave synthesis of fluorescent carbon nanoparticles with electrochemiluminescence properties. *Chemical Communications*. 2009;**4**(34):5118-5120
- [42] Hu SL, Niu KY, Sun J, Yang J, Zhao NQ, Du XW. One-step synthesis of fluorescent carbon nanoparticles by laser irradiation. *Journal of Materials Chemistry*. 2009;**19**(4):484-488
- [43] Titirici MM, Antonietti M. Chemistry and materials options of sustainable carbon materials made by hydrothermal carbonization. *Chemical Society Reviews*. 2010;**39**(1):103-116
- [44] Zhou J et al. An electrochemical avenue to blue luminescent nanocrystals from multiwalled carbon nanotubes (MWCNTs). *Journal of the American Chemical Society*. 2007;**129**(4):744-745
- [45] Devi S, Gupta RK, Paul AK, Tyagi S. Waste carbon paper derivatized carbon quantum dots/(3-Aminopropyl) triethoxysilane based fluorescent probe for trinitrotoluene detection. *Materials Research Express*. 2019;**6**(2):025605
- [46] Vikneswaran R, Ramesh S, Yahya R. Green synthesized carbon nanodots as a fluorescent probe for selective and sensitive detection of iron(III) ions. *Materials Letters*. 2014;**136**:179-182
- [47] Du W et al. Green synthesis of fluorescent carbon quantum dots and carbon spheres from pericarp. *Science China. Chemistry*. 2015;**58**(5):863-870
- [48] Kumar A, Chowdhuri AR, Laha D, Mahto TK, Karmakar P, Sahu SK. Green synthesis of carbon dots from *Ocimum sanctum* for effective fluorescent sensing of Pb²⁺ ions and live cell imaging. *Sensors and Actuators B: Chemical*. 2017;**242**:679-686
- [49] Ma Z, Ming H, Huang H, Liu Y, Kang Z. One-step ultrasonic synthesis of fluorescent N-doped carbon dots from glucose and their visible-light sensitive photocatalytic ability. *New Journal of Chemistry*. 2012;**36**(4):861-864
- [50] Li F, Li T, Sun C, Xia J, Jiao Y, Xu H. Selenium-doped carbon quantum dots for free-radical scavenging. *Angewandte Chemie, International Edition*. 2017;**56**(33):9910-9914

- [51] Li F et al. Highly fluorescent chiral N-S-doped carbon dots from cysteine: Affecting cellular energy metabolism. *Angewandte Chemie, International Edition*. 2018;**57**(9):2377-2382
- [52] Chua CK et al. Synthesis of strongly fluorescent graphene quantum dots by cage-opening buckminsterfullerene. *ACS Nano*. 2015;**9**(3):2548-2555
- [53] Sun YP et al. Quantum-sized carbon dots for bright and colorful photoluminescence. *Journal of the American Chemical Society*. 2006;**128**(24):7756-7757
- [54] Cayuela A, Soriano ML, Carrillo-Carrión C, Valcárcel M. Semiconductor and carbon-based fluorescent nanodots: The need for consistency. *Chemical Communications*. 2016;**52**(7):1311-1326
- [55] Shinde DB, Pillai VK. Electrochemical preparation of luminescent graphene quantum dots from multiwalled carbon nanotubes. *Chemistry—A European Journal*. 2012;**18**(39):12522-12528
- [56] Sciortino A et al. β -C₃N₄ nanocrystals: Carbon dots with extraordinary morphological, structural, and optical homogeneity. *Chemistry of Materials*. 2018;**30**(5):1695-1700
- [57] Liu H, Ye T, Mao C. Fluorescent carbon nanoparticles derived from candle soot. *Angewandte Chemie, International Edition*. 2007;**46**(34):6473-6475
- [58] Namdari P, Negahdari B, Eatemadi A. Synthesis, properties and biomedical applications of carbon-based quantum dots: An updated review. *Biomedicine and Pharmacotherapy*. 2017;**87**:209-222
- [59] Xiao L, Sun H. Novel properties and applications of carbon nanodots. *Nanoscale Horizons*. 2018;**3**:565
- [60] Peng J et al. Graphene quantum dots derived from carbon fibers. *Nano Letters*. 2012;**12**(2):844-849
- [61] Riggs JE, Guo Z, Carroll DL, Sun YP. Strong luminescence of solubilized carbon nanotubes[2]. *Journal of the American Chemical Society*. 2000;**122**(24):5879-5880
- [62] Loh KP, Bao Q, Eda G, Chhowalla M. Graphene oxide as a chemically tunable platform for optical applications. *Nature Chemistry*. 2010;**2**(12):1015-1024
- [63] Zheng M et al. Self-targeting fluorescent carbon dots for diagnosis of brain cancer cells. *ACS Nano*. 2015;**9**(11):11455-11461
- [64] Bourlinos AB, Stassinopoulos A, Anglos D, Zboril R, Georgakilas V, Giannelis EP. Photoluminescent carbogenic dots. *Chemistry of Materials*. 2008;**20**(14):4539-4541
- [65] Jeon SJ et al. Modulating the photocatalytic activity of graphene quantum dots via atomic tailoring for highly enhanced photocatalysis under visible light. *Advanced Functional Materials*. 2016;**26**(45):8211-8219
- [66] Ong WJ et al. Unravelling charge carrier dynamics in protonated g-C₃N₄ interfaced with carbon nanodots as co-catalysts toward enhanced photocatalytic CO₂ reduction: A combined experimental and first-principles DFT study. *Nano Research*. 2017;**10**(5):1673-1696
- [67] Yu J et al. Luminescence mechanism of carbon dots by tailoring functional groups for sensing Fe³⁺ ions. *Nanomaterials*. 2018;**8**(4):233
- [68] Du Y, Guo S. Chemically doped fluorescent carbon and graphene quantum dots for bioimaging, sensor, catalytic and photoelectronic applications. *Nanoscale*. 2016;**8**(5):2532-2543

- [69] Kailasa SK, Mehta VN, Hasan N, Wu HF. Applications of carbon dots in biosensing and cellular imaging. In: *Nanobiomaterials in Medical Imaging: Applications of Nanobiomaterials*. Elsevier Inc; 2016. pp. 339-364
- [70] Qu JH, Wei Q, Sun DW. Carbon dots: Principles and their applications in food quality and safety detection. *Critical Reviews in Food Science and Nutrition*. 2018;**58**(14):2466-2475
- [71] Gao X, Yang L, Petros JA, Marshall FF, Simons JW, Nie S. In vivo molecular and cellular imaging with quantum dots. *Current Opinion in Biotechnology*. 2005;**16**(1):63-72
- [72] Hardman R. A toxicologic review of quantum dots: Toxicity depends on physicochemical and environmental factors. *Environmental Health Perspectives*. 2006;**114**(2):165-172
- [73] Ghosal K, Ghosh A. Carbon dots: The next generation platform for biomedical applications. *Materials Science and Engineering C*. 2019;**96**:887-903
- [74] Boakye-Yiadom KO et al. Carbon dots: Applications in bioimaging and theranostics. *International Journal of Pharmaceutics*. 2019;**564**:308-317
- [75] Tuerhong M, XU Y, YIN XB. Review on carbon dots and their applications. *Chinese Journal of Analytical Chemistry*. 2017;**45**(1):139-150
- [76] Hsu PC, Shih ZY, Lee CH, Chang HT. Synthesis and analytical applications of photoluminescent carbon nanodots. *Green Chemistry*. 2012;**14**(4):917-920
- [77] Yang Z et al. Controllable synthesis of fluorescent carbon dots and their detection application as nanoprobe. *Nano-Micro Letters*. 2013;**5**(4):247-259
- [78] Rosenthal SJ, Chang JC, Kovtun O, McBride JR, Tomlinson ID. Biocompatible quantum dots for biological applications. *Chemistry & Biology*. 2011;**18**(1):10-24
- [79] Xu Y, Li YH, Wang Y, Cui JL, Zhang YK. 13 C-engineered carbon quantum dots for in vivo magnetic resonance and fluorescence dual-respons. *Analyst*. 2014;**139**(20):5134-5139
- [80] Liu JJ, Li D, Zhang K, Yang M, Sun H, Yang B. One-step hydrothermal synthesis of nitrogen-doped conjugated carbonized polymer dots with 31% efficient red emission for in vivo imaging. *Small*. 2018;**14**(15):1703919
- [81] Huang X et al. Effect of injection routes on the biodistribution, clearance, and tumor uptake of carbon dots. *ACS Nano*. 2013;**7**(7):5684-5693
- [82] Zhou L, Lin Y, Huang Z, Ren J, Qu X. Carbon nanodots as fluorescence probes for rapid, sensitive, and label-free detection of Hg²⁺ and biothiols in complex matrices. *Chemical Communications*. 2012;**48**(8):1147-1149
- [83] Zhao J et al. Ultrafast spontaneous emission modulation of graphene quantum dots interacting with Ag nanoparticles in solution. *Applied Physics Letters*. 2016;**109**(2):021905
- [84] Campos BB et al. Fluorescent chemosensor for pyridine based on N-doped carbon dots. *Journal of Colloid and Interface Science*. 2015;**458**:209-216
- [85] Ji H, Zhou F, Gu J, Shu C, Xi K, Jia X. Nitrogen-doped carbon dots as a new substrate for sensitive glucose determination. *Sensors*. 2016;**16**(5):630
- [86] Shan X, Chai L, Ma J, Qian Z, Chen J, Feng H. B-doped carbon quantum dots as a sensitive fluorescence probe for hydrogen peroxide and glucose detection. *Analyst*. 2014;**139**(10):2322-2325

- [87] Li H et al. Fluorescent N-doped carbon dots for both cellular imaging and highly-sensitive catechol detection. *Carbon*. 2015;**91**:66-75
- [88] Jiang Y, Wang B, Meng F, Cheng Y, Zhu C. Microwave-assisted preparation of N-doped carbon dots as a biosensor for electrochemical dopamine detection. *Journal of Colloid and Interface Science*. 2015;**452**:199-202
- [89] Ru GJ, Xin Q, Rui JX, Shah H. Single precursor-based luminescent nitrogen-doped carbon dots and their application for iron (III) sensing. *Arabian Journal of Chemistry*. 2019. DOI: <https://doi.org/10.1016/j.arabjc.2019.06.004>
- [90] Li H, Zhang Y, Wang L, Tian J, Sun X. Nucleic acid detection using carbon nanoparticles as a fluorescent sensing platform. *Chemical Communications*. 2011;**47**(3):961-963
- [91] Thakur M et al. Antibiotic conjugated fluorescent carbon dots as a theranostic agent for controlled drug release, bioimaging, and enhanced antimicrobial activity. *Journal of Drug Delivery*. 2014;**2014**:1-9
- [92] Tang J et al. Carbon nanodots featuring efficient FRET for real-time monitoring of drug delivery and two-photon imaging. *Advanced Materials*. 2013;**25**(45):6569-6574
- [93] Zheng M et al. Integrating oxaliplatin with highly luminescent carbon dots: An unprecedented theranostic agent for personalized medicine. *Advanced Materials*. 2014;**26**(21):3554-3560
- [94] Liu J et al. Carbon quantum dot/silver nanoparticle/polyoxometalate composites as photocatalysts for overall water splitting in visible light. *ChemCatChem*. 2014;**6**(9):2634-2641
- [95] Zhang Z, Zheng T, Li X, Xu J, Zeng H. Progress of carbon quantum dots in photocatalysis applications. *Particle and Particle Systems Characterization*. 2016;**33**(8):457-472
- [96] Bourlinos AB, Stassinopoulos A, Angelos D, Zboril R, Karakassides M, Giannelis EP. Surface functionalized carbogenic quantum dots. *Small*. 2008;**4**(4):455-458
- [97] Li H, Liu R, Lian S, Liu Y, Huang H, Kang Z. Near-infrared light controlled photocatalytic activity of carbon quantum dots for highly selective oxidation reaction. *Nanoscale*. 2013;**5**(8):3289-3297
- [98] Zhang X et al. Color-switchable electroluminescence of carbon dot light-emitting diodes. *ACS Nano*. 2013;**7**(12):11234-11241
- [99] Zhu Y et al. A carbon quantum dot decorated RuO₂ network: Outstanding supercapacitances under ultrafast charge and discharge. *Energy & Environmental Science*. 2013;**6**(12):3665-3675
- [100] Ma Z et al. Bioinspired photoelectric conversion system based on carbon-quantum-dot-doped dye-semiconductor complex. *ACS Applied Materials & Interfaces*. 2013;**5**(11):5080-5084