We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

Detection and Characterization of E-Health Research: A Bibliometrics (2001–2016)

Zhiyong Liu, Jianjun Su and Lei Ji

Abstract

E-health is the use of ICT to improve the ability to treat patients, facilitate behavior change, and improve health. It has many benefits like healthcare cost reduction, convenience for users, and health system improvement. Several literature reviews have included one part or the other of the field, but an overall review is lacking possibly due to the field's constant evolution. An overview of E-health research is needed. We selected the related literature on E-health downloaded from Web of Science and PubMed as data source and used the visualization analysis function of CiteSpace. Literature information would be converted into precise mapping knowledge domain. Through further analysis of mappings, we explored the theoretical framework and the forefront in the field of E-health. Our study shows that over the past 15 years, the USA, England, and Australia were the top three countries that published the largest number of papers. Researches about Internet technology, telemedicine (m-health), and healthcare lay the basis of E-health research development. Particularly, m-health, health system management, and experimental intervention have emerged and formed the new study frontier in the recent 3–5 years. With the advancement of E-health projects, an increasing number of scholars have been studying the commercialization of E-health.

Keywords: E-health, bibliometrics, visualization analysis, CiteSpace

1. Background

Advances in information and communication technology (ICT) and the dissemination of network data processing created a new environment of universal access to information and globalization of communications, businesses, and services. In the health sector, a variety of new ICTs are implemented to improve the efficiency of all levels of healthcare. E-health—or digital health—is the use of ICT to improve the ability to treat patients, facilitate behavior change, and improve health. Many benefits of E-health have been presented, including cost reduction and convenience for users [1, 2], reduction of health service costs and improving health service quality [3, 4], reaching isolated or stigmatized groups, timeliness of access to the Internet [5], increasing user and supplier control of the E-health intervention [6], and changing government policy making [1]. E-health is making healthcare more efficient while allowing patients and professionals to access and manage data in ways that were previously impossible [7]. Thus, E-health does not specifically refer

to a certain subject. It is an application area where many subjects are associated such as clinical informatics, health informatics, electronic health record, consumer health informatics, and various Internet-based technologies and services [8].

According to Faber, Mitchell coined the term E-health in 1999 [9]. The study of E-health has attracted research interest after it was used by the World Health Organization (WHO) [10]. First, some researchers raise the theory that E-health communication may have immense potential to promote behavior changes through unique features such as mass customization, interactivity, and convenience. As a result, it can help improve the quality of medical care and lower the cost [11, 12]. On the basis of these theories, many researches have been conducted to confirm the advantages and benefits of E-health, such as “automatic-sleep classification program” research and “E-health intervention model designing” [13, 14], challenges in establishing a national databank of anonymized person-based records, and randomized controlled trial of web-guided approach [15–17]. Published articles in related fields are on the rise year by year (**Figure 1**), and many countries have also raised programs, Europe “e-Health Action Plan 2004–2010” and “e-Health Action Plan 2012–2020” and the USA “Federal Health IT Strategic Plan (2015–2020),” on the development of health information systems. The United Kingdom “Health and Social Care Act 2012” proposed that we need to reform healthcare and take the advantage of information technologies to improve the quality of patient care [18–20]. It informs us that combining health work with ICT is the trend of medicine development since medicine and health are the basis of stable development for a country.

As for E-health researches, there are several main topics: (1) Consensus and standardization of E-health research. (2) Evaluation methods and challenges—proper evaluation methods are needed to establish E-health quality and efficiency evaluation model [21, 22]. (3) Quality, value, and future trends—as most people

Figure 1.
Flow chart of the literature.

think, E-health application is cost-effective and efficient and will improve qualities of clinical work [23–25]. The academic literature has primarily focused on issues in the adoption and diffusion of specific E-health technologies, and only a few papers concern on the development of E-health subject [26]. This leads to the current state that although some literature reviews cover one part or the other of the field [27, 28], an overall picture is still missing which is possibly due to the field’s constant evolution. Besides, coherence of these researches is poor, and the interaction between scholars is not enough, making it difficult to reach a consensus about E-health research.

We explore the law of E-health discipline development using the scientific metrology, social network analysis, and information visualization technology. Progressively synthesized co-citation networks are constructed and visualized to aid visual analytic studies of the domain’s structural and dynamic patterns and trends [29]. The formation of E-health, hot topics evolution, and trend of this research field being explored is achieved.

This study aims to present an analytical review on the state of E-health research. A review framework composed of multiple research methods is developed and applied to yield a broad coverage of E-health research. We explore the distribution of E-health hot topics and probe the research frontier by bibliometric methods. The evolution of different topics is evaluated and some research directions are proposed.

2. Methods and tools

2.1 Data source

Web of Science core collection is used as data sources. We summarized the scope of E-health, and developed the following search query according to the results of literature research (Table 1). We selected the search term to retrieve all relevant literatures for 15 years, and 6371 documents were retrieved in total.

Search query			Number of hits
WOS	#1	TS = (Clinical decision support system) OR TS = (Health informatics) OR TS = (Medical research using grids) OR TS = (healthcare information systems)	23,184
	#2	TS = (Clinical Informatics) AND #1	2209
	#3	TS = ((electronic health record) or EHR or cpoe or (computerized physician order entry) or e-prescribing)	18,034
	#4	TS = (CONSUMER HEALTH INFORMATICS)	409
	#5	TS = ((health knowledge management) or (decision aids for patients) or (virtual healthcare teams))	17,993
	#6	TS = (telemedicine or mhealth or m-health or wireless networks or (vr technology) or cloud-computing or (self-monitoring healthcare devices) or (health surveillance systems) or (e-mental health))	206,209
	#7	TS = cyber medicine	26
	#8	TI = (ehealth or (e-health) or (E-Health) or EHealth or EHEALTH or E-HEALTH or (electronic health))	9484
	#9	TI = health and (big data)	283
	#10	TS = health and (big data)	3558

		Search query	Number of hits
#11		#9 and #10	283
#12		#7 OR #6 OR #5 OR #4 OR #3 OR #2 OR #1	241,715
#13		#12 or #11 and #8	8172
PubMed	#1	(((ehealth OR (e-health) OR (e-health) OR ehealth OR ehealth OR e-health OR (electronic health)) title/abstract)) AND (((((((Clinical decision support system[Title/Abstract]) OR Health informatics[Title/Abstract]) OR Medical research using grids[Title/Abstract]) OR healthcare information systems[Title/Abstract])) OR ((Clinical Informatics[Title/Abstract]) AND (((Clinical decision support system [Title/Abstract]) OR Health informatics[Title/Abstract]) OR Medical research using grids[Title/Abstract]) OR healthcare information systems [Title/Abstract]))) OR ((clinical informatics) AND (((Clinical decision support system[Title/Abstract]) OR Health informatics[Title/Abstract]) OR Medical research using grids[Title/Abstract]) OR healthcare information systems[Title/Abstract]))) OR (((electronic health record [Title/Abstract]) OR cpoe[Title/Abstract]) OR e-prescribing[Title/Abstract])) OR CONSUMER HEALTH INFORMATICS[Title/Abstract]) OR (((health knowledge management[Title/Abstract]) OR decision aids for patients[Title/Abstract]) OR virtual healthcare teams[Title/Abstract])) OR ((telemedicine OR health OR m-health OR wireless networks OR (vr technology) OR cloud-computing OR (self-monitoring healthcare devices) OR (health surveillance systems) OR (e-mental health)) title/abstract))	41,073

Table 1.
 Search query for this study.

2.2 Methods and tools

Information visualization is an analytical method which can realize the interactive visualization analysis on abstract data and enhance people’s perception of the abstract information [30]. To some extent, information visualization offers a quick independent, scientific judgment of the objective evidences [31]. CiteSpace, UCINET, Pajek, His cite, and Ref Viez 3 are software that researchers used mostly to do information visualization analysis, among which CiteSpace is the most popular one [32, 33]. CiteSpace, a Java-based application developed by Chaomei Chen professor who is a Changjiang Scholar from Dalian University of Technology, can display the abstracted data in the visual form and facilitates further data analysis, rule discovery, and decision-making. It is easy to use and its visualization results are excellent. In this paper, we determined the discipline layout and hot spots about E-health in a specific period based on SCI and CiteSpace.

3. Results

3.1 Brief descriptions of E-health development

3.1.1 Number of articles published

As **Figure 2** shows, the histogram denoted quantity of E-health research, and the line chart shows the literature accounted to the total each year. In general, the quantity of the published literature showed an increasing trend with the average

Figure 2.
The number of articles published each year.

annual growth rate of 29.93% from 2001 to 2016. In detail, we saw two inflection points in 2005 and 2010. Considering the quantity and proportion trend of the literature, we divided the whole research time into three parts which are listed as 2001–2005, 2006–2010, and 2011–2016.

Reasons for the above trend have two aspects. First, they are associated with some pivotal view point. Eysenbach, G and WEBB, TL published their important literature in 2005 and 2010. They are both authorities in E-health research [7, 34]. Therefore, the quantity of published literature began to rise in these years. Second, developing technology and government attaching importance to medical research contributed a lot. The development of E-health depended on science and technology progress. Many governments have different preferential policies for health science research and Internet communication techniques which promoted E-health research.

3.1.2 Country analysis

Figure 3 shows the published number of key nodes and the influence degree of relevant researchers concretely. Centrality is an index used to measure the

Figure 3.
Visualization map of countries.

Frequency	Centrality	Country	Rank
1158	0.28	USA	1
486	0.17	England	2
480	0.15	Australia	3
434	0.16	Canada	4
430	0.08	Netherlands	5
415	0.11	Germany	6
323	0.1	Spain	7
273	0.04	Italy	8
195	0.02	Austria	9
180	0.12	France	10
161	0.05	Sweden	11
154	0.01	People's of Republic China	12
143	0.08	Switzerland	13

Table 2.
High-frequency countries.

importance of a node in the whole network. It is more likely that the node is the key point in the network if the centrality is big. As shown in **Table 2**, USA’s published quantity was the most in the top 13 countries. In detail, America published 1158 papers, which accounted for one-fifth of all literature from 2001 to 2016, whereas China was in the twelfth place. China published 154 papers, accounting for only 2.6%. Above countries had the centrality from 2002 to 2004, among which the USA have had it earlier in 2002 and CHINA in 2004. As for the centrality value, the USA, England, and Australia were the top three, and their researchers had a major influence on the field of E-health at the same time. Besides, the influence of China is quite weak because of its low-value centrality.

3.1.3 Research directions

Every article has multiple research directions, but after statistically ranking, the top 10 directions were: healthcare science and service, computer science, medical informatics, engineering, public environmental occupational health, telecommunications, psychology, general internal medicine, and information science library science. In addition, these articles also involve some elements of clinical areas such as nursing, cancer treatment, pharmacy, and science and technology development (**Table 3**). The top four research directions are healthcare science and services, computer science, medical informatics, and engineering, accounting for more than 100%, which means all the literature is concerned with the four research directions, so it is suggested that these four research directions are the theoretical basis of E-health research.

3.1.4 Authorship analysis

As for the publishing frequency of authors, their publishing situation was the same as the regarding countries’. We try to strengthen the cooperation between authors to serve the E-health and those producing more relevant output. As shown

Research directions	Frequency	Rank
Healthcare science and service	1919	1
Computer science	1904	2
Medical informatics	1439	3
Engineering	1095	4
Telecommunications	411	5
Public environmental occupational health	367	6
Psychology	242	7
General internal medicine	213	8
Information science library science	183	9
Nursing	149	10

Table 3.
Research directions.

in **Figure 4** and **Table 4**, the top five authors did not cooperate with others directly. It indicated that they focused on different topics and all of them were leaders in their research directions. Bernd Blobel was the top and he published 35 papers. He works at University Hospital Regensburg. By studying the privacy and security of some E-health system, he could analyze and design of advanced health systems properly [35–37]. Gunter Schreier concerns that using mobile devices or communication technologies provide huge opportunities for home monitoring applications [38]. He found that different types of data acquisition technologies have an important effect on patients’ willingness to participate in telehealth programs in the long term [39]. JJPC Rodrigues works at the University of Beira Interior. He mainly studied the application effect of different kinds of wireless sensor networks in the

Figure 4.
Visualization map of authors.

Authors	Frequency	Rank
Blobel B	35	1
Schreier G	33	2
Rodrigues JJPC	29	3
Gustafson DH	28	4
Eysenbach G	22	5

Table 4.
High-frequency authors.

medical field. In the last 15 years, he proposed some network solutions, such as IP-based wireless sensor network, biofeedback data visualization for body sensor networks, real-time query processing optimization for wireless sensor network, and so on [40–42]. Gustafson typical papers are concerned with the research around consumer health informatics which influence on how patients or potential patients get health knowledge they need [43]. As for Eysenbach, he is the founder of E-health field, and he proposed the concept of E-health in 2002. In the subsequent time, he researched on the quality of electronic health information, Internet access to health information, and evaluation of E-health-related program [44–46]. According to the number of citations, Eysenbach is one of the most important core authors in E-health research. The focus of these five authors is not the same, but from the visualization map, their research direction all represents hot spots in this period.

3.2 Research focus analysis and frontier analysis in E-health research

3.2.1 Research focus analysis

Research hot spots are issues or special directions studied by lots of people in recent years. Keywords, a highly generalized summary, and important index of papers are the core of academic papers. Therefore, we could get the research hot spots and the main subjects of one study area by analyzing the change trend and characteristic of the keyword frequency (**Figure 5**).

Due to the function of CiteSpace, the bigger the size of node is, the more important the node in the visualization map is. It is obvious that some keywords [Internet, telemedicine (m-health), technology, randomized controlled trial, management, and system] have a quite bigger size than others. Besides, considering that our research topic belongs to medical study, we could speculate that telemedicine, randomized controlled trial, health system, health management, and applying Internet-related technology in medical field have become the research hot spots and the main subjects in the study of most scholars from 2001 to 2016.

Seeing from the frequency of keywords, we can broadly divide the E-health research into several main subjects. “Internet technology” is the first one, which is the combination of “Internet” and “technology.” E-health is the ICT in the field of healthcare, so the Internet technology development is driving force of E-health [17]. “Telemedicine,” the second subject, appeared 618. It refers to the provision of remote clinical services via real-time two-way communication between the patient and the healthcare provider by using electronic audio and visual means. “Telehealth,” “m-health,” and “communication” belong to it, which mainly concern on whether telemedicine or m-health could help improve the efficiency of individual access to medical services to solve the existing problems [47, 48]. “Randomized controlled trial,” the third one, is research method and one kind of intervention. These clusters concentrate on proving the advantages and disadvantages of E-health

Figure 5.
Visualization of hot topics in 2001–2016.

programs. Fourthly, papers researching “healthcare field” focus on E-health application like electronic health record and attributes such as security, privacy, and interoperability [49]. With the promotion of information network technology development, the main task of the next phase is how to ensure the efficiency of E-health system data storage security, transmission, ease of use, and privacy protection. “Health management,” the fifth one, is an abstract conception. Any keywords associated with management can be divided into this class such as self-management, adherence, and mental health management [17, 50, 51].

3.2.2 Visualization of hot topics evolution

To explore the degree of concern of the international E-health research, we divided it into three periods: from 2001 to 2005, 2006 to 2010, and 2011 to 2016. The frequency of keywords has been counted as shown in **Table 5**. Similar to the above method, we get the visualization maps of keywords in different times, as shown in **Figures 6–8**.

In Atlas of visualization, the three stages of topics evolution show a gradual trend of convergence. In 2001–2005, the link intensity among high-frequency keywords was low. The study of E-health was at an exploratory stage, and research direction is scattered as scholars had not yet formed a complete theoretical system. With the emergence of E-health concepts raising academic great interest, scholars considered using network communication technology can greatly improve the quality of medical service and reduce healthcare costs. However, they also doubted whether it determined the actual role, which focused them on the theoretical exploration and the possibility of assessment of E-health [45, 52–54]. In 2006–2010, with the Internet explosively developing and governments attaching more importance to E-health gradually, some medical items based on network technology entered the implementation phase. Scholars tried to evaluate implementation of these projects from visual map aspects. The formation of E-health research prototype has an important connection with the Internet, telemedicine, and care.

2001–2005		2006–2010		2011–2016	
Keywords	Frequency	Keywords	Frequency	Keywords	Frequency
Telemedicine	39	Telemedicine	163	Internet	440
Internet	37	Internet	151	Care	416
Information	20	Care	92	Telemedicine	416
System	18	Information	73	Randomized controlled trial	323
Care	16	System	71	Intervention	281
Health information	10	Telehealth	59	Technology	278
Quality	10	Quality	51	M-health	251
Education	9	Technology	48	System	247
Information technology	8	Health	47	Telehealth	213
Management	7	Healthcare	47	Health	204

Table 5.
Frequency of keywords in different periods.

Figure 6.
Visualization of hot topics in 2001–2005.

Scholars thought that the core was the Internet, telemedicine, and care. This provided a point of reference standard for future research directions and reduced misuse and abuse of the concept [44, 55–58]. In 2011–2016, visual maps showed that the core keywords were still the Internet, telemedicine, and care. The map of central tendency is obvious but there had been significant changes. M-health, system management, and randomized controlled trial suddenly broke out, which respectively reflected three characteristics of E-health research: mobile, systematic, and precision. The popularity of mobile and wearable devices greatly accelerated the development process of E-health. Systematic management of the healthcare system can effectively improve the quality of medical services. Precision means

The evolution of topics in **Figures 6–8** and **Table 5** can be divided into several classes: continuous topics, emerging topics, and disappearing topics.

Continuous topics: telemedicine, Internet technology, and care are continuous academic focus of research topics. From the point of view of clusters each year, telemedicine, Internet technology, and care focus on different research topics in the last decade. The main direction of telemedicine research is to determine the initial authoritative definition and unify communication standard [61]. The aim of mid-term is to assess the effect of the recent literature, and the aim of recent time is to review telemedicine research from the perspective of human society. Internet technology which functioned as support of the development of E-health technology in recent years has undergone tremendous changes. Scholars began to explore the possibility of using a network to pass health information, using network storage to transfer data, and analyzing the advantages and disadvantages of doing so. Then, they gradually changed to focus on the user network information literacy and healthy relationship, which pointed out that information literacy is to enhance users’ ability to understand E-health for further development [62]. Electronic health records are the most direct and most important solutions for problems such as how to build a unified specification and how to help different medical workers when they cannot communicate directly. Research focus gradually changed the use of electronic health record information, medical research, and health information so that they maximize the effectiveness of change.

Emerging topics, including health technology, information literacy, and cloud computing, have developed rapidly in a few years. Relatively speaking, mobile health technology and information literacy were at the heart of co-occurrence analysis in recent years. Improvements of the Internet and other information technologies and increasing researchers’ knowledge promote the application of E-health. Earlier E-health applications and services are based on computer terminals, but portable monitor cannot do that with the advances in mobile technology in recent years. Thus, the use of mobile devices in health and disease management or monitoring the user’s health condition has attracted great concern [63]. In previous studies, researchers found that different users get different abilities to accept the electronic health information, which has significant impact on the development of E-health. Therefore, some scholars have done some research in information literacy [64].

Cloud computing is an emerging technology based on Internet computing in which shared resources are provided on the Internet to other users on demand. Basically, cloud is a synonym for the Internet and composed of clusters of

Frequency	Burst	Author	Year	Title	Journal source
17	9.52	van Gemert-Pijnen JEW C	2011	“A holistic framework to improve the uptake and impact of eHealth technologies”	Journal of Medical Internet Research
15	9.40	Donkin L	2011	“A systematic review of the impact of adherence on the effectiveness of e-therapies”	Journal of Medical Internet Research
20	8.42	Mair FS	2012	“Factors that promote or inhibit the implementation of E-health system: an explanatory systematic review”	Patient Education and Counseling

Table 6.
Document bursting information.

computers working upon distributed systems that provide service in real time over a network. Cloud computing is massively scalable which provides a superior user experience and is characterized by new Internet-driven economics [65]. Once established a unified exchange standard is used to do real-time exchange; the amount of data analyzer will face is enormous, so using cloud computing technologies to process these data would be a satisfactory solution.

Nonetheless, studies regarding information security, privacy, and IT policies had decreased gradually in these three periods.

3.3 Research frontier analysis

The concept of research frontier was introduced by Price. It is used to describe a trend in the field of research. Price uses his own definition of indicators and watches the trends of the article citations according to these indicators [66]. Research frontier is a dynamic concept. The cited articles containing the contents of research front are the knowledge base, and research front is based on these articles. Emergence refers to the rate of change of cited frequency, which can be considered that the content of some emergent literature is discussed form research frontiers. To detect research frontier, we need to analyze the content of citing articles, burst words, and burst literature. CiteSpace provide us a method—Citing articles Cluster, which is the base of identifying clustering-edge [67]. By doing content analysis and clustering, according to Visual analysis results CiteSpace outputted, we can determine the forefront of research in the field of E-health research.

We do co-citation network process, get burst information of literature, and use the burstness at the right of the software to view the strength of emergent literature and emergent time distribution (Figure 9).

The first column in Figure 6 indicates cited emergent literature and strength, representing emergent index. The higher the index is, the more focused cited literature is. The right place in the figure indicates the time literature emergence.

Figure 9.
Document co-citation bursting statistical chart.

The red part of the document is the period when cited rate raised most rapidly. At this stage, literature based on these knowledge bases is a research frontier. Drawing keywords co-occurrence network map combined with these citing articles can help identify research frontier.

Figure 8 shows the results of literature whose mutation time has been covered at least in the past 3 years and three documents were chosen which have the highest intensity of mutation (**Table 6**). Then we retrieved Web of Science for citing articles and conducted keyword cluster analysis and word frequency statistics. Combined with automatic identification function, we drew a cluster map of article citations, interpreted three key documents' citing document clustering and word frequency comprehensively, and did qualitative analysis of E-health academic field frontier research.

“A holistic framework to improve the uptake and impact of E-health technologies” is an article published by van Gemert-Pijinen Pewc in 2011. He found that a lot of E-health technologies were not appropriate for health services, the effect of which did not match people’s expectation. After careful study, he believed that it was because developers ignored the dependencies among technologies, human characteristics, and environmental impact. Thus, he proposed a frame based on many scholars’ studies to improve the quality of health services. Under such unity frame’s guidance, E-health technology can be combined with the health sector better, but it needs more empirical support [18].

Based on high-frequency statistics and keyword co-occurrence cluster time-zone views (**Figure 10**), we can find high-frequency keywords including “intervention,” “randomized controlled trial,” “technology,” “framework,” “physical activity,” and “self-management.” Researchers use different research methods to compare the actual effects of E-health and then make reasonable predictions about the future of these applications, such as Van's framework [8]. Then the cost of applying emerging technologies in the medical field is reduced. Using a reasonable evaluation

Figure 10.
Keyword-based clustering co-occurrence patterns.

framework to study the cost–benefit of Internet technology in the medical field has become a trend in the future.

Emergent literature of the cluster is “A systematic review of the impact of adherence on the effectiveness of e-therapies.” This article reviewed the development of electronic treatment and the impact patient compliance has on treatment effect. It assessed factors that affect patient compliance and listed ways to improve electronic treatment and then concluded that electronic treatment was lacking in effective treatment of electronic protocols. Due to remote treatment, the patient was easier to be influenced by external factors. Further studies are needed to establish consensus compliance measurement program and understand the factors affected by compliance.

According to the high-frequency keywords and keyword co-occurrence clustering results (**Figure 11**), we can find high-frequency keywords named “randomized controlled trial,” “adherence,” “Internet,” “depression,” “intervention,” “mental health,” and “stress management.” Scholars have studied methods to enhance patient attachment and loyalty to E-health technologies, including the use of network health technologies and mobile technology to manage the patient’s physical and mental health, by increasing the degree of interaction between patients and electronic health technology to improve the patient’s sense of e-therapy. In other words, making patients trust in e-therapy is a problem that needed to be solved.

“Factors that promote or inhibit the implementation of E-health system: an explanatory systematic review” is an article aimed to review the literature on the implementation of E-health to identify barriers and facilitators to E-health implementation and outstanding gaps in research on the subject. Mair published this review, and he found some interesting results: (1) work directed at making sense of E-health systems, specifying their purposes and benefits, establishing their value to users, and planning their implementation, (2) factors promoting or inhibiting engagement and participation, (3) effects on roles and responsibilities, (4) risk management, and (5) ways in which implementation processes might be reconfigured by user-produced knowledge [68]. He thought the published literature

Figure 11.
Keyword-based clustering co-occurrence patterns.

Figure 12.
Keyword-based clustering co-occurrence patterns.

focused on organizational issues and neglected the wider social framework which must be considered when introducing modern technologies.

Implementation, system, healthcare, normalization process theory, qualitative research, meaningful use, and impact are high-frequency keywords. The scholars who cite the article are concerned about the role and responsibility of electronic health in the medical process, risk management, ways to engage with professions, and how to ensure the potential benefits of new technologies (**Figure 12**). Mcevoy Rachel studies using the normalization process theory to research implementation process [69]. Deborah studies the role of digital technologies in self-management [70]. Jane does an organizational analysis of the implementation of telehealth in view of whole systems [71]. Scholars are also concerned about factors having impact on E-health applications, whether they are positive factors or obstacles [72–74]. With the increase of E-health project numbers, these areas deserved more empirical investigation and have been research frontiers, such as the ways to identify and anticipate how E-health services will impact everyday clinical practice, how new E-health services will affect clinical interactions and performance of clinical work, and the effects of different methods of engaging with professionals before and during the implementation of E-health.

3.4 Themes that develop quickly and need to be focused

Combined with literature review, among the research frontiers, E-health business is the core which is based on other articles concerned on commercialization of E-health which is experiencing explosive growth. As it goes, scholars proposed a lot of interesting and innovative project, attracting attention from the government and some companies. It seems that E-health is more cost-effective, efficient, and more convenient, which will substitute the face-to-face treatment in the future. However,

although many of us think E-health is better than traditional treatment methods, governments operating E-health system decreased in number [75]. In view of that, we seek evidence that could help us find the reason. Since research about E-health has come into a new stage, technologies have already reached the demand, and governments are also positive that designing a complete E-health system is a top priority. Unfortunately, no one has satisfied the requirement [76]. A sustainable system need to be operated for a long time, so we need to take cost and profit into consideration. But we found that most of the research or surveys neglected these and they just concentrated on realizing E-health system [77–79]. On this occasion, how to reduce cost and profit will be the center of most scholars' study.

4. Discussion and conclusion

The E-health has been one of continued research focuses on the study of many academics, and the majority of scholars tended to publish papers to show their achievements. Annually published papers have reached 900 in 2015 and 2016, which is a pretty substantial number.

There was a gap between China and some developed countries in the researches of E-health. For instance, the USA, the UK, and Australia were the top three countries that published many articles. The impact of the UK was bigger than the USA according to the centrality index. The published quantity of references in China was not up to 1/6 of the USA and 1/3 of the UK. The time when China became to have centrality was 2004 which was later than most developed countries.

There were many institutions and authors working on this field. Among them, the number of authors who published at least one paper was 3770. On the one hand, it indicated that many scholars paid attention to E-health research from 2001 to 2016. On the other hand, there was great potential to improve the cooperation of authors, because the present relationships were not close which was revealed from the visualization map. Therefore, it is important to improve the allocation ability of resources and form cooperation network, so that we can deepen and improve the development of E-health.

Global E-health research focused on five topics ("Internet technology," "tele-medicine," "E-health intervention on healthcare," "health system," and "personal health management"). With the development of information technology, E-health has been absorbing and applying emerging information technologies and applications. Among them, the application of the sophisticated cloud computing technology and big data are typical examples. Cloud computing is an emerging technology for Internet and composed of cluster of computers working upon distributed system that provide service in real time over a network. According to the definition by NIST, cloud computing is "a model that can provide distributed, rapidly provisioned and configurable computing resources" [78, 79]. Big Data in healthcare is concerned with meaningful datasets that are too large, too fast, and too complex for healthcare providers to process and interpret with existing tools. The application of big data technology can help solve the problem that medical field data is volume, various, and it grows too rapidly to deal with.

In addition, E-health has been a research focus of many counties over the world early in the twenty-first century. In detail, Internet, telemedicine, and health care became the focus in 2006. However, m-health, system management, and experimental intervention began to form the new study hot-spots, especially the commercialization of E-health from 2011. Therefore, scholars tended to set up a new E-health system so that we can improve the efficiency of health care and monitor people's health level in the distance and profit by developing E-health business.

This book chapter provides a reference for scholars working on this field and lays a foundation for further research on health IT policy.

5. Limitations

Although findings are based on the above analysis, there are still several potential limitations that may encourage further research efforts. First, this study only focuses on literature indexed by WoS and PubMed. Although WoS emphasizes paper quality to ensure accurate and meaningful data, it leads to some articles related to E-health not being covered. These will have some impact on the accuracy of research output on E-health.

Author details

Zhiyong Liu^{1*†}, Jianjun Su^{2†} and Lei Ji¹

¹ School of Medicine and Health Management, Tongji Medical College, Huazhong University of Science and Technology, Wuhan City, Hubei Province, China

² Futian District Maternal and Child Health Hospital, Shenzhen, China

*Address all correspondence to: zhiyongliu@hust.edu.cn

† These authors contributed equally.

IntechOpen

© 2019 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

References

- [1] Wicks P, Stamford J, Grootenhuys MA, Haverman L, Ahmed S. Innovations in e-health. *Quality of Life Research*. 2014;**23**(1): 195-203. PMID: 23852096
- [2] Stanberry B. Legal and ethical challenges of telemedicine and e-health. *Proceedings of SPIE - The International Society for Optical Engineering*. 2002: 47-66. DOI: 10.1117/12.480629
- [3] LaPlante C, Peng W. A systematic review of e-health interventions for physical activity: An analysis of study design, intervention characteristics, and outcomes. *Telemedicine and e-Health*. 2011;**17**(7):509-523. PMID: 21718092
- [4] Linn AJ, Vervloet M, van Dijk L, Smit EG, Van Weert JC. Effects of eHealth interventions on medication adherence: A systematic review of the literature. *Journal of Medical Internet Research*. 2011;**13**(4):e103. PMID: 22138112
- [5] Minichiello V, Rahman S, Dune T, Scott J, Dowsett G. E-health: Potential benefits and challenges in providing and accessing sexual health services. *BMC Public Health*. 2013;**13**(1):790. PMID: 23987137
- [6] Mair FS, May C, O'Donnell C, Finch T, Sullivan F, Murray E. Factors that promote or inhibit the implementation of e-health systems: An explanatory systematic review. *Bulletin of the World Health Organization*. 2012; **90**(5):357-364. PMID: 22589569
- [7] Eysenbach G. What is e-health? *Journal of Medical Internet Research*. 2001;**3**(2):e20. DOI: 10.2196/jmir.3.2.e20
- [8] van Rooij T, Marsh S. EHealth: Past and future perspectives. *Personalized Medicine*. 2016;**13**(1):57-70. DOI: 10.2217/pme.15.40
- [9] J. Mitchell. *From Telehealth to E-health: The Unstoppable Rise of E-health*, 1999. ISBN: 064275036X
- [10] World Health Organization. Leveraging e-Health to Improve National Health Systems in the African Region. Available from: <http://www.who.int/sites/default/files/ahm/reports/47/ahm-issue-14-leveraging-ehealth.pdf>
- [11] Neuhauser L, Kreps GL. Rethinking communication in the E-health era. *Journal of Health Psychology*. 2003; **8**(1):7-23. PMID: 22113897
- [12] Kwankam SY. What e-Health can offer. *Bulletin of the World Health Organization*. 2004;**82**(10):800-802. PMID: 15643805
- [13] Anderer P, Gruber G, Parapatics S, Woertz M, Miazhyńska T, Klosch G, et al. An E-health solution for automatic sleep classification according to Rechtschaffen and Kales: Validation study of the Somnolyzer 24 × 7 utilizing the Siesta database. *Neuropsychobiology*. 2005;**51**(3):115-133. PMID: 15838184
- [14] Elkjaer M, Shuhaibar M, Burisch J, Bailey Y, Scherfig H, Laugesen B, et al. E-health empowers patients with ulcerative colitis: A randomised controlled trial of the web-guided 'Constant-care' approach. *Gut*. 2010;**59**(12):1652-1661. PMID: 21071584
- [15] Ford DV, Jones KH, Verplancke JP, Lyons RA, John G, Brown G, et al. The Sail Databank: Building a national architecture for e-health research and evaluation. *BMC Health Services Research*. 2009;**9**(1):1-12. PMID: 19732426
- [16] European Commission. *eHealth Action Plan 2012–2020*, 2012

- [17] The Office of the National Coordinator for Health Information Technology. Federal Health IT Strategic Plan 2015–2020
- [18] Royal College of Surgeons. Health and Social Care Act 2012. 2012.
- [19] Dominguez-Mayo FJ, Escalona MJ, Mejias M, Aragon G, Garcia-Garcia JA, Torres J, et al. A strategic study about quality characteristics in e-health systems based on a systematic literature review. *The Scientific World Journal*. 2015;**2015**(4):1-11. PMID: 26146656
- [20] Lee MH, Wu HC, Lin JY, Tan TH, Chan PC, Chen YF. Development and evaluation of an E-health system to care for patients with bladder pain syndrome/interstitial cystitis. *International Journal of Urology*. 2014;**21**(SI):62-68. PMID: 24807502
- [21] Thompson HJ, Demiris G, Rue T, Shatil E, Wilamowska K, Zaslavsky O, et al. A Holistic approach to assess older adults' wellness using e-health technologies. *Telemedicine and e-Health*. 2011;**17**(10):794-800. PMID: 22011052
- [22] de Veer A, Peeters JM, Brabers A, Schellevis FG, Rademakers J, Francke AL. Determinants of the intention to use e-Health by community dwelling older people. *BMC Health Services Research*. 2015;**15**(1):103. PMID: 25889884
- [23] Hage E, Roo JP, van Offenbeek M, Boonstra A. Implementation factors and their effect on e-Health service adoption in rural communities: a systematic literature review. *BMC Health Services Research*. 2013;**13**(1):19. PMID: 23311452
- [24] Currie WL, Seddon JJM. A cross-national analysis of eHealth in the European Union: Some policy and research directions. *Information and Management-Amsterdam*. 2014;**51**(6): 783-797. DOI: 10.1016/j.im.2014.04.004
- [25] Fiordelli M, Diviani N, Schulz PJ. Mapping mHealth research: A decade of evolution. *Journal of Medical Internet Research*. 2013;**15**(5):e95. PMID: 23697600
- [26] Kim HE, Jiang XQ, Kim J, Ohno-Machado L. Trends in biomedical informatics: Most cited topics from recent years. *Journal of the American Medical Informatics Association - JAMIA*. 2011;**18**(1):I166-I170. PMID: 22180873
- [27] Chaomei C. Science mapping: A systematic review of the literature. *Journal of Data and Information Science*. 2017;**2**:1-40. DOI: 10.1515/jdis-2017-0006
- [28] Sullivan B. The craft of information visualization: Readings and reflections. *Technical Communication*. 2004;**51**(1): 139-141
- [29] Chen CM. CiteSpace II: Detecting and visualizing emerging trends and transient patterns in scientific literature. *Journal of the China Society for Scientific & Technical Information*. 2006;**57**(3):359-377. DOI: 10.1002/asi.20317
- [30] Tho SW, Yeung YY, Wei R, Chan KW, So WW. A systematic review of remote laboratory work in science education with the support of visualizing its structure through the HistCite and CiteSpace software. *International Journal of Science and Mathematics Education*. 2017;**15**(7): 1217-1236. DOI: 10.1007/s10763-016-9740-z
- [31] Xiao F, Li C, Sun J, Zhang L. Knowledge domain and emerging trends in organic photovoltaic technology: A scientometric review based on CiteSpace analysis. *Frontiers in Chemistry*. 2017;**5**. PMID: 28966923

- [32] Webb TL, Joseph J, Yardley L, Michie S. Using the internet to promote health behavior change: A systematic review and meta-analysis of the impact of theoretical basis, use of behavior change techniques, and mode of delivery on efficacy. *Journal of Medical Internet Research*. 2010;**12**(1): e4. DOI: 10.2196/jmir.1376
- [33] Blobel B, Roger-France F. A systematic approach for analysis and design of secure health information systems. *International Journal of Medical Informatics*. 2001;**62**(1):51-78. PMID: 11340006
- [34] Blobel B. Authorisation and access control for electronic health record systems. *International Journal of Medical Informatics*. 2004;**73**(3): 251-257
- [35] Blobel B, Pharow P. Security and privacy issues of personal health. In: 4th Conference of the International-Council-on-Medical-and-Care-Compunetics; Amsterdam, Netherlands; 2007. pp. 288-297. PMID: 15066555
- [36] Schreier G, Kollmann A, Kramer M, Messmer J, Hochgatterer A, Kastner P. Mobile phone based user interface concept for health data acquisition at home. In: 9th International Conference on Computers Helping People with Special Needs; Paris, France; 2004. pp. 29-36. DOI: 10.1007/978-3-540-27817-7_5
- [37] Schreier G, Eckmann H, Hayn D, Kreiner K, Kastner P, Lovell N. Web versus App—Compliance of patients in a telehealth diabetes management programme using two different technologies. *Journal of Telemedicine and Telecare*. 2012;**18**(8):476-480. PMID: 23209270
- [38] Rodrigues J, Neves P. A survey on IP-based wireless sensor network solutions. *International Journal of Communication Systems*. 2010;**23**(8): 963-981. DOI: 10.1002/dac.1099
- [39] Rodrigues J, Pereira O, Neves P. Biofeedback data visualization for body sensor networks. *Journal of Network and Computer Applications*. 2011;**34**(1): 151-158. DOI: 10.1016/j.jnca.2010.08.005
- [40] Diallo O, Rodrigues J, Sene M, Xia F. Real-time query processing optimisation for wireless sensor networks. *International Journal of Sensor Networks*. 2015;**18**(1–2):49-61. DOI: 10.1016/j.ins.2014.03.081
- [41] Gustafson DH, Hawkins RP, Boberg EW, McTavish F, Owens B, Wise M, et al. CHESS: 10 years of research and development in consumer health informatics for broad populations, including the underserved. *Studies in Health Technology and Informatics*. 2001;**65**(3):169-177. PMID: 12414016
- [42] Eysenbach G. Consort-ehealth: Improving and standardizing evaluation reports of Web-based and mobile health interventions. *Journal of Medical Internet Research*. 2011;**13**(4):e126. PMID: 22209829
- [43] Eysenbach G, Powell J, Kuss O, Sa ER. Empirical studies assessing the quality of health information for consumers on the world wide web: A systematic review. *JAMA: The Journal of the American Medical Association*. 2002;**287**(20):2691-2700. PMID: 12020305
- [44] Eysenbach G, Kohler C. How do consumers search for and appraise health information on the world wide web? Qualitative study using focus groups, usability tests, and in-depth interviews. *British Medical Journal*. 2002;**324**(7337):573-577. PMID: 11884321
- [45] Koch S. Home telehealth: Current state and future trends. *International*

Journal of Medical Informatics. 2006; 75(8):565-576. PMID: 16298545

[46] Hilty DM, Ferrer DC, Parish MB, Johnston B, Callahan EJ, Yellowlees PM. The effectiveness of telemental health: A 2013 review. *Telemedicine and e-Health*. 2013;19(6):444-454. PMID: 16298545

[47] Andreassen HK, Bujnowska-Fedak MM, Chronaki CE, Dumitru RC, Pudule I, Santana S, et al. European citizens' use of E-health services: A study of seven countries. *BMC Public Health*. 2007;7(1):53. PMID: 17425798

[48] Beldad A, de Jong M, Steehouder M. How shall I trust the faceless and the intangible? A literature review on the antecedents of online trust. *Computers in Human Behavior*. 2010;26(5): 857-869. DOI: 10.1016/j.chb.2010.03.013

[49] Delaia CR, Freire IM. Subsidies to a policy information management of Embrapa soil based on regime of information. *Perspectivas em Ciência da Informação*. 2010;15(3):107-130. DOI: 10.1590/S1413-99362010000300007

[50] Berland GK, Elliott MN, Morales LS, Algazy JI, Kravitz RL, Broder MS, et al. Health information on the Internet: Accessibility, quality, and readability in English and Spanish. *JAMA : The Journal of the American Medical Association*. 2001;285(20):2612-2621. PMID: 11368735

[51] Gustafson DH, Hawkins R, Boberg E, Pingree S, Serlin RE, Graziano F, et al. Impact of a patient-centered, computer-based health information/support system. *American Journal of Preventive Medicine*. 1999; 16(1):1-9. PMID: 9894548

[52] Baker L, Wagner TH, Singer S, Bundorf MK. Use of the Internet and e-mail for health care information: Results from a national survey. *JAMA: The*

Journal of the American Medical Association. 2003;289(18):2400-2406. PMID: 12746364

[53] Hillestad R, Bigelow J, Bower A, Girosi F, Meili R, Scoville R, et al. Can electronic medical record systems transform health care? Potential health benefits, savings, and costs. *Health Affairs*. 2005;24(5):1103-1117. PMID: 16162551

[54] Eysenbach G. Medicine 2.0: Social networking, collaboration, participation, apomediation, and openness. *Journal of Medical Internet Research*. 2008;10(3):e22. DOI: 10.2196/jmir.1030

[55] Wantland DJ, Portillo CJ, Holzemer WL, Slaughter R, McGhee EM. The effectiveness of Web-based vs. non-Web-based interventions: A meta-analysis of behavioral change outcomes. *Journal of Medical Internet Research*. 2004;6(4):67-84. PMID: 15631964

[56] Eysenbach G. The law of attrition. *Journal of Medical Internet Research*. 2005;7(1). PMID: 15829473

[57] Lau A, Arguel A, Dennis S, Liaw ST, Coiera E. "Why Didn't it Work?" lessons from a randomized controlled trial of a web-based personally controlled health management system for adults with asthma. *Journal of Medical Internet Research*. 2015;17(12): e283. PMID: 26678294

[58] van Gemert-Pijnen J, Nijland N, van Limburg M, Ossebaard HC, Kelders SM, Eysenbach G, et al. A holistic framework to improve the uptake and impact of eHealth technologies. *Journal of Medical Internet Research*. 2011;13(4):2854-2866. PMID: 22155738

[59] Niyato D, Hossain E, Diamond J. IEEE 802.16/WiMax-based broadband wireless access and its application for

telemedicine/E-health services. *IEEE Wireless Communications*. 2007;**14**(1): 72-83. DOI: 10.1109/MWC.2007.314553

[60] Choi NG, DiNitto DM. The digital divide among low-income homebound older adults: Internet use patterns, eHealth literacy, and attitudes toward computer/internet use. *Journal of Medical Internet Research*. 2013;**15**(5): e93. PMID: 23639979

[61] Mohr DC, Schueller SM, Montague E, Burns MN, Rashidi P. The behavioral intervention technology model: An integrated conceptual and technological framework for eHealth and mHealth interventions. *Journal of Medical Internet Research*. 2014;**16**(6): e146. PMID: 24905070

[62] Fernandez-Cardenosa G, de la Torre-Diez I, Lopez-Coronado M, Rodrigues J. Analysis of cloud-based solutions on EHRs systems in different scenarios. *Journal of Medical Systems*. 2012;**36**(6):3777-3782. PMID: 22492177

[63] Kotwal PA, Singh AR. Evolution and effects of mobile cloud computing, middleware services on cloud, future prospects: A peek into the mobile cloud operating systems. In: 3rd IEEE International Conference on Computational Intelligence and Computing Research (ICCIC); Tamilnadu College of Engineering, Coimbatore, India; 2012. pp. 279-283. DOI: 10.1109/ICCIC.2012.6510270

[64] Shiji C. Survey of approaches to research front detection. *New Technology of Library and Information Service*. 2009;**25**(9):28-33. DOI: 10.11925/infotech.1003-3513.2009.09.05

[65] Chaomei C. The structure and dynamics of co-citation clusters: A multiple-perspective co-citation analysis. *Journal of the Association for Information Science and Technology*.

2010;**61**(7):1386-1409. DOI: 10.1002/asi.21309

[66] McEvoy R, Ballini L, Maltoni S, O'Donnell CA, Mair FS, MacFarlane A. A qualitative systematic review of studies using the normalization process theory to research implementation processes. *Implementation Science*. 2014;**9**(1):2. PMID: 24383661

[67] Morrison D, Wyke S, Agur K, Cameron EJ, Docking RI, MacKenzie AM, et al. Digital asthma self-management interventions: A systematic review. *Journal of Medical Internet Research*. 2014;**16**(2):e51. DOI: 10.2196/jmir.2814

[68] Hendy J, Chrysanthaki T, Barlow J, Knapp M, Rogers A, Sanders C, et al. An organisational analysis of the implementation of telecare and telehealth: The whole systems demonstrator. *BMC Health Services Research*. 2012;**12**(1):403. PMID: 23153014

[69] Lund S, Richardson A, May C. Barriers to advance care planning at the end of life: An explanatory systematic review of implementation studies. *PLoS One*. 2015;**10**(2):e116629. PMID: 25679395

[70] Wade VA, Elliott JA, Hiller JE. Clinician acceptance is the key factor for sustainable telehealth services. *Qualitative Health Research*. 2014; **24**(5):682-694. PMID: 24685708

[71] Kadu MK, Stolee P. Facilitators and barriers of implementing the chronic care model in primary care: A systematic review. *BMC Family Practice*. 2015;**16**(1):12. PMID: 25655401

[72] Tsuji M. Analysis of the long-run effect of e-health intervention on chronic diseases: A DID-PSM approach. In: 17th International Conference on E-health Networking, Application & Services (HealthCom); Boston, MA;

2015. pp. 511-516. DOI: 10.1109/
HealthCom.2015.7454556

[73] Metler TAEM. What is the business model behind e-health? A pattern-based approach to sustainable profit (accepted). In: ECIS 2012 Proceedings; 2012. Available from: <https://aisel.aisnet.org/ecis2012/61>

[74] Leon MC, Nieto-Hipolito JI, Garibaldi-Beltran J, Amaya-Parra G, Luque-Morales P, Magana-Espinoza P, et al. Designing a model of a digital ecosystem for healthcare and wellness using the business model canvas. *Journal of Medical Systems*. 2016;**40**(6):1-9. PMID: 27118010

[75] Andreu-Perez J, Poon CCY, Merrifield RD, Wong STC, Yang G. Big data for health. *IEEE Journal of Biomedical and Health Informatics*. 2015;**19**(4):1193-1208. PMID: 26173222

[76] Grunwell D, Sahama T. Information accountability and health big data analytics: A consent-based model. In: 17th International Conference on E-health Networking, Application & Services (HealthCom); Boston, MA; 2015. pp. 195-199. DOI: 10.1109/HealthCom.2015.7454497

[77] Nachbagauer A, Dorda W, Duftschmid G, Holzer K, Janzek-Hawlat S, Strasser N, et al. Legal framework for secondary use medical data. In: Conference on eHealth—Health Informatics Meets eHealth; Vienna, Austria; 2013. pp. 143-148. PMID: 20461283

[78] Mell P, Grance T. The NIST definition of cloud computing. *National Institute of Standards and Technology*. 2009;**53**(6):50

[79] Hu Y, Bai G. A systematic literature review of cloud computing in ehealth. *Health Informatics-An International Journal (HIIJ)*. November 2014;**3**(4). DOI: 10.5121/hij.2014.3402