We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

A General Systems Approach to Cloud Computing Security Issues

Svetlana Aristova, Yousef Ibrahim Daradkeh and Petr Korolev

Abstract

An intensive stream of messages about the problem of cloud computing security and a significant number of proposals to mitigate and prevent violation of data privacy and the integrity of the cloud computing environment indicate the relevance and significance of the problem. To bring everything into a certain system is the task of this chapter. We use different methodological approaches in order to find such an integrated solution to the combination of these approaches that, on a unified methodological basis, would allow us to look at the whole range of widening issues of ensuring security and the organization of thinking and activity in the near future. This approach allows us to identify additional problems in this area and outline a program for their development. We try to build a system of methodological design and research over the many private methodologies that authors of articles usually use, relying on the experience of generalizing and concretizing system approaches, and, in particular, expanding geographical and historical boundaries, including system generalizations of intercultural studies and philosophical movements. An attempt is made to disassemble the security problem of cloud computing into a certain number of layers, processes, and technologies of thinking, and to reconnect them into a single whole with the character of thinking and activity.

Keywords: cloud security, general systems methodology, audit

1. Introduction

Many scientific articles, many conferences, many projects are aimed at solving the issue of cloud computing security. Questions suited to this have theoretical and practical significance nevertheless, the problems and significance of this issue have not been identified in its acuteness and clear wording. In all likelihood, the problematization process lacks additional emphasis, namely, the emphasis on determining the positional structure of places for which this issue is significant; emphasis on creating an organizational structure and a system of interactions in which this issue would acquire practical significance and organizational certainty; finally, the emphasis on security and cloud computing as objects with which you can operate and technological chain of operations with objects.

The methodological approach in which we intend to pose a problematization, with the inclusion of the three accentuations described above, was developed for

30 years by a group of developers since 1954. In 1984, it had acquired the form of a pattern of thought activity, such as a scheme of organization of thinking and activity. It has its applications in the context of practical activity of the multidisciplinary group [1, 2]. The practice of applying this methodological principle has become an organizational-activity game. The application of this methodology made it possible to organize extensive research and development material in the field of cloud technology security and to reveal the inadequacy of a number of topics.

The material of our research is 368 articles published in the world press over the past 15 years, with rare exceptions when we turn to earlier works (e.g., on membrane calculations, which were reported in Heidelberg at the 1982 symposium) [3]. It is worth noting that in 2005 in Baltimore, Maryland, the 14th Symposium on Security (USENIX Security 2005) took place, in 2009—the 25th Conference on Computer Security Applications (ACSAC 2009); in the same year in Bangalore, India, an international conference on cloud computing took place. With a relatively stable number of conferences devoted to this topic, it is worth noting the surge in interest in this topic in 2012, 2014, and 2016. The topic of cloud computing has been especially updated since 2016. John Wiley & Sons published the Computer Computing Encyclopedia (2016), held the 9th International Conference on Utility and Cloud Computing ACM, 2016; Honolulu hosted the 10th International Conference on Cloud Computing (CLOUD), IEEE, 2017; Workshop on Cloud Computing Security took place in Dallas. Among other things, 31 conferences in Taipei, Taiwan 2017, and the IEEE International Conference on Cloud Engineering (IC2E 2018) were held; the book edited by W Rivera “Sustainable Cloud and Energy Services: Principles and Practice” (Springer International Publishing, Cham, 2018) has wide expansion. The emphasis of research and development is moving toward the development of the computing industry, its applied aspects, such as advanced computing and IT, convergent cognitive IT, Security and privacy (SP), parallel and distributed processing, offensive technologies, Internet of Everything, defined network and network function virtualization, moving target defense, Internet of Things (IoT), and dependable computing (15th European Dependable Computing Conference 2019).

2. Literature review

The topic of cloud computing security has a wealth of development and generalization material. Farnga [4] provides a risk assessment table for the cloud computing environment, introducing three attributes: Probability of Vulnerability (improbable 1, probable 2, occasional 3, frequent 4); Risk Impact (negligible A, marginal B, critical C, fatal D); and Severity Category (low 1A, 2A, 1B; medium 3A, 4A, 2B, 3B, 1C, 2C; high 4B, 3C, 4C, 2D, 3D, 4D). He marks vulnerabilities (Session Riding and Hijacking 4D, Virtual Machine Escape 2D, Reliability and Availability of Service 2C, Insecure Cryptography 3C, Vendor Lock-in, Data Protection and Portability 2C, Internet Dependency 3A) and prescribes protocols to prevent them (Table 1). He also defines threats and marks them: Abuse and Nefarious Use of Cloud services 4A, Insecure Interfaces and APIs 3C, Insider threat 3D, Data Loss and Leakage 2D, Account or Service Hijacking 4B, Unknown Risk profile 3D, and recommends risk mitigation protocols. Operational risks (4D) are the following: implementing too quickly, integration issues, moving the wrong data or applications to the cloud, compliance, and cost implications.

In addition to such purely practical manuals, literature is replete with a variety of areas of research and development in the field of cloud computing. Here are some of them. Wazid et al. [5] view fog computing as an add-on for cloud computing,

Protocol	Description
AC-2	Account management
AC-5	Separation of duties
AC-6	Least privilege
AC-10	Concurrent session control
AC-11	Session lock
AT-2	Security awareness
SC-13	Cryptographic protection
SC-23	Session authenticity
SC-24	Fail in known state
SC-27	Operating system— independent applications
SC-28	Protection of information at rest
SI-3	Malicious code protection
SI-4	Information system monitoring
SI-7	Software, firmware, and information integrity
SI-13	Predictable failure prevention
SI-14	Nonpersistence
SI-15	Development process, standards and tools
CM-2	Baseline configuration
CM-6	Configuration setting
CM-7	Least functionality
CA-7	Continuous monitoring
CA-8	Penetration testing
CP-11	Alternate communications protocols
PM-12	Insider threat program
AR-4	Privacy monitoring and auditing
DM-2	Data retention and disposal
AU-12	Audit generation
Source: Farniga [4].	

Table 1.
Risk mitigation tools.

which is why fog computing inherits all of the security and privacy issues inherent in cloud computing. They report that they have developed a new key management and user authentication security scheme, named by them as SAKA-FC. The development is based on the well-known Real-Or-Random (ROR) model and the Automated Validation of Internet Security Protocols and Applications (AVISPA) tool. The scheme finds its effectiveness for its use in smart devices with a one-way cryptographic hash function. Guan et al. [6] discuss issues related to data security protection of personal data in fog computing. Fog computing, as an intermediary layer between the cloud and the end user, according to the authors, is precisely the solution to the problems of cloud computing security. This chapter discusses the design of a solution to ensure data security and privacy in fog computing. It is

reported that simply transferring the protection techniques used in the cloud to the fog does not produce the desired effect. Alamer et al. [7] explore the safety of road traffic systems (CVCC) by modeling a network of cloud-based moving mechanisms in the form of a two-phase heterogeneous public good game (HPGG Model). This development helps develop security solutions for communications such as vehicle-to-vehicle and vehicle-to-infrastructure, as well as the ability to integrate smart devices and various CVCC applications. Sharma et al. [8] considers that the best solution to protect the cloud from attacks is to use intrusion detection systems (IDS) in combination with different detection techniques. The chapter presents various architectures based on the cloud IDS, which are embedded cloud environments to address various security issues. Fadi and Hemayed [9] provide a literature review of the proven clouds that are used in infrastructure as a service contracts. The authors argue that the integration of the new technology, which is trust computing, with cloud computing can be provided by the proposed architectural solutions of the infrastructure as a service and on the grounds on which user trust in cloud service providers arises. Remote certification and a trusted virtual domain are important security considerations for cloud computing. A security model based on the separation of the security domain was proposed by Xu and Zheng [10] for telecommunication services. Security measures cover the storage, processing, and transmission of data in the cloud. Instead of traditional computational models of cryptographic protection, Maharajan and Paramasivan [11] offer molecular protocol (DNA) membrane computing protocol. Qui and Kung [12] as invited editors provide a clear overview of 14 articles on the topic of cloud computing security. They were selected from 57 proposed articles. The urgent need for the development of techniques and tools for cybersecurity of clouds is noted. Among the authors of the articles are noted groups Ali, Zhang, Lee, Li; Fowley, Chen, Islam, and Sha; Chi, Luna, Awad, Cafaro, Zhang, and Xu are well known in the professional community. The various cybersecurity techniques and tools described by these research and development teams are described. Xu et al. [13] analyze the relationship between openness and cloud security by addressing the results of this analysis (quantitative methods and qualitative analysis of investments in security and openness) to cloud computing providers to adopt an optimal investment strategy for openness and security. Sajai et al. [14] offer a hybrid technology of cryptographic data protection in the cloud, combining homographic and blowfish algorithms. Wei et al. [15] noted that, according to data released by the Cloud Security Alliance (CSA) and the Institute of Electrical and Electronics Engineers (IEEE), there has been an increasing involvement of cloud computing for manufacturing purposes. The authors draw attention to the complex nature of the cloud system, introduce indicators for evaluating the cloud computing system, and propose a rule of believe (BRB)-based model for predicting the safe state of the cloud. This model combines a system of expert assessments and long-term data analysis and has three levels focused on the safety of equipment, software, and services. Bhandari and Zheng [16] describe 12 cloud security threats, such as data breach, insufficient identity, credential and access management, insecure interface and APIs, system vulnerabilities, account hijacking, malicious insiders, advance persistent threats, data loss, insufficient due diligence, abuse and nefarious use of cloud services, denial of services, and shared technologies issues. Donno et al. [17] analyze the situation in which every “thing” is connected to the Internet. From the point of view of security, the technological revolution brings with it many dramatic moments. The authors offer a comprehensive overview of cloud computing security issues in the Internet of Things era. The bibliography for the article has 149 sources. Matheus and Vieira [18] at the student forum of the 15th European Dependable Computing Conference (EDCC 2019) presented a four-step sequential change model for a cloud architecture model,

extending the availability and security model to a holistic cloud presentation model and security assessment using Moving Target Defense.

This diversity is striking in its diversity and, in order to deal with the fundamental, essential side of the problem, the proposed methodologies are of little use due to their inconsistency. But the first layer of ideas is nevertheless lined with them. So, we have a certain field of practice and a subject built on it, which combines problems and tasks, knowledge, models and experiments, languages and methods. For the purpose of generalizing and translating this design into a megamachine's plan, it is worth building a block of private methodologies, as well as blocks of methodological design, research, and auto-reflection. So, in relation to the world of things covered by the new digital context, the following can be said. (1) The Internet of things, this new era in the sociocultural development of mankind, requires a certain environment in which each thing has its digital counterpart. A new layer of material organization is taking shape when, by referring a digital double to a thing, the latter reveals itself not only in the localities, but also in new qualities, in new directions of its use. (2) This environment, being distributed everywhere, resembles a certain smart layer covering the entire terrestrial space of things, it contains the systemic representation of a thing in its dynamics, the totality of all kinds of actions with a thing. (3) Speaking of the world of things, we include their interacting and developing aggregates in it, we expand the world of things to the world of activity, with the help of which things are not only created and consumed, but also undergo the influence of constructive thought. In this sense, we can talk about the world of thought activity. Ideal objects of scientific substantive thinking, cult rituals, customs of communication and polemics—all these—form this intelligent world of activity. (4) In a sense, the Internet of things with its infrastructure and cloud computing platforms should be considered one of the forms of such a world of thought activity. (5) An industrial structure is taking shape in which a thing is made with its digital counterpart. This makes the thing more convenient and at the first stage more expensive. Issues of owning a thing, transferring it by inheritance, its commercial use, that is, giving a thing a certain active beginning, can also have their object form and their digital counterpart. (6) Customs, ethics of relationships, trust, and control are things in our world. How will they evolve with the development of the digital era? What customs need rethinking? Is it always necessary to duplicate the predominantly conflict-free world of things in the world of cloud computing? Is activity based on principles other than the order of the real world? Data in our world, everywhere is gaining special significance, both in business and in the social environment. He pointed out that only 17% of companies make data-driven decisions. By 2025, the global data volume will grow 10 times and reach 163 Zettabytes (one Zettabyte contains 10 to the 21st power of bytes), and most of these data will be generated by enterprises, not consumers. Sixty percent of the world's data will be created by business organizations. Almost 20% of all data in the global infosphere will play a critical role in everyday life, and about 10% will be "supercritical." Almost 90% of all data will require a certain level of security, but only half of them will be really protected. The growth of big data and metadata will lead to the fact that by 2025 each average inhabitant of the Earth will begin to interact with devices connected to networks about 4800 times a day, according to one interaction procedure every 18 seconds. The share of the global information sphere under analysis will increase by 50 times compared to the current one, reaching 5.2 ZB; and the amount of data analyzed with the participation of cognitive systems will grow 100 times, amounting to 1.4 ZB. Almost 20% of the data generated will be real-time information, with more than 95% of the data coming from IoT devices [19]. These estimations mean that the problem of security of calculating and computing media will remain actual one.

3. Methodologies

The data used in this study is taken from open sources. The methodologies used by researchers can be expanded to private system-structural methodologies of management, sciences, engineering, and production. We are trying to look at the situation associated with the use of cloud computing from a wider angle by introducing another add-on—the general methodological system-structural design and prospecting ([1], p. 103). You can implement several plans: (1) look through all the literature and write an attitude toward it, making some kind of system generalizations and arrangements; (2) write independently of the literature your understanding of the situation and construct a certain field for assembling sources and identifying niches for their subsequent filling; (3) and design the futures.

When we retrospect to the past studies on this issue, we focus on the following passage from G. Schedrovitsky's paper of 1981, titled "Principles and general plan of the methodological organization of the systems and structures studies and elaborations" ([1], pp. 88-114). He wrote: We distinguish eight projects in which the system principle is developing.

This is a project for the development of specific sciences and areas of engineering and practice due to systemic representations, concepts, and methods of analysis [20–22]; three projects of the "general theory of systems," similar to the natural science theories, such as physics, chemistry, biology [23–31], similar to traditional mathematics such as geometry and algebra or Shannon information theory [22, 32–37], according to the type of metamathematics in the sense of Hilbert and Klinn [38, 39], a practical methodology or methodology of the type of disciplines such as the study of operations, decision analysis [40–42], an engineering methodology such as systems engineering of Good and Mackoll [43–47], the so-called system philosophy [48] and system-structural methodology as a division of the general methodology [49–58].

The first seven proposals have a historical prototype already implemented on another material. This is their forte. At the same time, in our opinion, this raises major objections. When each of the participants in the systemic movement offers his own professional solution to systemic problems, he acts as an agent of the already existing and functioning sphere of thinking and activity—science, engineering, mathematics, philosophy, etc. He has formed as a "system engineer" inside of the sphere, and by virtue of this, he is always connected and limited to that particular cultural and historical situation in which he understood the meaning and importance of systemic problems and tasks. Consequently, in the final analysis, he always only develops, due to systemic means and methods, the professional organization of his initial thought activity. However, it is well known (and can even be considered universally recognized) that the systemic movement has developed and is developing as an interdisciplinary and interprofessional formation. This means that it must form and create an organization that goes beyond the scope of each individual scientific discipline and each individual profession. Consequently, the system movement in its formation and development should take into account the contemporary sociocultural situation as a whole, and proceed from an extremely wide understanding of the possibilities and prospects of its development.

In our opinion, in the current sociocultural situation, at least eight points that have the most direct connection with the systemic movement can be distinguished.

The first of these is the process of an ever-deepening differentiation of sciences and professions. Progressive in the eighteenth and nineteenth centuries, it has now led to the design of a mass of isolated sciences, *S* and *PM* (see **Figure 1**), each of which develops almost independently of the others. These subjects now not only organize but also limit the thinking of researchers. Receptions and ways of thinking,

and with all acuteness ran into the problem of the ratio of natural and artificial in the objects of our activity [45, 51]. None of these problems has been resolved within the framework of traditional sciences.

The seventh point is an increase in the importance and role of organizational and managerial activity in our entire social life. Its effectiveness depends primarily on scientific support. However, traditional sciences do not provide the knowledge necessary for this activity; this is primarily due to the complex, synthetic, or, as they say, complex, the nature of this activity and the analytical, or “abstract,” nature of traditional scientific disciplines.

The eighth point (also especially important) is the appearance of a new type of science, which could roughly be called “complex sciences.” These include the sciences serving pedagogy, design, military affairs, management, etc. Now these complex types of practices are served by chaotic agglomerations of knowledge from various scientific disciplines. But the complexity and versatility of this practice, its orientation at the same time both on normative, artificial, and on implementation, natural plans of activity require a theoretical unification and theoretical systematization of artificial and natural knowledge, which cannot be achieved.

Contemporary situation in general systems theory looks like the same described by G. Schedrovitsky in 1981 ([1], pp. 88-114). Some additions to this domain make it more clear. An article in Wikipedia [59] pays attention to the point that systems theory is the interdisciplinary study of systems. “The goals of systems theory are to model a system’s dynamics, constraints, conditions, and to elucidate principles (such as purpose, measure, methods, tools) that can be discerned and applied to other systems at every level of nesting, and in wide range of fields for achieving optimized equifinality.”

Dubrovsky ([60], p. 20) makes endeavor to reinterpret the system approach of G. Schedrovitsky. Zilberman [61] identifies six types of cultural traditions. The Vedanta scheme characterizes the Indian type of tradition (methodological thinking as actually “understanding”), the mimansa scheme is the Tibetan type (conceptual or “substantive” thinking), and the Vaisheshika scheme is the new European type “imaginative,” axiological, or historical thinking. Further, the nyaya scheme characterizes the Hellenic type of tradition (organizational, axiomatic, mathematical-theoretical, formal-logical thinking), the Sankhya scheme—the Chinese type (“projective,” “preformative,” praxeological thinking), the yoga scheme—the Japanese type (phenomenological, or existential thinking). All these complex calculations, however, are necessary for Zilberman to label or draw another universal picture of world cultures and civilizations, in the manner of Spengler or Toynbee. Here, rather, a method of intercultural interaction is proposed, with the help of which one can describe any system of culture and at the same time not fall into naturocentrism. By modifying the types of philosophical systems, Zilberman focuses on the ideal of complete modalization of all philosophies so that a “sum of philosophy” arises and the true history of this discipline begins. The thread of modal methodology lies in the fact that for the first time it consciously and intentionally refers not to versions of “reality” as unconditionally natural and therefore problematic for consciousness, but to typological thoughts that it improves. In this sense, the modal methodology plays the role of *Philosophia Universalis* [61].

4. Results and discussion

4.1 Preliminary data

From our point of view, the specific organizations that solve these problems are the organizations of methodological thinking and methodological work, which

should not be identified either with the philosophical proper or with the scientific forms of organization of thinking and activity.

The methodology takes into account the differences and the multiplicity of different positions of the figure in relation to the object; hence, work with different ideas about the same object, including different professional ideas, in this case, knowledge itself and the fact of their multiplicity, are considered as an objective moment in the research situation.

Figure 1 depicts four squares, we will call them diagonal (a), triagonal (b), quadrogonal (c), and hexagonal (d) images; they depict a form of research organization of a certain set of practices E_k . By practices, we mean the entire existing set of activities related to the use of cloud computing, as well as ensuring the security of the use of the cloud. These practices are described within the framework of the S_k description languages that cover them. Note that these languages are different, and translation from one language to another is hardly possible. Means and methods, as well as a description of problem areas and their resolution tasks, are provided by a layer of partial applied methodologies (in the figure they are designated as PM_k). The triagonal image (b) defines the organizational form of the structure of the simplest scientific subject.

In special logical and methodological studies (see, in particular, [62]; pp. 106-190), it was established that in every scientific subject there are at least nine different epistemological units: (1) problems, (2) tasks, (3) “observable facts,” (4) “experimental data,” (5) the totality of the general knowledge that is built in this scientific subject, (6) ontological schemes and pictures, (7) models, (8) tools (languages, concepts, categories), and (9) methods and techniques. This is a set of basic blocks of a scientific subject.

Our task is to find a solution to the problem of ensuring the security of cloud computing in some unified system language. To this end, we turn to the quadrogonal image, introducing another layer—the general system-structural methodology (in the figure, it is indicated by the letters GM). As part of this add-in, work is underway to design and prospect the system area including as a part PM_k , S_k , and E_k . To the extent that the diagonal image is not complete, the same tetragonal image is also not complete. Let us explain how this layer is built. Following the “Principles and basic schemes of organizing systemic structural studies” ([1], pp. 88-114), we turn to the hexagonal image. It adds two more add-ons, which we marked with the letters R and A, methodological reflection, or auto-reflection (metamethodological area) and audit (the type of methodological research by which the layers of practice, descriptions, applied and general methodology are added and adjusted). The problem areas identified in the layer of private methodologies are also accompanied by a general description that includes, in addition to the technical, engineering, and managerial contexts (determined by the practitioners of experiences), a certain general sociocultural context. This is generated by audits at all levels of the methodological organization, from specific practices to the organization of the design and futures of partial methodologies.

We used the kinematic scheme [60] for organizing methodological work in the field of cloud computing security. The kinematics of the scheme lies in the fact that it combines several methodological schemes, both early in appearance and subsequent ones. The scheme by which David Zilberman tries to build a modal methodology as a sum of methodologies (1973) is supplemented by a scheme of thought activity (1980) ([1], pp. 281-298), a scheme of organizing a system-structural methodology (1981) ([1], pp. 88-114), and scheme (2016) that we use when working on the theme of Observation and Audit of the Processes in Experiences with Uncertainty [63] and the scheme (2000) when we were working on the topic of Reflexive Control [64]. We also used our ideas about the inclusion of thinking technologies, such as problematization, objectification, self-determination, and

schematization, in this kinematic scheme, which has an enneadic form. Study of the material allows us to focus on the action plan: Step 1—an idea of organization as a platform for the formation of a space of thinking and activity; the formation of platforms and specific phrases of the principles of organization of activity and ontological pictures and vision through them. There we use techniques presented in [34]. Step 2—the process of self-determination and schematization. The layer of thought activity, its formation and occupation, determination of the order of possible interactions, and communications, as well as reflective exit (mutation). The status of the scheme as the basis for determining the understanding of the texts of communication and capturing the meanings that the text carries on itself. Step 3—from positioning and sketching to objectification. Object as a result of the integration of self-determination, problematization, and schematization. An object as it is and a tool for the deployment of an organizational-activity plan. Step 4—from positioning and schematization through retrospection to problematization. Complex reflective transitions. Problematization is included in the text of thought-communication and serves as a basis for developing a picture of the world, the foundations of existence and individuation. Step 5—inverse processes. The impact of problematization on positioning and re-determination, the movement of a positional structure; the impact of problematization on the schematization and construction of tools that capture a thought from a communication text. Step 6—inverse processes. The impact of objectification on positioning and re-determination, the movement of a positional structure; the impact of objectification on the schematization and construction of tools that capture the idea from the text of communication. Step 7—integral view from the modus of the absolute. Relativity of the absolute, translation of culture and reproduction of activity. Norms and as the ultimate types of absolute and as moments that determine the principles of organization of activity and ontological design, respectively. Step 8—a bridge between self-determination in a positional structure (collective) and objectification and individuation.

If the substantive content is constantly kept in mind, and it is with it that we are obliged to constantly touch and shape it, then it is worth using different techniques.

If time is a decisive factor, then there is a middle ground between security and the speed of the cloud's response to a user's request. In other words, protection has its reasonable limit. And so that the attacker does not violate the integrity of the cloud, its normal functioning, a special kind of work is required with a potential client of this kind. Forcing, for example, to write complex programs for passing defense mechanisms, so that these codes can be used in crypto technologies.

4.2 Limitations

We limited ourselves to a fragment of an array of publications on the topic of cloud computing and ensuring their security. We did not conduct constructive criticism sufficient to decompose these texts into elements, units of a new assembly. The mention of a certain set of points that the authors of the articles draw attention to serves to approach the problem from different angles. This study is intended for practitioners who could better articulate their requirements for ordering a comprehensive methodological study.

We limited ourselves to take in account those works that will be made at Moscow Methodological Circle [34] concerning the systems and methodology [1].

5. Conclusions

An approach we have developed allows us to identify additional problems in this area and outline a program for their development. We try to build a system of

methodological design and research over the many private methodologies that authors of articles usually use, relying on the experience of generalizing and concretizing system approaches, and, in particular, expanding geographical and historical boundaries, including system generalizations of intercultural studies and philosophical movements. An attempt is made to disassemble the security problem of cloud computing into a certain number of layers, processes, and technologies of thinking, and to reconnect them into a single whole with the character of thinking and activity.

The application of the methodological schemes of the general methodology allows us to transfer the body of texts of publications devoted to the security of cloud computing from the category of research and engineering to the category of practical, which would help to solve the problem of the relationship of openness of cloud environments and their protection from external and internal threats. We are strengthening the psychological thinking that underlies the agreement between the cloud computing provider and cloud users, design and research thinking based on substantive genetic logic. Its difference from formal logic is that its starting point is the situation that develops as a result of the functioning and development of a certain system of activity, in this case, the use of computing technologies in the cloud, the organization of this industry, and the provision of a normal functioning mode.

The expansion of the Internet of things with the inclusion of neuro prostheses [65] and nano mechanisms in this circle will give the methodological organization of security research a new meaning and additional significance. The transfer of the global economy (both at the planetary and local levels) to new platforms based on the inclusion of digital technologies in them will mean the isolation of the field of computing and the formation on the basis of cloudy and foggy computing of a sphere that needs proper immunity and its maintenance. The program idea of Society 5.0 will also require additional rethinking of the existing practice of protecting cloud computing from harmful influences

In our opinion, a systematic approach exists only as a unit and a particular organization of the approach “and the corresponding organization of thinking and activity” appear in the representatives of special sciences only because they borrow the means, methods and ontology of methodological methodology and methodological approach. The goal to combine several different objects could be achieved only by using the means and norms of methodology. The expression “system work,” therefore, only describes the structure of methodological work and methodology; thus, we can approach the issue of the specifics of the system approach. If we choose a description in the theory of thinking, we will determine the specifics of systemic thinking. But a system approach can also be described in the means of the theory of activity, and then its specificity will be expressed and fixed differently. Thus, here too we must take into account the moment of multiplicity of possible representations. We have presented a figure in which we have reflected the principles of the methodological approach (**Figure 1(d)**), in which we tried to visualize methodological machine for creating the environment of successful decision of the Cloud Computing Security problems, listed in Section 2, “Literature review.”

Conflict of interests

Authors have no conflict of their interests.

IntechOpen

Author details

Svetlana Aristova¹, Yousef Ibrahim Daradkeh² and Petr Korolev^{3*}

1 Lesinvest Co, Perm, Russian Federation

2 Department of Computer Engineering and Networks, Prince Sattam Bin Abdulaziz University, KSA

3 Studia Korolevae Int, Udmurt State University at Kudymkar, Perm, Russia

*Address all correspondence to: korolev@studiakorolevae.com

IntechOpen

© 2020 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

References

- [1] Shchedrovitsky GP. Selected Works. Moscow: School of Cultural Politics; 1995. 800 p
- [2] Trends in General Systems Theory. NY; 1972
- [3] Dezani-Ciancaglini M, Montanari U. International symposium on programming. In: Proceedings of the 5th Colloquium (Turin, April 6–8, 1982). Berlin/Heidelberg: Springer; 1982
- [4] Farnag M. Cloud Security Architecture and Implementation. A Practical Approach. Submitted to Prof Friedman. Towson University—Graduate School; 2018. p. 27
- [5] Mohammad W, Das AK, Kumar N, Vasidakos AV. Design of secure key management and user identification scheme for fog computing services. *Future Generation Computer Systems*. 2019;**91**:475-492. DOI: 10.1016/j.future.2018.09.017x
- [6] Guan Y, Shao J, Wei G, Xie M. Data security and privacy in fog computing. *IEEE Network*. 2018;**32**(5):106-111. DOI: 10.1109/MNET.2018.1700250
- [7] Abdulrahman A, Deng Y, Wei G, Lin X. Collaborative security in vehicular cloud computing: A game theoretic view. *IEEE Network*. 2018;**32**(3):72-77. DOI: 10.1109/MNET.2018.1700329
- [8] Pinki S, Sengupta J, Suri PK. Survey of intrusion detection techniques and architectures in cloud computing. *International Journal of High Performance Computing and Networking*. 2019;**13**:2. Online publication date: 22 January 2019
- [9] Ibrahim FAM, Hemayed EE. Trusted cloud computing architectures for infrastructure as a service: Survey and systematic literature review. *Computers & Security*. 2018;**82**:196-226
- [10] Xu HJ, Zheng X. Security mechanism of dynamic and differentiated protection for telecommunications services based on cloud computing. *International Journal of Security and Networks*. 2018;**13**:4. Online publication date: 31 August 2018
- [11] Maharajan K, Paramasivan B. Membrane computing inspired protocol to enhance security in cloud network. *The Journal of Supercomputing*. 2019;**75**(4):2181-2192. DOI: 10.1007/s11227-018-2629-6
- [12] Meikang Q, Kung S-Y. Guest editor's introduction to the special issue on security and privacy on clouds. *IEEE Transactions on Cloud Computing*. 2018;**6**(2):301-302. DOI: 10.1109/TCC.2018.2790672
- [13] Xu J, Liang C, Jain HK, Gu D. Openness and security in cloud computing services: assessment methods and investment strategies analysis. *IEEE Access*. 2019;**7**:29038-29050. DOI: 10.1109/ACCESS.2019.2900889
- [14] Sajay KR, Babu SS, Vijayalakshmi Y. Enhancing the security of cloud data using hybrid encryption algorithm. *Journal of Ambient Intelligence and Humanized Computing*. 2019:1-10. DOI: 10.1007/s12652-019-01403-1
- [15] Hang W, Hu G-Y, Han X, Qiao P, Zhou Z, Feng Z-C, et al. A new BRB Model for cloud security-state prediction based on the large-scale monitoring data. *IEEE Access*. 2017;**6**:11907-11920. DOI: 10.1109/ACCESS.2017.2779599
- [16] Babin B, Zheng J. A Preliminary Study On Emerging Cloud Computing Security Challenges. *ACM*; 2018. DOI: 10.1145/1235
- [17] De DM, Giaretta A, Dragoni N, Bucchiarone A. Cyber-Storms come

from Clouds: Security of Cloud Computing in the IoT Era. Future Internet. 2019;**11**:127. DOI: 10.3390/fi11060127

[18] Matheus T, Vieira M. Towards Models for Availability and Security Evaluation of Cloud computing with Moving Target Defence. Submitted on 3 September 2019 arXiv:1909.01392

[19] Pustovoi T. Recommendation systems of university 20.35 [Internet]. 2019. Available from: https://ntinews/blog/inside_outside/taras-pustovoy [Accessed: 27 November 2019]

[20] Gvishiani DM. Organization and Management. A Sociological Analysis of Western Theories. Moscow: Progress Publishers; 1972. 461 p

[21] Bogdanov A. General Organizational Science (Technology). Vols. 1 -3. 3rd ed. Moscow/Berlin; 1925/1929. [In Russian]

[22] Zadeh L, Desoer CA. Linear Systems Theory, the State Space Approach. New York: McGraw-Hill; 1963. 628 p

[23] Sadovsky VN. Foundations of General Systems Theory. Moscow: Nauka Publishers; 1974. 279 p. [In Russian]

[24] Mesarovic MD, Macko D, Takahara X. Theory of Hierarchical Multilevel Systems. New York/London: Academic Press; 1970. 294 p

[25] Uemov AI. Methods of construction and development of the general systems theory. In: Systems Research, Yearbook. Moscow: Nauka Publishers; 1971. pp. 146-178. [In Russian]

[26] Uemov AI. Systems Approach and General Systems Theory. Moscow: Mysl Publishers; 1978. 241 p. [In Russian]

[27] Views on General Systems Theory. New York: Wiley; 1964. 178 p

[28] Gnedenko BV et al. Large Systems: Theory, Methodology, Modelling. Moscow: Nauka Publishers; 1971. 289 p

[29] Engineering: Principles and Practice of Computer-based Systems Engineering. Chichester. John Wiley & Sons. ISBN: 0-471-93552-2

[30] von Neumann J. Probabilistic Logics and the Synthesis of Reliable Organisms from Unreliable Components. Automata Studies. 1956;**34**:43-98

[31] Herbert SA. The Sciences of the Artificial. Vol. 136. 3rd ed. The MIT Press; 1996

[32] Kallmann R, Falb PL, Arbib MA. Topics in Mathematical Systems Theory. New York: McGraw-Hill; 1969. p. 17

[33] Tabatchnikova S. Le Cercle de methodologique de Moscou (1954–1989): Unepensee, une pratique. Paris: Ecole des Hautes Etudes en Sciences Sociales; 2007. 332 p

[34] Klir GJ. Trends in General Systems Theory. New York: Wiley-Interscience; 1972. 462 p

[35] Warren W. Science and complexity. The American Scientist. 1948:536-544

[36] Steven W. A New Kind of Science. Wolfram Media; 2002

[37] Lofti Z. From circuit theory to system theory. Proceedings of the IRE. 1962;**50**(5):856-865

[38] Sadovsky VN. Some key problems in development of general systems theory. In: Systems Studies, Yearbook, 1971. Moscow: Nauka Publishers; 1972. pp. 35-54. [In Russian]

[39] Quade ES. Systems Analysis and Policy Planning. New York: Elsevier; 1968. 453 p

- [40] Optner SL. Systems Analysis for Business and Problem Solving. New Jersey: Englewood Cliffs; 1965. 116 p
- [41] Johnson F, Kast RF, Rosenzweig J. The Theory and Management of Systems. 2nd ed. New York/St. Louis/London/Sydney: McGraw-Hill Book Co; 1971
- [42] Goode HH, Mackol RE. Systems Engineering. An introduction to the design of large-scale systems. In: Control Systems Engineering. New York: McGraw-Hill; 1962. 551 p
- [43] Nikolayev VV. State-of-the-art and some problems of development of systems engineering. In: Methodological Problems of Systems Engineering. Leningrad: Sudostroyeniye Publishers; 1970. pp. 3-38. [In Russian]
- [44] Simon H. The Sciences of the Artificial. Cambridge: MIT Press; 1969
- [45] Laszlo E. Introduction to Systems Philosophy: Toward a New Paradigm of Contemporary Thought. New York: Gordon & Breach; 1972. 328 p
- [46] Herbert SA. The architecture of complexity. Proceedings of the American Philosophical Society. 1962;106
- [47] René T. Structural Stability and Morphogenesis: An Outline of a General Theory of Models. Massachusetts: Reading; 1972
- [48] Schedrovitsky GP. Problems of Systems Methodology. Moscow: Znanije Publishers; 1964. 56 p. [In Russian]
- [49] Schedrovitsky GP. On the characteristic of most abstract directions in methodology of systems—Structural studies. In: Problems of Research into Systems and Structures. Moscow: USSR Academy of Sciences; 1965. pp. 15-23. [In Russian]
- [50] Schedrovitsky GP, Yudin EG, Lefebvre VA. The ‘natural’ and the ‘artificial’ in semiotic systems. In: Semiotics and Oriental Languages. Moscow: Nauka Publishers; 1967. pp. 48-56. [In Russian]
- [51] Schedrovitsky GP. Methodological meaning of linguistic universals. In: Linguistic Universals and Linguistic Typology. Moscow: Nauka Publishers; 1969. pp. 46-98. [In Russian]
- [52] Spirkin AG, Sazonov BV. Reflection on methodological problems of research into structures and systems. Voproye Filosofiji. 1964;1:15-47. [In Russian]
- [53] Dubrovsky VY, Shchedrovitsky LP. System Approach to Human Factors Engineering. Moscow: University Press; 1971
- [54] Guschin YF, Dubrovsky VY, Schedrovitsky LP. On the concept of systems design. In: Large Information Control Systems. Moscow: Moscow House of Scientific and Technological Education; 1969. 82 p. [In Russian]
- [55] Kuzmin VP. Systems Principle in Theory and Methodology of Karl Marx. Moscow: Politizdat Publishers; 1976. 261 p. [In Russian]
- [56] Development and Implementation of CAD (Theory and Methodology). Moscow: Stroyizdat Publishers; 1975. 527 p. [In Russian]
- [57] von Bertalanffy L. Modern Theories of Development: An Introduction to Theoretical Biology. New York: Oxford University Press; 1933
- [58] von Bertalanffy L. General System Theory: Foundations, Development, Applications. New York: George Braziller Inc; 1968
- [59] System Theory [Internet]. Available from: <http://en.wikipedia.org/windex>.

php?title=Systems_theory&oldid=935325354 [Accessed: 06 March 2020]

[60] Dubrovsky VY. Three System Paradigms (Plato, Aristotle, Schedrovitsky). Kudymkar: Studia Korolevae Int; 2020. [In Russian]

[61] Zilberman DB. Genesis of Meaning in Hindu Philosophy. Moscow: Editorial URSS; 1998. p. 448. [In Russian]

[62] Ackoff RL. A Concept of Corporate Planning. New York: Wiley-Interscience; 1970. 158 p

[63] Daradkeh YI, Aristova SM, Korolev PM. Observation and Audit of the Processes in Experiences with Uncertainty. Journal of Computer Engineering & Information Technology. 2016;5:4. DOI: 10.4172/2324-9307.1000163

[64] Aristova S, Korolev P. Knowledge-information transformation: Reflexive games on human language. In: Proceedings of International Symposium on Reflexive Control; 17-19 October 2000; Moscow. Moscow: RAS Institute on Psychology; 2000. pp. 61-62. [In Russian]

[65] George Braziller Inc. General System theory: Foundations, Development, Applications. Revised edition 1976. New York: George Braziller Inc. 1968. ISBN: 0-8076-0453-4