We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

6,300

Open access books available

172,000

International authors and editors

190M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities

WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com

Active-Alert Hypnosis to Achieve Personal, Professional, and Therapeutic Goals

Arnoldo Téllez, Arturo Valdez and Teresa Sánchez-Jáuregui

Abstract

Hypnosis does not always require suggestions of relaxation in order to enter into this state. It can also be induced through suggestions of activation and cognitive alertness. This procedure and the hypnotic state caused by it has been called active-alert hypnosis (AAH). In this chapter, we describe a strategy to increase the probability to achieve goals using an AAH technique in which we ask the patient to move his arms in an alternate way, while imagining that he has a pair of dumbbells of several kilograms in each hand, in order to produce a hypnotic age progression phenomenon, in which the patient is oriented to a positive future and mobilizing hope, and could see himself achieving his goals, creating “memories of the future.” We report several clinical cases in which this hypnotic strategy was used.

Keywords: active-alert hypnosis, goals achievement, age progression, prospective memory

1. Just a little background on hypnosis and hypnotherapy

Over time, hypnosis has been defined in various ways. In its early stages, it was associated with supernatural states. The current official definition, according to the American Psychological Association, is “a state of consciousness, involving a focused attention and reduced peripheral awareness, characterized by an enhanced capacity for response to suggestions” [1]. Unestahl [2] defines hypnosis as “an alternative state of consciousness, where information can bypass the logical mind and bring about changes in suggestibility and perception and in which there are alternative control systems available.” Taking both definitions into account, we propose the following definition that describes this state of consciousness more broadly:

Hypnosis is a state of intense and focused attention that leads us to a special state of consciousness, in which previously learned experiences can be evoked in an involuntary way. This state is characterized by an increase in suggestibility and the ability to modify the perception, memory, and functioning of the autonomic nervous system [3].

In the past, it was also common knowledge that hypnosis implies a relaxation, or a sleep-like state, in which the hypnotized person loses his/her consciousness temporarily, being completely under the hypnotist’s control. Now, however, it is known

that hypnosis is a natural state that tends to occur periodically several times a day, approximately every 90 min in human beings, as one of many psychobiological ultradian rhythms [4] during which the person is in total control of his/her will [5].

According to our definition of hypnosis, we can say that this state is not limited to a relaxed state but any state of focused attention that switches our mind to a more creative mode, helping us to find solutions for specific problems or seeing things from a different perspective, enhancing the capacity to access unconscious memories and perceptions and to reframe them, and facilitating processes of dissociation.

2. Active-alert hypnosis: a path to our goals

In her 1973 doctoral dissertation, Eva Banyai explained her study about the effects of hypnosis in verbal learning that involved 24 patients. She stated that the majority of subjects achieved a classic hypnotic state (a relaxed, passive state), but four of them exhibited a different state:

... four subjects exhibited a different behavior: They were in an even “more active” state than the waking ones. They followed the instructions of the experimenter immediately, while their fast movements, lively facial expressions, loud voices, and their fast speech were in sharp contrast with the passive behavior of the average subjects. It was as if they had been released from some kind of pressure, their behavior reflected childlike playfulness [6].

That unexpected finding suggested that hypnosis is not only a relaxed state, but is also a wide spectrum of “altered” conscious states that can be subjectively experienced in many different forms by each individual with different behavioral and physiological outcomes.

Banyai called this kind of hypnotic state “active-alert hypnosis.” She also stated that the sleep-like outcomes in traditional hypnosis occur due to suggestions from the facilitator rather than from the hypnosis itself. This modality of hypnosis has been applied to high-performing athletes with significantly positive results [1], but also with people who prefer an eyes-open trance, or a more active one. In our experience, this type of induction can also be used for visualization and reaching one’s own personal and professional goals.

The original active alert-hypnosis approaches were performed while pedaling a stationary bicycle, receiving hypnotic suggestions of activation and alertness, paying attention to the feelings in their legs, to automatic movement, to their energy, and to their inner peace [7, 8].

According to Banyai [6], active-alert hypnosis has been a useful tool in the following cases:

- Lack of initiative and energy
- General inhibition
- Excessively withdrawn personality
- Depression
- Anxiety disorders
- Inhibited identity development

- Eating disorders (bulimia and obesity)
- Children who do not tolerate the stillness of traditional hypnosis
- Enhancement of physical and mental performance in healthy people (including competitive athletes)

Since these original approaches were performed, several methods of achieving an active-alert hypnotic state have been developed. For example, Etzel Cardeña [9] elaborated a gentle active-alert hypnotic technique consisting of simply waving one hand up and down, producing results similar to those of Banyai's study. Even though active-alert hypnotic approaches are used primarily in therapeutic contexts, you can also notice "altered" consciousness states and active-alert hypnotic states in other contexts, such as religious ceremonies, highly competitive sports (while practicing or watching), dancing, teaching, writing, playing a musical instrument, and many other activities that require highly focused attention. This kind of hypnosis has been called in different ways: hyper-alert hypnosis, active hypnosis, waking hypnosis, awake-alert hypnosis, and alert hypnosis.

3. Goals and motivation

I (AV) would like to share an experience I had some time ago. A friend of mine asked me to slightly change my way of dressing to become a more presentable professional, to give a different image to others and to myself. I have to admit that a part of me was reluctant to make that change, while the other one was just a little curious about what could change for the better if I follow his advice. That curiosity led me to a little inspection of my closet, with some dirty and old clothes hanging there along with some clothes that I did not really use, but there they were, and I came to realize that I needed to go get new clothes, and a new pair of shoes, because my old ones, although comfy, were starting to rip apart, and we all need a good pair of formal and comfortable shoes for formal occasions. After making the decision to go and buy some new clothes and a new pair of shoes, the instruction "buy a pair of shoes" was imprinted in my mind, nothing else.

Get inside the shop, with all those different kinds of shoes, selecting just one pair of them was a difficult task. But my mind was clear: "buy a pair of shoes." I bought a brown pair of shoes, and they were going to be worn next Monday. That day, I put them on and walked a little, and after a few blocks my ankle started to hurt. It was a weak but annoying pain. After a few more blocks, the skin of my Achilles tendon started to peel and I felt an even more annoying pain, and I remembered thinking, "But these shoes are new. Why is this happening?"

Now when we make plans, we not only use our conscious mind, but we also use our unconscious one [10]. The question here is: how?

According to some research [11, 12], our brain makes decisions even before we think we made them. Let us explain this statement. Imagine that we suggest that you move your lips to the right when you see something beautiful and to your left when you see something that you think is not. Then I show you some images on a screen. When you see an image, the information travels all the way through your visual processing structures in your brain (occipital lobe structures), then after being analyzed it is sent to an interpretation area (temporo-parieto-occipital region), and then to our decision-making structures (prefrontal region) to decide whether it is beautiful. That takes no more than a few microseconds, but it is a complex process, all happening without you realizing it. Now that you have decided

to make the movement to the left or right, your frontal lobe sends a signal to your lips to “move” left or right. That is when it gets tricky: it appears that your brain sends that last signal *before* your prefrontal region does its job.

Can we say that our decision-making process and motivation are, therefore, unconscious? If so, how can we develop a stronger will and motivation to make different or even better decisions? Some evidence suggests that the decision-making process comes from a mixture of conscious and unconscious mind [13].

As hypnotherapists, we are accustomed to “talking to the unconscious mind” [14] and that includes avoiding some of the intellectual and logical barriers that one builds for oneself. In hypnosis, that is achieved through hypnotic suggestions. Weitzenhoffer [15, 16] claims that the difference between a hypnotic suggestion and an order is the nonvolitional outcome after the hypnotic suggestion, that is, the hypnotized person does not act according to conscious will but rather in a “dissociative” mode: “it’s as if the levitating arm were not mine.” As Farvolden and Woody [17] find on their study, diminished activity on frontal lobe structures could be an explanation to this “unconscious” behavior. And that is the key aspect of a hypnotic and posthypnotic suggestions, the nonconscious willingness.

Now, how can we use this process to achieve goals? That is what we will be exploring in this chapter.

4. Prospective memory

“It’s a poor sort of memory that only works backwards.”

Lewis Carroll (Alice in Wonderland).

Prospective memory is the ability that allows us to make plans in the present and then remember and carry them out in the future [18]. It is known that the hippocampus consolidates memory from short term to long term [19] and such a complex process occurs better while sleeping [20]. Also, the amygdala’s involvement in the memory consolidation process is well demonstrated since a memory associated with high-intensity emotional content tends to last longer than a boring one [21, 22].

In the prefrontal cortex, the Brodmann area 10 seems to be responsible for making plans and translating them into action, with support from the structures mentioned above. Also, the same area is responsible for retrieving information about those plans and maintaining the attention required to execute them [23].

5. How to use hypnosis to facilitate prospective memory

As Milton Erickson said

There has to be an integration of unconscious learnings with conscious learnings. This should be foremost in your mind whenever you use hypnosis on psychiatric patients. You can recognize that you can resolve a conflict, a phobia, or an anxiety in the trance state. But unless you do something about it in the waking state, the patient is still likely to have that anxiety or phobia. ([14], p. 6)

There are some classic hypnotic phenomena reported in literature, such as:

- Amnesia-hypermnnesia
- Catalepsy
- Analgesia

- Age regression
- Hypnotic hallucination
- Posthypnotic suggestion
- Automatic writing
- Age progression
- Hypnotic age progression

We will focus on hypnotic age progression in this section. Age progression is a procedure that projects the person *into* the future to experience achieving her/his goals as if they were happening right now [24]. This involves not only seeing them as a dissociated image, but also as an associated one, where you can see exactly what you will be seeing, and feeling what you will be feeling once you have accomplished an objective, and then be aware of the steps you take to reach that goal, as if they were made in the past. This approach was used by Erickson in many forms, including the “crystal ball” hypnotic strategy.

Now, when you work with this pseudo-orientation in time, you need to make contact with the conscious mind, and that is where goal construction takes place.

According to Robert Dilts [25], people construct their goals using six principal methods:

- negation of the problematic state
- defining the goal as the polarity or the opposite of the problematic state
- using an external role model or reference to define the desired state
- taking some key characteristics of the desired state
- making a generative outcome (using their own references instead of external ones)
- acting “as if”

When you are working to generate changes with people, all psychotherapy approaches usually take time to define goals. Some methods establish them in a positive and a future-oriented way, for example “What you are going to be doing once you feel...” [26], or focused on what is going to be happening once you get rid of your problem [27]. In our experience, people often struggle with the construction of their objective because they are ambiguous and lacking both clarity and a deadline. Also people focus on what they do not want rather than on what they really want to reach or accomplish.

6. Active-alert hypnosis for goal achievement

Now, we are presenting an active-alert hypnotic strategy to increase motivation and visualize goals, a methodology that has shown excellent results in our practice, and that currently is being tested for efficacy not only in therapeutic contexts but also through the use of scientific methodology.

6.1 First step: writing your goals

In our experience, the approach that has been most useful in helping people to formulate their goals consists of four simple rules:

- Write your goal in the first person: Always start with “I...,” even if it is obvious that the goal refers to you, it is important to express it with certainty.
- Write your goal in the present or in the present progressive tense: Use “I’m” and “I’m being” instead of using the future tense.
- Describe your goal with as many details as possible: Remember that if you give details to them, some goals could seem smaller and therefore more attainable.
- Write your goals in a positive way: For example, instead of thinking, “I do not want to get sick,” you should write, “I am a healthy person.”

Here is an example. A common goal is “I want to lose weight.” Now, following those four rules, we can formulate that goal in this way:

I am (first person, and present tense) a healthy person, I have a waist measuring 70 centimeters, and I weigh 60 kg. (Written in a positive sentence), I am eating the healthy food that my nutritionist has suggested, and I drink at least two liters of water each day. I exercise five days per week: I do a gym workout and lift weights on three days and on the other two days I do cardio sessions (providing as many details as possible).

We ask the person to write two or three goals for every important aspect of his/her life. Then we ask them to read these goals out loud while imagining him/herself in that moment, reaching that goal.

6.2 Second step: overcoming fears and limitations

In this second part of the exercise, we ask the patient to write a different list following these instructions:

All those things that you thought have stopped you from reaching your goals, all those silly things that you said to yourself that made you feel like you might not be able to reach them... maybe all those fears that you had before and that stopped you from success until now.

In my experience (AT), fear is the principal enemy of setting and achieving your goals, but optimism and good self-esteem will also act as your allies all the way to success.

All those fears and limitations are just like a malicious software, like a computer virus... more like trash... like garbage... like waste... mental trash or mental waste or mental garbage that maybe were put there by somebody that wasn't you, maybe with or without intention... but you can get rid of this trash... of this malicious mental software... you can throw away that waste... you can throw away that garbage.

Once all of these fears and limitations are written on a sheet of paper, we tell the person to say goodbye to them, and tear up the paper with all her/his strength. We tell them:

Now that those fears are in that paper... that garbage is in that list... I want you to rip apart that mental waste... with all your strength... to tear that sheet of paper into small... unrecognizable pieces... that cannot be put together again... very small... unrecognizable... insignificant pieces... torn apart...

Now... with all your strength... throw that garbage away... mental garbage... mental trash... mental waste... should be in the place where it belongs from now on... (we bring a trash can to them) ... in this trash can... where those very small... unrecognizable... insignificant pieces of paper will be placed from now on...

(Now with louder voice) While you throw them away... those very small... unrecognizable... insignificant pieces of paper... give them a last goodbye... yell to them ... while throwing them away... ¡THAT'S RIGHT!

6.3 Third step: active-alert hypnosis facilitation: the dumbbells technique (Arnoldo Téllez, n.d.)

This is an active-alert hypnotic technique developed a few years ago, in which we ask the person to sit comfortably and look at any point (you can use a point on the wall or an image). Next, we start to suggest:

When you are ready to begin, please just sit and make yourself comfortable. Shall we start? Ok, look at that picture¹... I would like you to focus your attention on any point of the picture, whichever you want... Now... please put your hands with your palms facing up resting on your legs... that's right... keep looking at the same point... while you concentrate on your breath... Now... I wonder what sensations are going to emerge within your body... when you start to practice this exercise... we are going to practice an exercise ... Now... have you ever felt the sensation of a weight in your hands?... that's right... as if you have some weights in your hands right now... I want you to imagine as if you have some weights in each one of your hands, a pair of dumbbells... one in each hand... about 2 or 3 kilos... is that okay?... Right... Now... You can grab them hard... and feel the weight... 2 or 3 kilos in each hand... Right now... you do not know yet... exactly how you feel... but as you move your dumbbells up and down ... they will feel heavier... While you watch that point... start raising one dumbbell ... up to your shoulder ... Now slowly lower it... While lowering it, raise the other dumbbell... Okay... now move up and down the other one... the left arm and then the other... Right... arm... while still looking at that point... that's right ... I want you to continue looking at the same point... Maybe now you can feel how the muscles contract and then relax... I want you to feel the weight of those dumbbells... feel how the biceps, the muscles of the arms get tensed... little by little feeling warm... the energy and calories in your arms are burning... the muscles get tensed and then relaxed ... and please keep your eyes open looking at the picture... looking at the same point ... and with each movement... each time closer to know how you will be feeling... once you start moving... active... and relaxed... you become more actively relaxed... still focusing on your breathing... now take two or three deep breaths... That's right... now... every time you inhale... You can feel more and more awake ... more alert... feeling more active and full of energy... your mind is awakened... your mind is clear and lucid... can you feel it... now... your energy spreading throughout your body and your mind?... not too much or too little energy... just the right amount of energy that you need... you can feel a sensation in your body... that indicates that this energy is spreading throughout your body... toward your feet... through your legs... through your entire body... while you continue... your mind becomes more active... more lucid... clearer You feel more

energized and in self-control... empowered... in harmony with yourself and your surroundings... looking at the same point... can you recognize the sensation emerging? ... now?... your arm movements make your mind become more lucid and clearer ... actively more awakened and relaxed ... that is it ... feel the movements of your body... how it gets stronger every time... with each movement of your arms ... your body and your mind get stronger and stronger... that's right... now... with every single movement... that energy of motivation is injected into your interior, a positive energy ... what do you know that will happen when... with each movement you repeat to yourself... "I can do it ... I can get it"... Right... now... visualize a goal... yes... that goal... that you wrote before... to accomplish... it could be a personal goal... a professional goal... a goal related to your family, I do not know... but you do (k)now... this goal is your target now... and with each movement imagine... feel this sensation... that you move forward... towards your goal... you are approaching... centimeter by centimeter... meter by meter... towards your goal... just feel that sensation... as if you had some pulleys that move you towards... getting you closer to your target ... that's right... now ... with each movement you can tell yourself... you (k)now? ... "I can do it... I can get there," and you are slowly approaching your goal with each movement... closer and closer to your goal... **Now... maybe you (k) now... or maybe you do not (k)now now... that sensation emerging through your entire body... do you remember now this sensation... you can keep it... within you... every time you need it... this sensation... you know... within you... every time you move... every time you smile... every time you see that goal... every time you breathe...** moving forward with enthusiasm towards your goal... now... I wonder how do you want to be able to go a little faster... now... accelerating your arms movements... keep going towards that goal... more and more... towards that goal... and the more you are moving forward ... the more active and clearer your mind becomes... the clearer it becomes... the more you (k) now that sensation emerging... through all your body... with a lot of enthusiasm ... you can feel an optimistic... motivation... you become more self-confident... with your arms now moving by themselves ... by themselves... automatically... leaving behind any doubts that you thought you had... leaving behind everything... anything what you no longer need to carry on your shoulders... anything that was bothering you... that's right... now... knocking down the obstacles... clearing the way... looking more clearly forward... with more light as you approach to your goal ... that's it... right... safely... with certainty ... yes... you can... you can go forward, approaching your target... your own goal... **with that sensation in your body... within your... body... you keep it... you can remember this sensation... every time you need it... this sensation... every time you move... every time you smile... every time you see your goal... every time you breathe...** every time you are using the best of your own inner resources... that's it... forward... right... now... there are people waiting for you there cheering... where your goal is... people who love you... to celebrate your success... more and more... recognizing your own personal strengths... maybe you did not know yourself... that people love whoever love yourself... but (k)now you (k)now yourself... leaving behind any burden that you do not need to carry out with you... breaking boundaries ... going beyond... reaching your goal... achieving the target... that's it ... right... excellent... wonderful... you almost done it... sure... yes... you can... do it... and... **NOW!!** you finally have reached your goal... you are already in it... right... great... amazing... enjoying ... And you can observe... and feel all those sensations... emotions... and thoughts... linked to the achievement of your goal... look right now... at this moment... inside you ... how do you feel?... **do you (k)now (k)now how you feel?... that feeling emerging... through your entire body... within your... body... you keep it... you can remember this sensation... every time you need it... this**

sensation... every time you move... every time you smile... every time you see your goal... every time you breathe... now... I wonder... what emotions are linked to that success? ... Feel the happiness... Feel the satisfaction... What sensations spread throughout your body? Do you feel self-confidence in your whole body and your mind? Enjoy that feeling of reliance in yourself in having achieved your goal... And feel the wind of positive changes on your skin... And perhaps you can smell the powerful odor of your triumph... that's okay... decreasing the pace ... little by little more slowly that's it... right... savoring the success... that's right... excellent... very good... now... as you slow down a little the movement... you can close your eyes... for a moment... and breathe deeply... now you can rest your arms... you have reached your goal... feel it, enjoy this moment... you are in it ...it's your victory... you deserve it.... Do not you want to go a little further?... you... can you continue?... how much happier do you feel... now that... are you there?... yes... you are!... Breathe deeply... your mind is clear and lucid... active and positive... from now on... (k)now... maybe you (k)now... or maybe you do not (k)now (k)now... that sensation emerging through your entire body... you will remember now this sensation... you can keep it... within you... every time you need it... this sensation... you know... within you... every time you move... every time you smile... every time you see that goal... every time you breathe... And when I ask you to open your eyes and look at that point again, you will feel energized, active, and empowered, with all your potential... I do not know what positive changes your subconscious mind is going to carry out from now on... just moving, smiling, breathing... Very good ... Excellent ... Are you ready to come back here and now? How well do you feel?

As you may notice, some of the words are italicized and we know that you are aware of how to use them, or maybe you can change them a little for your convenience.

6.4 Step four: the dirty rubber band (Arnoldo Téllez, n.d.)

Next, you can start another exercise. You may stay in the same place.

Now close your eyes again, we are going to do another imagination exercise... give me your hands (the therapist takes the patient's hands and pulls them forward with their palms facing one another, and he holds his/her hands on both wrists) ... okay... imagine that you have an elastic band that ties your wrists... and keeps them chained to each other... It is a dirty ... and ugly band... that holds your hands together... and do not let you be free... This band is built from former self-limitations... maybe inferiority complexes... or low self-esteem feelings... grudges... and negative comments... and they all were tying you up ... that were preventing you from being free and expanding your potential... Now I want you to start separating your hands... with all your strength... you are stretching the band... very well... while you force your hands to separate (the patient begins to open and separate his/her arms) ... continue to stretch with force... you are stretching the band more and more... You are about to break it... You are close... with more strength... You are almost to break free... almost... that's right... now... And puff! (Therapist takes the arms and separates them with the force) ... It burst!... correct... excellent... very good... expand your arms... expand your spirit... can you imagine that you are a bird? ... the bird you would like to be.... perhaps an eagle... or a hawk ... seagull... the bird you like to be.... now open your wings... with freedom... flying... You are finally free of what was holding you back... now you are free... on the top... flying... seeing from above a perspective never seen before... A horizon full of possibilities...

right... very well... freely... quietly ... (pause a minute) ... Now you can lower your arms ... And when your arms reach your side and descend on your legs ... You will be totally... and freely... awake... Rested and awoken... How well are you feeling?

Next, here is some feedback from people who experienced this approach:

A 24-year-old man who suffered a chronic sense of demotivation and a lack of specific and clear goals in his life:

First part

"I visualized myself achieving every single goal that guided me towards my main goal. I pictured myself getting good grades, I felt joyful and happy, I visualized myself with my family sharing my success and my main goal achieved."

Second part

"I felt as if I was finally released from something so strong that was keeping me tied up. I felt an unbelievable sense of freedom, I felt a bunch of adrenaline, a burst of energy inside me."

"I could feel the air in my face, like I was really flying in the air, and I finally saw a big bright shining light from the sun."

Report from a patient with depression and anxiety after an active-alert hypnosis session:

First part

"I felt a huge amount of blood pumping fast up to my head and then running down to my stomach."

"I feel more relaxed and peaceful."

Second part

"I felt how the adrenaline rushes through my body from my stomach to my brain. This sensation makes me feel euphoric and generates emotion and happiness, something that I haven't felt for a long time."

"This is a feeling that I haven't experienced before, but now I only feel the energy from the front side of my brain to my mouth, and even more than the energy, I feel relaxation and inner peace."

"I don't feel exhausted, but relaxed."

7. Some general guidelines to apply active-alert hypnotic procedure

There is no big difference between how the linguistic structure is applied in common, relaxed trances, as you may have seen in the approach we share with you, there are some "hypnotic language forms" [24] or "Milton Model" patterns [28, 29], such as analogical marks, interspersal, ambiguities (phonological and punctuation), or lack of a referential index, among others.

In addition, the use of posthypnotic suggestions is key to the construction of a good and effective hypnotic script, since you are looking for a "posthypnotic behavior" [30] integrated into the "normal" behavior of the person [5], and there are some suggestions for their usage [3]:

- Say them at different times and with depth in the trance session
- Express it in different language levels (such as metaphorical, explicit, or with ambiguity)
- Express them as a contingent suggestion (the standard form is “next time that you [unavoidable fact], you will [suggestion]”)
- Use distinctive nonverbal cues to indicate that suggestion’s importance.

Unestahl [2] states that every time that a posthypnotic suggestion is triggered, a “posthypnotic trance” occurs, providing an opportunity for the person to elicit all the sensations and learning acquired in the hypnotic session and to bring them to a context where they will be useful.

There is a process in our brain called hippocampal offline replay that allows our memory to consolidate while in a sleep state. However, there is evidence suggesting that this process can occur in a special consciousness state (relaxed awake state) to bring back learned behaviors or sequences of thoughts in a shorter period of time [31, 32]. That process may be the one that will help us to consolidate and accomplish our most important goals through active-alert hypnosis, posthypnotic suggestions, and clearer goal setting.

This did not happen with that half-baked goal of mine about “getting some new shoes” because that instruction was not specific enough to obtain the desired result. My hippocampus just replays “new shoes... new shoes” a lot, without any more details, and that is what I obtained in the end. A better hypnotic suggestion might have been the following “buy a pair of new and *comfortable* shoes.”

8. Conclusion

Active-alert hypnotic states could be an alternative in some cases where traditional, relaxed-state hypnosis may not be applied. This approach can be used as a tool to guide people to realize how hypnosis could be experienced on a daily basis and as an auto-hypnosis method, making use of posthypnotic trance states.

Reaching a goal requires people to think, to feel, and to act, both consciously and unconsciously. Both active-alert hypnosis and traditional relaxed-state hypnosis help to store goal-seeking information into the unconscious mind in order to encourage the person to reach his/her goals in a nonconscious manner. However, an advantage of active-alert hypnosis is that it seems to increase motivation and energy as well as increasing the probability of producing a state of flow.

According to our experience, this dumbbells technique is an excellent tool helping people to set and achieve their own goals, whatever they are: personal, professional, financial, and health-related ones. Also, in many cases it could produce a flow state characterized by a focused attention and full concentration, merging awareness and action, “freedom” from worries about failure, self-consciousness disappearing, distorted time sense, and auto-rewarding experiences [33]; this flow state leads the person to a higher motivation and energy, augmented self-efficiency perception, mind clarity, and self-control.

AAH could be very useful in high-performance athletes, as has been shown by Unestahl’s research [30]. We have used the dumbbells technique, as a kind of AAH, in several cases of high-performance athletes and sport teams, from amateurs to professionals. The following is a report from a female cyclist who won gold medal in 2018 Pan-American games, who experienced this technique after a session of AAH dumbbells technique:

“I felt all the people in the stadium was screaming, encouraging me... to arrive the finish line in first place... I felt how my legs were stronger and faster as time goes by... once I reached the goal I felt proud, happiness, and a lot of inner peace.”

We invite you to develop your own approaches, keeping in mind that there are many kinds of hypnotic states and that you can elicit those states just by talking, even about something trivial, like your wardrobe, following conversational hypnotic patterns, by reading while your unconscious learns something without you noticing it yet, you know?

Conflict of interest

The authors have no conflicts of interest.

Author details

Arnoldo Téllez^{1*}, Arturo Valdez² and Teresa Sánchez-Jáuregui²

1 Psychology School and Health Sciences Research and Development Center (CIDICS), Autonomous University of Nuevo León, Monterrey, Mexico

2 Health Sciences Research and Development Center (CIDICS), Autonomous University of Nuevo León, Monterrey, Mexico

*Address all correspondence to: arnoldo.tellez@uanl.mx

IntechOpen

© 2020 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

References

- [1] Elkins GR, Barabasz AF, Council JR, Spiegel D. Advancing research and practice: The revised APA division 30 definition of hypnosis. *International Journal of Clinical and Experimental Hypnosis*. 2015;**63**(1):1-9
- [2] Unestahl LE. Alert, eyes-open sport hypnosis. *American Journal of Clinical Hypnosis*. 2018;**61**(2):159-172
- [3] Téllez A. *Hipnosis Clínica: Un Enfoque Ericksoniano*. México: Trillas; 2007
- [4] Rossi EL, Nimmons D. *The 20-Minute Break: Reduce Stress, Maximize Performance, and Improve Health and Emotional Well-Being Using the New Science of Ultradian Rhythms*. USA: JP Tarcher; 1991
- [5] Yapko MD. *Trancework: An Introduction to the Practice of Clinical Hypnosis*. UK: Routledge; 2012
- [6] Bányai ÉI. Active-alert hypnosis: History, research, and applications. *American Journal of Clinical Hypnosis*. 2018;**61**(2):88-107
- [7] Banyai EI, Hilgard ER. A comparison of active-alert hypnotic induction with traditional relaxation induction. *Journal of Abnormal Psychology*. 1976;**85**(2):218
- [8] Bányai ÉI, Zseni A, Túry F. Active-alert hypnosis in psychotherapy. In: Rhue JW, Lynn SJ, Kirsch I, editors. *Handbook of Clinical Hypnosis*. American Psychological Association. 1993. p. 271-290
- [9] Cardeña E, Maldonado J, Galdón MJ, Spiegel D. The hypnosis and the posttraumatic disorders. *Anales De Psicología*. 1999;**15**(1):147-155
- [10] Custers R, Aarts H. The unconscious will: How the pursuit of goals operates outside of conscious awareness. *Science*. 2010;**329**(5987):47-50
- [11] Libet B, Gleason CA, Wright EW, Pearl DK. Time of conscious intention to act in relation to onset of cerebral activity (readiness-potential). In: *Neurophysiology of Consciousness*. 1993. pp. 249-268
- [12] Desmurget M, Sirigu A. A parietal-premotor network for movement intention and motor awareness. *Trends in Cognitive Sciences*. 2009;**13**(10):411-419
- [13] Baumeister RF, Masicampo EJ, Vohs KD. Do conscious thoughts cause behavior? *Annual Review of Psychology*. 2011;**62**:331-361
- [14] Erickson MH, Rossi EL. *Experiencing Hypnosis*. New York: Irvington; 1981
- [15] Weitzenhoffer AM. Hypnotic susceptibility revisited. *American Journal of Clinical Hypnosis*. 1980;**22**(3):130-146
- [16] Weitzenhoffer AM. When is an “instruction” an “instruction”? *International Journal of Clinical and Experimental Hypnosis*. 1974;**22**(3):258-269
- [17] Farvolden P, Woody EZ. Hypnosis, memory, and frontal executive functioning. *International Journal of Clinical and Experimental Hypnosis*. 2004;**52**(1):3-26
- [18] Hassin RR, Uleman JS, Bargh JA, editors. *The New Unconscious*. UK: Oxford University Press; 2004
- [19] Moscovitch M, Cabeza R, Winocur G, Nadel L. Episodic memory and beyond: The hippocampus and neocortex in transformation. *Annual Review of Psychology*. 2016;**67**:105-134
- [20] Girardeau G, Inema I, Buzsáki G. Reactivations of emotional memory in the hippocampus–amygdala system

during sleep. *Nature Neuroscience*. 2017;**20**(11):1634

[21] Rudebeck PH, Ripple JA, Mitz AR, Averbeck BB, Murray EA. Amygdala contributions to stimulus–reward encoding in the macaque medial and orbital frontal cortex during learning. *Journal of Neuroscience*. 2017;**37**(8):2186–2202

[22] Cacciaglia R, Nees F, Grimm O, Ridder S, Pohlack ST, Diener SJ, et al. Trauma exposure relates to heightened stress, altered amygdala morphology and deficient extinction learning: Implications for psychopathology. *Psychoneuroendocrinology*. 2017;**76**:19–28

[23] Cona G, Bisiacchi PS, Sartori G, Scarpazza C. Effects of cue focality on the neural mechanisms of prospective memory: A meta-analysis of neuroimaging studies. *Scientific Reports*. 2016;**6**(1):1–13

[24] Battino R, South TL. *Ericksonian Approaches: A Comprehensive Manual*. USA: Crown House Publishing; 2005

[25] Dilts R. *From Coach to Awakener*. Capitola, CA: Meta Publications; 2003

[26] De Shazer S, Dolan Y. *More than Miracles: The State of the Art of Solution-Focused Brief Therapy*. USA: Routledge; 2012

[27] Haley J. *Problem-Solving Therapy*. New York: Jossey-Bass; 1987

[28] Grinder J, DeLozier J, Bandler R. *Patterns of the Hypnotic Techniques of Milton H. Erickson, MD. Vol. 2*. Cupertino, CA: Meta Publications; 1975

[29] Grinder J, DeLozier J, Bandler R. *Patterns of the Hypnotic Techniques of Milton H. Erickson, MD. Vol. 1*. Cupertino, CA: Meta Publications; 1977

[30] Erickson MH, Rossi EL. *Hypnotherapy: An Exploratory Casebook*. New York: Irvington Publishers; 1979

[31] Carr MF, Jadhav SP, Frank LM. Hippocampal replay in the awake state: A potential substrate for memory consolidation and retrieval. *Nature Neuroscience*. 2011;**14**(2):147

[32] Buhry L, Azizi AH, Cheng S. Reactivation, replay, and preplay: How it might all fit together. *Neuroscience*. 2006;**31**(3):551–570

[33] Csikszentmihalyi M, Abuhamdeh S, Nakamura J. Flow. In: Elliot AJ, Dweck CS, editors. *Handbook of Competence and Motivation*. The Guilford Press. 1990. pp. 598–608